

Notes on autub yo

# BARR & SUGDEN'S GUIDE TO THE FLOWER GARDEN 1862.





Men tooliches we from Mis Buridge, Washmond wolland on blod with orby stockes as Ilia ray divery bright blue dupming terms the plus 1, alla coremen fresh Mastertin Tom Munit 1880 a Labelie qua celis alla pome assuprata mes

Suffricas in white h hp a mejlept

Anholyte Relegion yellow Suffered Sullans Sobrefile one yellow ball flower Clarketons



S 6 2. FIRST EDITION

# BARR & SUGDEN, GUIDE TO THE FLOWER GARDEN, &c.



# BARR & SUGDEN,

SEED MERCHANTS AND FLORISTS,

12, KING STREET, COVENT GARDEN, LONDON, W.C. (OPPOSITE THE GARRICK CLUB). PRICE HALF-A-CROWN.

#### CONTENTS.

# 

Climbers, Ornamental .			. 69	Gladioli, Seedlings of Gandave		. 85
Collections of Carnations Gourds		* * .	76	Ramosus	11818	. 89
Grasses .			. 79	cheap for clumping .		. 82
Imported Ge	erman Flower		. 4	Gourds, Ornamental Exhibitio	n, varieties .	. 76
" Paxtonian F	Plower Seeds		. 12	Grasses, Ornamental		. 79
" Pelargonium	is		. 10	Notices, special		. 84
Commelina		1 1 1	. 84	Tigridia		. 84
Crinum			. 84	Tritoma		. 84
Cultural directions accomp				Tuberoses		. 81
Flower Seeds, Paxtonian	collections of		. 12			
GENTED LE	TATATA	077 0	****	MO MILL TIMOTERS	CARREST	
GENERAL	INDEX	OF G	UIDE	TO THE KITCHEN	GARDEN.	
mul 3113-3-1	0	Y	T	ous Plants. II. Edible Leav	Dank	Damonod
		ants. 1	v. Edibl	Fruited Plants. V. Salad	Plants. VI. E	lerbs, Pot,
Sweet, and Garnishir	ag.					
			Page			Page
Collections of Vegetable Se		Gardens o	of 86	Ice Plant		. 111
various sizes Artichoke Globe	** .		. 90	Leek		. 108
Jerusalem .		: :	. 114	Love Apple, or Tomato .		. 104
Asparagus Seed			. 90	Maize, Indian Corn, or Zea .		. 112
Roots			. 114	Mallow, curled		. 111
Beans, Broad			. 89	Marrow, Vegetable		. 105
" French " Runners			. 89	Melon . , fancy		. 105
Beet, edible rooted .			. 97	Mustard		. 103
leaved .			. 91	Nasturtium for pickling .		. 104
Borecole, Kale or Greens	: :	: :	. 91	Onion	1 10 1	. 98
Brocoli			, 111	Potato, or Underground		, 114
Brocoli			. 92	Parsley		. 111
Brussels Sprouts			. 93	rarsmp		. 99
Cabbage			. 93	Peas		. 87
,, Savoy			. 94	Potatoes, Round and Kidney .		. 113
Cardoon			. 93	Radish		. 99
	1000	: :	97	Rhubarb Seeds		. 96
Cauliflower			. 95	Roots		. 114
Celery			. 105	Savoy Cabbage		. 94
Chervil			. 106	Salsify		. 99
Corn Salad			. 106	Scorzonera		. 100
Couve Tronchuda			. 94	Seakale Seed		. 96
Cucumber, Frame			. 107	Shallots		1114
			102	Sorrell		: 111
Egg Plant			. 102	Skirret		. 100
Endive			. 107	Spinage		. 96
French Beans			. 89	Strawberry Seed		. 105
Fruit Seeds			. 105	Plants		. 114
Garnishing Plants			. 111	Sunflower		. 112
Garlic			. 114	Tomato, or Love Apple .		104
Herb Seeds, sweet and pot		* 100 1	76, 105	Vegetable Marrow		. 105
Plants, "		. 100, 1	. 114	regerable marrow		. 100
17						
	AGRI	CULTI	URAL	SEEDS, page 112.		
Broom.	Furze, Go	rse or Wh	ite.	Grass for Lawns and Pasture	Rape.	
Beet.	Kohl Rabh	oi.		Clover.	Sainfoin.	
Cabbage, Carrot,	Lucern. Mustard.			Parsnip.	Sunflower. Turnip.	
Chicory.	Mustara.			Parsley.	Turmp.	
Cincory.				* •	1	
		SUN	DRY	ARTICLES.		
						100
Books			Page . 116	To delible Denvil Done		Page . 116
Frigi Domo			. 115	Indelible Pencil, Dunn's . Matting		. 115
Gishurst's Compound .		1 1	. 116	Metallic Labels		. 115
Guano			. 116	Netting		. 115
Knives, Saynor's				Tiffany		, 115
			. 115			
and Scissor Sharpe	mer .	: :	. 115	Wall Nails, Patent		. 115
, and Scissor Sharp	mer .			Wall Nails, Patent Zinc Lay Pegs ,		
and Scissor Sharpe	ener :	: :	. 115	Wall Nails, Patent		. 115

# 2000

# BARR & SUCDEN'S

# SPRING SEED CATALOGUE

AND BUILDE TO THE

PLOWER AND LITCHEN GARDEN.

## MONIFERONE OF TAXES

CONTRACTOR OF THE PROPERTY OF THE PARTY OF T

# HERD & SUCDER

DW PROBLEM STATES OF THE STATE OF STATES OF ST

#### a monthing

STANDARD A DES TRANSPORTE DE CAPACITA

## 1862.

# BARR & SUGDEN'S

# SPRING SEED CATALOGUE,

AND GUIDE TO THE

# FLOWER AND KITCHEN GARDEN.

#### LIST OF ENGRAVINGS.

GROUP OF ORNAMENTAL GOURDS.

CELOSIA PYRAMIDALIS COCCINEA AURANTIACA.

CONVOLVULUS CANTABRICUS STELLATUS NOVUS.

NEW SEEDLING PELARGONIUMS.

ZINNIA ELEGANS FLORE PLENO (BARR & SUGDEN'S VARIETY.)

HAND MAP OF LONDON.

TYE'S FLOWER VASES.

# BARR & SUGDEN,

SEED MERCHANTS AND FLORISTS,

12, KING STREET, COVENT GARDEN, LONDON, W.C.

0PPOSITE THE GARRICK CLUB.

#### LONDON:

PRINTED BY TRUSCOTT, SON, & SIMMONS, SUFFOLK LANE, E.C.

## ANNUALS.

SHOWING

# HOW THEY CAN BE MADE TO ENRICH THE GARDEN WITH FLORAL BEAUTY FROM APRIL TO NOVEMBER.

That a rich and varied floral display may be maintained with annuals, from April to November, is, year after year, demonstrated at the various seed farms in this country and on the Continent, and though "bedding plants," such as Geraniums, Verbenas, Caleodarias, &c., have to a considerable extent driven these gay and elegant flowers from the position they once occupied, we have no hesitation in affirming that, with good endivation, very many annuals could be made to vie in duration with the present occupants of the parterre, and in most instances surposs them for elegance of growth, richness of colour, and profusion of bloom. A judicious selection of varieties is, of course, necessary.


For the encouragement of those who may not have the accommodation necessary for raising Verbenas, Geraniums, &c., as well as for those who either may desire to add to the variety and effect of their flower beds and borders, or who really give a preference to annuals, on account of the richness and variety of their colours, elegance of form, and ensures of culture, we offer the following hints:—

PREPARATION OF THE GROUND FOR ANNUALS,—Dig or trench the land to a depth of eighteen needs at least; for slender growing kinds, in warm dry localities, the soil can hardly be made too rich, add therefore a liberal allowance of rich well-decayed manure, and well internix it as the work proceeds, but in cold and wet situations a dressing of leaf-soil will be more suitable, especially for strong-growing varieties, the same care being necessary to grow these to perfection as is required for "bedding plants." Annuals, like all quick-growing plants, require a deep soil, and an open situation, being unable to bear checks in their growth; the ground should therefore be well prepared, which time and trouble will be amply repaid by the increased duration and beauty of the flowers.

Time and Manner of Sowing Annuals.—The proper time for sowing hardy Annuals de-pends entirely upon the period at which they are wanted in bloom. For a spring display, sow early in September, (a fortnight earlier or later according to soil and locality), in beds four feet wide, with an alley one foot wide between the beds, in rows nine inches apart, and if the weather is dry well water the drills before sowing, and cover the seed very lightly with fine soil; before winter, the plants, if too thick, must be slightly thinned out, and early in March carefully lifted in patches containing three or four plants, and planted where they are intended to bloom, regulating the distance between the patches by the known habit of the plants; but as this sowing is expected to produce an early and effective display, rather than to continue long in beauty, they may be planted rather thickly. To furnish a display, rather than to continue long in beauty, they may be planted rather thickly. To furnish a succession, a piece of ground proportioned to the quantity of plants required, should be set apart in an open situation, and lad out in beds four feet wid, with alleys of eighteen inches between; the soil should be prepare I with a dressing of decayed leaves, and if stiff, some sharp sand should be added; manure had better be avoided, except in light soil, where a moderate dressing of thoroughly decayed manure would be most suitable. On this ground successive sowings of the best kinds should be made at short intervals, keeping the ground always occupied, and a good stock of plants ready for transplanting when they are required, and thus a supply will always be at hand for removal into the beds or borders, to fill up vacancies occasioned by bulbs or autumn-sown annuals, &c., for many of the spring-sown annuals, if properly attended to, will continue in beauty throughout the season, or as long as almost any other plants. Those intended for the principal summer display should be sown from March to Mir, either where intended to bloom, or in the reserved ground; by adopting the system of raising the plants in the reserve beds and transplanting, the beds and borders of the flower garden can be kept filled with plants in full beauty.

Half-hardy Annuals are less hable to suffer from drought than the hardy varieties; they do not arrive at maturity so quickly, therefore with these, successive sowings cannot be practised with any advantage. Sow early in May where intended to bloom, or early in April, either on a hotbed or on nicely prepared soil in a frame, or under a hand-glass, and transplant when sufficiently strong and the weather favourable, to the spot where they are to bloom.

Transplanting and after Management of Annuals.—The plants should be carefully taken up, so as not to injure the roots, retaining as much soil about them as possible, and avoid exposing the roots to the air longer than necessary. If the ground is dry at the time of transplanting, the bed in which the plants are growing should have a good soaking of water at least twenty-four hours before taking up the plants; they must also be liberally watered as soon as planted, and in dry hot weather this must be repeated as often as necessary to keep the ground in a moist state, and the plants should be moistened overhead every evening until they get established. Those transplanted early in spring, however, will seldom require water, but if it is necessary it should be given in the inorning. In transplanting for summer blooming, the plants must be allowed suffi-cient space to develope their natural size; if closely planted they will be prevented throwing out side branches, which furnish a succession of bloom. Some plants will require four or six inches, others three or four times that distance from plant to plant; this must be regulated by the habit of the plant and to some extent by the nature of the soil and locality; but it is better in all cases to have the plants too far apart than too close. In dry weather watering will be indispensable, to keep the plants, whether of hardy or half-hardy annuals, in vigour and secure a continuous bloom; when necessary to water in summer the soil should be thoroughly saturated, and as soon as the surface is dry it should be slightly stirred between the plants. Occasional waterings of WEAK guano water will heighten the colour of the flowers, and increase the vigour of the plants.





#### LORD BACON.

#### ESSAYS .- OF GARDENS.

" God Almighty first planted a garden; and, indeed, it is the purest of human pleasures: it is the greatest refreshment to the spirits of man, without which, buildings and palaces are but gross handiworks; and a man shall ever see that, when ages grow to civility and elegancy, men come to build stately sooner than to garden finely, as if gardening were the greater perfection. I do hold it, in the royal ordering of gardens, there ought to be gardens for all the months of the year, in which, severally, things of beauty may be then in season."

#### INTRODUCTION.

In the present edition of our Illustrated Spring Seed Catalogue and Guide to the Flower Garden, it has been our endeavour, so far as the limits of such a work will permit, to assist the amateur in the pursuit of that purest and most delightful of all occupations, gardening. For the attainment of this object, we have spared neither labour nor expense, to make interesting and useful what would otherwise be looked upon as merely dry detail.

We have excluded from these pages many worthless genera, species, and varieties, generally found in seed lists, as they only lead to disappointment.

#### The Novelties of 1861 and 1862 are distinguished by black letters.

In our Guide to the Kitchen Garden we have furnished such cultural information as will enable the amateur to have a succession of the best vegetables from January to December; and still further, we have placed only the really valuable kinds in black type, while the whole have been divided into sections, according to their respective uses.

### SPECIAL NOTICES.

All Packets of Flower Seeds sent Post Paid.

All Packets of Vegetable Seeds sent Post Paid or otherwise.

Orders for Vegetable or Flower Seeds by weight or measure; and all Flower Roots or seed Potatoes, amounting to 21s. and upwards, sent Carriage Paid, to any railway station in England and Wales; to Edinburgh, Glasgow, or any intermediate station; also to Dublin, Cork, Limerick, Belfast, Newry, Londonderry, or any Town on the Irish Coast, having direct steam-boat communication with London.

FIVE PER CENT. allowed on all payments made within one month from date of Invoice.

NO CHARGE FOR PACKING OR PACKAGES.

All remittances by Post-office Orders to be made payable at King-street Post-office, W.C. (OUR Establishment is Eleven Doors West of the Optice, and Optografte The Garrice Club.

All Cheques to be crossed "London and County Bank." Any amount may be paid in Postage-stamps.

Those with whom we have not previously had business transactions are respectfully requested to

send with their order a remittance, or a London reference.

In giving Flower Seed orders, it is only necessary to specify the marginal numbers in the Catalogue. It would very greatly facilitate the dispatch of business, if on each order the name and address were written DISTINGTLY, and in full, and the most direct route by steam-boat or railway stated.


PARTONIAN COLLECTIONS OF FLOWER SEEDS, suitable to any style	4	
	see page	12.
COLLECTIONS OF GERMAN FLOWER SEEDS	22	4.
,, CARNATIONS, PICOTEES, AND PELARGONIUM SEEDS	22	7.
VEGETARIE SEEDS suitable to Gardens of various sizes	see page	86.

## IMPORTED FLOWER SEEDS.

SAVED BY THE MOST EMINENT CONTINENTAL GROWERS.

#### STOCKS.

SIUUD,		
For important Note on the different Classes of Stocks, see page 64.		
New Large-flowering German Dwarf Ten-Week Stocks.	ε.	d.
12 Splendid Varieties, of the most beautiful colours	2	6
12 ,, smaller packets	1	6
Dwarf German Ten-Week Stocks.		
16 Splendid Varieties, of the most beautiful colours.	2	6
16 ,, ,, smaller packets	ĩ	6
Miniature German Ten-Week Stocks.		
6 Splendid Varieties, of the most beautiful colours	0	0
6 ,, smaller packets	2	6
	•	0
Wallflower-leaved Dwarf German Ten-Week Stocks.		
12 Splendid Varieties, of the most beautiful colours	2	6
12 ,, smaller packets	1	6
New Imperial (Emperor) or Perpetual Flowering German Stocks.		
10 Splendid Varieties, of the most beautiful colours	3	6
10 ,, smaller packets	2	0
Brompton, or Winter German Stocks.		
12 Splendid Varieties, of the most beautiful colours	3	6
12 ,, smaller packets	2	0
New Hybrid Giant or Cape Stocks.		
	0	0
6 Splendid Varieties, of the most beautiful colours	1	6
smaller packets	4	
All Colleges de server commerce de la college de la colleg		
ASTERS.		
ASTERS.		
ASTERS.  **For important Note on the different Classes of Asters, see page 18.		
For important Note on the different Classes of Asters, see page 18.		
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.	PN	70
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The most magnificent variety of the whole genus; flowers of an imm		
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The most magnificent variety of the whole genus; flowers of an imm size, and extremely double; the best of all for exhibition purposes, and	TE	E
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The most magnificent variety of the whole genus; flowers of an imm	TE	G :
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The most magnificent variety of the whole genus; flowers of an Imm Size, and extremely double; the best of all for exhibition purposes, and most strikingly effective in Beds or mixed broderies. Most of the following were offered for the first time: they are amongst the most remark novelties of the season:—Azure blue, camine, flesh-colour, pearly lavender, pu	VIN ABI	G E e,
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The most magnificent variety of the whole genus; flowers of an imm size, and extremely double; the best of all for exhibition purposes, and most strikingly effective in beds or mixed borders. Most of the follow colours we offer for the first time: they are amonost the most remain.	VIN ABI	G E e,
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The most magnificent variety of the whole genus; flowers of an imm size, and extremely double; the best of all for exhibition purposes, and most strikingly effective in beds or mixed borders. Most of the following we offer for the fiest time: they are amongst the most remark novelties of the season:—Azure blue, carmine, flesh-colour, pearly lavender, pured-violet, rose, silver-grey, shaded violet, shaded red. Each colour separate, 1 pr. da	VIN ABI	G E e,
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The most magnificent variety of the whole genus; flowers of an Imm Size, and extremely double; the best of all for exhibition purposes, and most strikingly effective in Beds or mixed broderies. Most of the following were offered for the first time: they are amongst the most remark novelties of the season:—Azure blue, camine, flesh-colour, pearly lavender, pu	VIN ABI	G E e,
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The most magnificent variety of the whole genus; flowers of an imm size, and extremely double; the best of all for exhibition purposes, and most strikingly effective in feds or mixed borders. Most of the follow colours we offer for the first time: they are amongst the most remark novelties of the season:—Azure blue, carmine, flesh-colour, pearly lavender, pured-violet, rose, silver-grey, shaded violet, shaded red. Each colour separate, 1/ pr. pa  A Collection of the above 10 splendid colours  "" " " " " " " " " " " " " " " " " "	VIN ABI rpl cke	G E e, t.
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The Most Magnificent variety of the whole genus; flowers of an imm size, and extremely double; the best of all for exhibition purposes, and most strikingly effective in Beds or Mixed broders. Most of the following we offer for the first time: they are amongst the most permark novelties of the season:—Azure blue, cammine, flesh-colour, pearly lavender, pured-violet, rose, silver-grey, shaded violet, shaded red. Each colour separate, 1/ pr. pa A Collection of the above 10 splendid colours smaller packets  Truffaut's New French Preony-Flowered Perfection Aster.	TE WIN ABI rpl cke	IE G LE le, t.
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The most magnificent variety of the whole genus; flowers of an imm size, and extremely double; the best of all for exhibition purposes, and most strikingly effective in beds or mixed borders. Most of the following we offer for the first time: they are amongst the most remark novelties of the season:—Azure line, curmine, flesh-colour, pearly lavender, pur red-violet, rose, silver-grey, shaded violet, shaded red. Each colour separate, 1/1 pr. da Collection of the above 10 splendid colours  "" " " " " " " " " " " " " " " " " "	TE WIN ABI	1E 1G 1E 1e, t. 6 0
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The most magnificent variety of the whole genus; flowers of an imm size, and extremely double; the best of all for exhibition purposes, and most strikingly effective in bedd on mixed borders. Most of the following the note of the following we offer for the first time: they are amongst the most remark novelties of the season:—Azure line, carmine, flesh-colour, pearly lavender, pured-violet, rose, silver-grey, shaded violet, shaded red. Each colour separate, 1/ pr. pa  A Collection of the above 10 splendid colours  """ smaller packets  Truffaut's New French Prony-Flowered Perfection Aster.  16 Splendid Varieties, of the most beautiful colours	TE WIN ABI rpl cke	IE G LE le, t.
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The Most Magnificent variety of the whole genus; flowers of a Imm Size, and extremely double; the best of all for exhibition purposes, and most strikingly effective in Beds or Mixed Borders. Most of the follow colours we offer for the first time: they are amongst the most remark, voyelties of the season:—Azure blue, camine, flesh-colour, pearly lavender, vored-violet, rose, silver-grey, shaded violet, shaded red. Each colour separate, 1/ pr. pa A Collection of the above 10 splendid colours.  Truffaut's New French Pæony-Flowered Perfection Aster.  16 Splendid Varieties, of the most beautiful colours.  Smaller packets.  Truffaut's New French Imbrique Pompon Aster.	TE WIN ABI	G .E .e., t
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The most magnificent variety of the whole genus; flowers of an imm size, and extremely double; the best of all for exhibition purposes, and most strikingly effective in beds or mined borders. Most of the following were offered to the first time: they are almongst the most permise from the most permise, flesh-colour, peaply laverader, pured-violet, rose, silver-grey, shaded violet, shaded red. Each colour separate, 1/ pr. pa A Collection of the above 10 splendid colours  """  Truffaut's New French Proony-Flowered Perfection Aster.  16 Splendid Varieties, of the most beautiful colours.  Truffaut's New French Imbrique Pompon Aster.  6 Splendid Varieties, of the most beautiful colours.	WINABI Problecke	G .E .e., et. 6 0
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The Most Magnificent variety of the whole genus; flowers of a Imm Size, and extremely double; the best of all for exhibition purposes, and most strikingly effective in Beds or Mixed Borders. Most of the follow colours we offer for the first time: they are amongst the most remark, voyelties of the season:—Azure blue, camine, flesh-colour, pearly lavender, vored-violet, rose, silver-grey, shaded violet, shaded red. Each colour separate, 1/ pr. pa A Collection of the above 10 splendid colours.  Truffaut's New French Pæony-Flowered Perfection Aster.  16 Splendid Varieties, of the most beautiful colours.  Smaller packets.  Truffaut's New French Imbrique Pompon Aster.	TE WIN ABI	G .E .e., t
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The most magnificent variety of the whole genus; flowers of an imm size, and extremely double; the best of all for exhibition purposes, and most strikingly effective in beds or mined borders. Most of the following were offered to the first time: they are almongst the most permise from the most permise, flesh-colour, peaply laverader, pured-violet, rose, silver-grey, shaded violet, shaded red. Each colour separate, 1/ pr. pa A Collection of the above 10 splendid colours  """  Truffaut's New French Proony-Flowered Perfection Aster.  16 Splendid Varieties, of the most beautiful colours.  Truffaut's New French Imbrique Pompon Aster.  6 Splendid Varieties, of the most beautiful colours.	WINABI Problecke	G .E .e., et. 6 0
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The Most Magnificent variety of the whole genus; flowers of an imm size, and extremely double; the best of all for exhibition purposes, and most strikingly effective in beds or mined broders. Most of the follow colours we offer for the first time: they are almongst the most fermine for the season:—Azure blue, carmine, flesh-colour, pearly laverder, pred-violet, rose, silver-grey, shaded violet, shaded red. Each colour separate, 1/ pr. pa A Collection of the above 10 splendid colours  """  Truffaut's New French Pacony-Flowered Perfection Aster.  6 Splendid Varieties, of the most beautiful colours.  Truffaut's New French Imbrique Pompon Aster.  6 Splendid Varieties, of the most beautiful colours.  Truffaut's New French Dwarf Chrysanthemum-Flowered Aster.  10 Splendid Varieties, of the most beautiful colours.	TEWINABI rplecke 3 2 2 1 2 2 1	G .E .e., et. 6 0
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The Most Magnificent variety of the whole genus; flowers of an imm size, and extremely double; the best of all for exhibition furposes, and most strikingly effective in beds or mixed borders. Most of the following we offer for the first time: they are amongst the most of the frakank novelties of the season:—Azure blue, cammine, flesh-colour, pearly lavender, pured-violet, rose, silver-grey, shaded violet, shaded red. Each colour separate, 1/ pr. pa A Collection of the above 10 splendid colours.  Truffaut's New French Pecony-Flowered Perfection Aster.  16 Splendid Varieties, of the most beautiful colours.  Truffaut's New French Imbrique Pompon Aster.  6 Splendid Varieties, of the most beautiful colours.  smaller packets.  Truffaut's New French Imbrique Pompon Aster.  6 Splendid Varieties, of the most beautiful colours.  smaller packets.	WINABI Problecke	6 0 6 6
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The Most Magnificent variety of the whole genus; flowers of an imm size, and extremely double; the best of all for exhibition purposes, and most strikingly effective in Beds or Miled Borders. Most of the following we offer from the first time: they are amongst the most remark novelties of the season:—Azure blue, carmine, flesh-colour, pearly lavender, pured-violet, vose, silver-grey, shaded violet, shaded red. Each colour separate, 1/pr. pa A Collection of the above 10 splendid colours  """ smaller packets  Truffaut's New French Peony-Flowered Perfection Aster.  16 Splendid Varieties, of the most beautiful colours  Truffaut's New French Imbrique Pompon Aster.  6 Splendid Varieties, of the most beautiful colours  Truffaut's New French Dwarf Chrysanthenum-Flowered Aster.  10 Splendid Varieties, of the most beautiful colours  "" smaller packets.  Truffaut's New French Dwarf Chrysanthenum-Flowered Aster.  10 Splendid Varieties, of the most beautiful colours  "" smaller packets.	TEWINABI rplecke 3 2 2 1 2 2 1	6 0 6 6 6
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The Most Magnificent variety of the whole genus; flowers of an imm size, and extremely double; the best of all for exhibition furposes, and most strikingly effective in beds or mixed brokers. Most of the following we offer for the first time: they are amongst the most of the fersion; flowers of the sexan:—Azure blue, cammine, flesh-colour, pearly lavender, pured-violet, rose, silver-grey, shaded violet, shaded red. Each colour separate, 1/ pr. pa A Collection of the above 10 splendid colours.  Truffaut's New French Pecony-Flowered Perfection Aster.  16 Splendid Varieties, of the most beautiful colours.  Truffaut's New French Imbrique Pompon Aster.  6 Splendid Varieties, of the most beautiful colours.  smaller packets.  Truffaut's New French Dwarf Chrysanthemum-Flowered Aster.  10 Splendid Varieties, of the most beautiful colours.  smaller packets.  Truffaut's New French Dwarf Chrysanthemum-Flowered Aster.  10 Splendid Varieties, of the most beautiful colours.  smaller packets.	TEWINABI rplecke 3 2 2 1 2 2 1	6 0 6 6 6
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The Most Magnificent variety of the whole genus; flowers of an imm Size, and extremely double; the best of all for exhibition purposes, and most strikingly effective in Beds or Mixed borders. Most of the following were offered the first time: they are amongst the most permane from the first permane from the most permane from the most permane from the first permane from the most permane from the first permane from the most permane from the first permane from the most permaner for most permaner from the first permaner from the most permaner for most permaner from the most permaner for most permaner	TEWINABI rplecke 3 2 2 1 2 2 1	6 0 6 6 6 6 6
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The most magnificent variety of the whole genus; flowers of an imm size, and extremely double; the best of all for exhibition purposes, and most strikingly effective in Beds or mined broders. Most of the following with the first time: they are almongst the most of the school colours we offer for the first time: they are almongst the most member of the season:—Azure blue, camine, flesh-colour, peaply lavereder, pured-violet, rose, silver-grey, shaded violet, shaded red. Each colour separate, 1/ pr. pa A Collection of the above 10 splendid colours  """ "" "" "" "" "" "" "" "" "" "" "" "	TEWIN ABI	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The Most Magnificent variety of the whole genus; flowers of an Imm Size, and extremely double; the best of all for exhibition purposes, and most strikingly effective in Beds or Mixed borders. Most of the following we offer for the first time: they are amongst the most beamfark novelties of the season:—Azure blue, camine, flesh-colour, pearly lavender, pred-violet, rose, silver-grey, shaded violet, shaded red. Each colour separate, 1/ pr. pa A Collection of the above 10 splendid colours.  Truffaut's New French Pecony-Flowered Perfection Aster.  16 Splendid Varieties, of the most beautiful colours.  Truffaut's New French Imbrique Pompon Aster.  6 Splendid Varieties, of the most beautiful colours.  """ smaller packets.  Truffaut's New French Dwarf Chrysanthemum-Flowered Aster.  10 Splendid Varieties, of the most beautiful colours.  """ smaller packets.  Truffaut's New French Dwarf Chrysanthemum-Flowered Aster.  12 Splendid Varieties, of the most beautiful colours.  """ smaller packets.  New French Double Cockade, or Crown Aster.	TEWIN ABI	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The Most Magnificent variety of the whole genus; flowers of an imm Size, and extremely double; the best of all for exhibition purposes, and most strikingly effective in Beds or Mixed Borders. Most of the following with the first time: they are amongst the most of the following with the most beautiful colours.  A Collection of the above 10 splendid colours.  """ smaller packets.  Truffaut's New French Pæony-Flowered Perfection Aster.  6 Splendid Varieties, of the most beautiful colours.  """ smaller packets.  Truffaut's New French Imbrique Pompon Aster.  6 Splendid Varieties, of the most beautiful colours.  """ smaller packets.  Truffaut's New French Dwarf Chrysanthenum-Flowered Aster.  10 Splendid Varieties, of the most beautiful colours.  """ smaller packets.  Truffaut's New French Dwarf Chrysanthenum-Flowered Aster.  12 Splendid Varieties, of the most beautiful colours.  """ smaller packets.  """ """ """ """ """ """ """ """ """ "	TEWINABILITY PROCESS 3 2 2 1 2 1 2 1	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
For important Note on the different Classes of Asters, see page 18.  New Giant Emperor Aster.  The Most Magnificent variety of the whole genus; flowers of an Imm Size, and extremely double; the best of all for exhibition purposes, and most strikingly effective in Beds or Mixed borders. Most of the following we offer for the first time: they are amongst the most beamfark novelties of the season:—Azure blue, camine, flesh-colour, pearly lavender, pred-violet, rose, silver-grey, shaded violet, shaded red. Each colour separate, 1/ pr. pa A Collection of the above 10 splendid colours.  Truffaut's New French Pecony-Flowered Perfection Aster.  16 Splendid Varieties, of the most beautiful colours.  Truffaut's New French Imbrique Pompon Aster.  6 Splendid Varieties, of the most beautiful colours.  """ smaller packets.  Truffaut's New French Dwarf Chrysanthemum-Flowered Aster.  10 Splendid Varieties, of the most beautiful colours.  """ smaller packets.  Truffaut's New French Dwarf Chrysanthemum-Flowered Aster.  12 Splendid Varieties, of the most beautiful colours.  """ smaller packets.  New French Double Cockade, or Crown Aster.	TEWIN ABI	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6





Quilled German Aster (extra fine).		.,
10 Splendid Varieties, of the most beautiful colours	2	6
10 ,, ,, smaller packets	1	6
New Globe-Flowered German Aster (extra fine).		
10 Splendid Varieties, of the most beautiful colours	2	6
10 ,, smaller packets	1	6
New Hedgehog-Flowered Aster.		
4 Splendid Varieties, of the most beautiful colours	2	6
4 ,, ,, smaller packets	1	6
Dwarf Quilled German Aster.		
12 Splendid Varieties, of the most beautiful colours	2	6
12 ,, smaller packets	1	6
Annia de la companya del companya de la companya de la companya del companya de la companya del la companya del la companya de		
Antirrhinum Majus, or Snapdragon.		
12 Newest and Best Varieties	3	0
12 ,, , smaller packets	2	U
BALSAMS.		
Camellia-Flowered Improved Double Balsams.		
12 Splendid Varieties, of the most beautiful colours	2	0
12 ,, ,, smaller packets	î	6
Rose-Flowered Improved Double Balsams.		
12 Splendid Varieties, of the most beautiful colours	2	e
12 ,, smaller packets	ĩ	6
Rose-Flowered Spotted Double Balsams.		
12 Splendid Varieties, of the most beautiful colours	2	6
12 ,, , , smaller packets	ĩ	6
Miniature Balsams.		
8 Splendid Varieties, of the most beautiful colours	2	0
	-	
LARKSPURS.		
New Dwarf Stock-Flowered Larkspur.		
For bedding or ribboning, this splendid variety surpasses all others; it possesses the cor	npa	ect
habit of the Dwarf Rocket Larkspur, and with spikes of bloom seldom less than 18 inches	lor	ıg.
This is the first time we have been able to offer it in distinct colours.  10 Splendid Varieties, of the most beautiful colours		_
10 sprendid varieties, of the most beautiful colours	1	6
New Tall Stock-flowered Larkspur.	^	Ü
A truly magnificent variety, strikingly effective in large borders, shrubberies, &c.		
8 Splendid Varieties, of the most beautiful colours	2	6
8 ,, ,, smaller packets	ĩ	6
German Dwarf Double Rocket Larkspur.		
12 Splendid Varieties, of the most beautiful colours	2	в
12 , smaller packets	ĩ	6
Double Branching Larkspur.		
8 Splendid Varieties, of the most beautiful colours	2	6
8 ,, ,, smaller packets	ĩ	6
Tall Pyramidal Double Larkspur.		
10 Splendid Varieties, of the most beautiful colours	2	6
10 ), smaller packets	ĩ	6
Hollyhocks		
Saved from Paul, Chater and Downie, Laird, and Laing's best flowers.		
C 1 111 FF 1 11	3	B
10 1		0
12 ,, smaller packets	2	U

Marigold.	a.	
12 Superb Varieties		6
Petunias.	. 1	U
12 Splendid Varieties	2	6
12 ,, smaller packets	. 1	6
Phlox Drummondii.		
12 Extra-fine Selected Varieties	3	6
6 ,, ,,	. 2	0
Portulaca.		
10 Splendid Varieties	. 3	6
10 ,, smaller packets	. 2	0
Salpiglossis.		
10 Superb Varieties, of the most beautiful colours	. 2	6
10 ,, smaller packets	. 1	6
Wallflower,		
10 Extra-fine Varieties, Double	. 3	6
10 ,, smaller packets		0

#### ZINNIA ELEGANS.

A grand genus of autumn-flowering plants, combining the greatest richness and diversity of colour, with unequalled profusion and duration of bloom. Amongst the novelties introduced last year, the "New DOBBLE ZISMA" has proved the most important acquisition, its splendtid double flowers rivaling in beauty, size, and form, moderate sized Dalthas. Our "Sardynax Correspondent" during the past summer has, in the exercise of his usual skill and good taste, classified and arranged the flowers into twenty-four distinct colours, rejecting every imperfect and semi-double flower, so that the seed we offer may be relied upon producing from 80 to 90 per cent, of the most beautiful double flowers. See engraving in the body of this volume.

24	Splendid	Double	Varieties	***************************************		15	
				***************************************			
12	99	39	99	***************************************	0	6	0
6	99	22	39		0	3	6

#### ON THE PREPARATION AND MANAGEMENT OF A HOT-BED FOR RAISING SEEDLINGS.

"Sow in heat-Sow in a hot-bed," are directions so commonly to be found in the notices of halfhardy annuals, that we feel we shall be materially aiding those who are their own gardeners if we give a few simple directions on the subject of a hot-bed, composed of stable manure, the most

frequent and useful form in which it is to be found.

The Preparation of the Dung, is a matter of great importance, and if the bed be expected to the state of the best of the best of the state of the best lightly together to ferment; this will take place in the course of a few days, and three or four days alterwards it should be completely turned, well shaken and mixed, keeping the more littery portion to the interior of the heap; a second turning and watering may be necessary, although one will be generally found to be sufficient; when thus cleaned of its rankness the bed may be made.

The situation for this should be dry underneath, sheltered from the north as much as possible, and fully exposed to the sun; it should be built up from two feet six inches to four feet high, and wider by six inches every way than the frame to be placed upon it. The dung should be well shaken and mixed while being put together, and firmly pressed by the feet. The frame should be kept close until the heat rises, and three or four inches of sifted sand or ashes should be placed on the surface of the bed; in a few days it will be ready for use; but air should be given night and day while there is any danger from the rank steam, and if the sand or ashes are drawn away from the side of the bed, they should be given.

When the bed, they should be replaced. When the hot-bed is used for seeds only, nothing further is necessary; they are to be sown in pots, or pans, placed or plunged in the bed, the heat of which will soon cause them to germinate. As this will, after some time, decline, what are called linings should be added, that is, fresh hot fermenting (but not rank) dung applied about a foot in width all round the bed, this renews its strength, and will greatly aid its successful management.





#### COLLECTIONS OF

## CARNATIONS AND PICOTEES,

Saved by our Special "SARDINIAN his Scal, thus



CORRESPONDENT," and distinguished by and initials G. E. S.

As usual, these seeds are warranted to yield 80 per cent, of Splendid Double Flowers, surpassing in floral beauty and rich and brilliant colours those saved by any German, French, or Belgian cultivators.

For twenty-seven years our "Sardinian Correspondent" has devoted his special attention to improving these favourite "Domestic Flowers," and, for the last ten years, they have held a first-class position in this country; they are also celebrated on the Continent of Europe, harming, India, Australia, New Zealand; and indeed wherever the lovers of these flowers are located, these collections have found their way.

For many years they have been made a leading feature in advertisements. In floral committees they have been subjects of discussion. For Dr. Lindley's opinion of the high character of these flowers, see "Gardener's Chronicle," July 2nd, 1859, p. 562. Since that time considerable advancement has been made, so that we have no hesitation in affirming, that the high reputation these collections have attained will be more than realized by the seeds we have now the pleasure of offering.

#### CARNATIONS, SECTION I.

This Section consists of Four Collections, each forming a distinct feature.

#### COLLECTION A

#### Contains 12 superb varieties of 10 seeds each, 3s. Double Collections, do. do., 20 seeds each, 5s.

I. Selfs.—One-coloured, possessing the delightful perfume of the old and highly prized Clove, with the smooth edged petals and exquisite symmetry of a florist's flower.

rose scarlet maroon slate purple yellow carmine bronze white vermilion crimson pink

#### COLLECTION B

#### Contains 12 superb varieties of 10 seeds each, 3s. Double Collections, do. do., 20 seeds each, 5s.

II. Flakes.—The flowers of these are white, or some other delicate shade, beautifully striped or flaked with a distinct and brilliant colour.

white ground purple flake scarlet ground maroon flake white ground rose flake slate ground scarlet flake white ground pink flake spotted ground mulberry flake white ground scarlet flake crimson ground violet flake white ground blush flake crimson ground maroon flake scarlet ground blue flake blush ground lilac flake

#### COLLECTION C

#### Contains 12 superb varieties of 10 seeds each, 3s. Double Collections, do. do., 20 seeds each, 5s.

III. Bizarres .- These are striped with two distinct and brilliant colours on a white or light ground.

purple and maroon bizarre chamoise and violet bizarre scarlet rose and purple bizarre carmine and slate bizarre

crimson and purple bizarre pink and silver bizarre scarlet and maroon bizarre sienna purple and rose bizarre purple and flesh bizarre flesh and maroon bizarre pink carmine and purple bizarre red and black bizarre

#### COLLECTION D

#### Contains 12 superb varieties of 10 seeds each, 3s. Double Collections, do. do., 20 seeds each, 5s.

IV. Fancy.—To the amateur this class will be specially interesting; the flowers are beautifully formed, and are either shaded, spotted, or mottled with rich and varied colours, thus imparting to the flower an extremely novel and beautiful appearance.

scarlet and slate flesh and purple pink and lavender carmine and maroon strawberry vermilion shaded cerise and purple carmine shaded blue violet and crimson carmine and slate crimson mottled flesh and maroon

#### YELLOW CARNATIONS, SECTION II.

This Section comprises Three Collections which, on account of the colour of the flowers, are universally admired and greatly in demand.

#### COLLECTION E

#### Contains 12 superb varieties of 10 seeds each, 3s. 6d. Double Collections, do. do., 20 seeds each, 5s. 6d.

I. Flakes. The ground of the flower is yellow or orange, striped with a rich and distinct colour, such as purple, scarlet, &c.

nankeen ground carmine flake sulphur ground crimson flake yellow ground slate flake vellow ground orange flake

orange ground vermilion flake vellow ground pink flake salmon ground searlet flake buff ground vermilion flake

orange ground maroon flake yellow ground rose flake yellow ground searlet flake yellow ground purple flake

#### COLLECTION F

#### Contains 12 superb varieties of 10 seeds each, 3s. 6d. Double Collections, do. do., 20 seeds each, 5s. 6d.

II. Bizarres. These are striped with two distinct colours on a yellow or orange ground, and are beautiful beyond description.

vellow purple and rose bizarre yellow rose and scarlet bizarre

orange maroon and purple bizarre orange scarlet and maroon bizarre
yellow fesh and maroon bizarre
yellow fesh and maroon bizarre
orange rose and purple bizarre
yellow rose and lavender bizarre

vellow self lemon self buff self orange self

#### COLLECTION G

#### Contains 12 superb varieties of 10 seeds each, 3s. 6d. Double Collections, do. do., 20 seeds each, 5s. 6d.

III. Fancy.- Exquisitely variegated with every tint of the rainbow, and unequalled for their extraordinary and dazzling effect.

vellow mottled carmine yellow spotted scarlet salmon shaded scarlet orange pink and lavender salmon spotted cerise vellow rose and slate orange mottled scarlet vellow shaded pink

salmon shaded purple yellow shaded maroon yellow blue and pink orange shaded scarlet

#### PERPETUAL OR TREE CARNATION, SECTION III.

These are called "Tree" on account of their upright growth and branching habit, and "Perpetual" because they flower several times during the season. In winter and spring they may be had in bloom under glass, while in autumn they are amongst our most attractive border plants.

This Section consists of Four Collections.

#### COLLECTION II

#### Contains 12 fine varieties of 10 seeds each, 3s. Double Collections, do. do., 20 seeds each, 5s. Perpetual or Tree Self, or one-coloured Carnations, viz.:-

pink lilac purple bronze cerise copper rose maroon crimson scarlet carmine puce

#### COLLECTION I

#### Contains 12 fine varieties of 10 seeds each, 3s. Double Collections, do. do., 20 seeds each, 5s.

Perpetual Flake, or two-coloured striped Cornations, viz.:-

white ground pink flake purple ground maroon flake white ground rose flake flame ground vermilion flake white ground carmine flake pink ground lilac flake strawberry ground maroon flake pink ground scarlet flake

rose ground lilac flake white ground purple flake white ground lavender flake white ground searlet flake

#### COLLECTION J

#### Contains 12 fine varieties of 10 seeds each, 3s. Double Collections, do. do., 20 seeds each, 5s. Perpetual Bizarre, or three-coloured striped Carnations, viz.:-

lilac rose and purple bizarre scarlet and yellow bizarre flesh and maroon bizarre pink flesh and purple bizarre

crimson and lavender bizarre rose and mulberry bizarre. purple pink and scarlet bizarre purple white and rose bizarre

crimson and slate bizarre pink rose and lilac bizarre purple and rose bizarre crimson and maroon bizarre





#### COLLECTION K

Contains 12 fine varieties of 10 seeds each, 3s. Double Collections, do. do., 20 seeds each, 5s.

Perpetual Fancy, spotted, shaded, or mottled Carnations, viz :-

strawberry mottled crimson pink shaded lavender

mottled purple pink spotted rose carmine shaded purple | rose and black

fancy white flesh and scarlet

flame shaded vermilion cerise and blue maroon shaded

#### PICOTEE, SECTION IV.

The Picotee is distinguished from the Carnation by the flowers being margined instead of striped. This Section includes Three Collections.

#### COLLECTION L

Contains 12 superb varieties of 10 seeds each, 3s. Double Collections, do. do., 20 seeds each, 5s.

Picotees, white ground, margined with the following colours, viz .:-

white ground scarlet edge white ground purple edge peach ground carmine edge white ground rose edge

white ground broad scarlet edge white ground broad crimson edge white ground broad purpowhite ground fancy rose edge white ground cupped, white ground, edged pink white ground broad purple edge white ground narrow crimson edge white ground fancy rose edge white ground cupped, purple edge

#### white ground lavender edge COLLECTION M

Contains 12 superb varieties of 10 seeds each, 3s. Double Collections, do. do., 20 seeds each, 5s. 6d. Yellow Picotees, margined with the following colours, viz :-

yellow ground rose edge vellow ground maroon edge vellow ground pink edge orange ground mulberry edge

vellow ground scarlet edge salmon ground red edge orange ground scarlet edge vellow ground purple edge

yellow ground vermilion edge buff ground scarlet edge yellow ground crimson edge yellow ground broad maroon edge

#### COLLECTION N

Contains 12 fine varieties of 10 seeds each, 3s. Double Collections, do. do., 20 seeds each, 5s.

III. Perpetual or Tree, like the Carnation, has an upright and branching habit, valuable for autumn and winter flowering; white, margined with the following colours, viz.:

white ground scarlet edge white ground purple edge white ground narrow pink edge white ground broad rose edge

edge white ground maroon edge white ground pink edge white ground lilac edge

white ground wax-like purple | white ground fancy scarlet edge white ground chocolate edge white ground rose edge white ground fancy maroon edge

#### Assortments from the above Collections:-

Carnations.-An assortment of 100 varieties, each consisting of 10 seeds .... 18/ ditto of 50 ditto ditto Picotees .ditto of 100 ditto ditto of 50 ditto ditto 99

That the Amateur may realize the greatest possible success from the seed we supply, each packet has cultural directions printed on it, of which the following is an example:-



#### ZINNIA ELEGANS FLORE PLENO.

ONE OF THE MOST IMPORTANT NOVELTIES OF THE SEASON. Native of India.

Description and Adaptation.—Nat. Ord. Composito. Half-hardy Annual. Flowers various colours. Height, 13 ft. A noble plant for beds, ribbons, and mixed borders, with blossoms the size of small Dahias, and produced in the greatest producting the contract of the contract o

borders, with blossoms we see the seed of the seed of

early in May.

After Management,—Immediately the plants appear remove the glass, and
After Management,—Immediately the plants appear remove the glass, and
After Management and the design of the series and when a trong enough to this small post, placing three plants round the
rever and when a trong enough to this small post, placing three plants round the
them remove to a cold frame, and when all danger of frost is over plant out in rich soil.

The plants reside in the cold frame, & consolioual watering with weak quanto water
will heighten the colour of the flowers, as well as theseen the region of the plants.

BARR & SUGDEN, 12, King-street, Covent-garden.

Opposite the Garrick Club.

[Entered at Stationer's Hall.]

#### PELARGONIUM SEED.

RECEIVED FROM OUR "SARDINIAN CORRESPONDENT."

#### VARIEGATED LARGE-FLOWERED PELARGONIUMS.

Our "Sardinian Correspondent" having succeeded in obtaining from seed an entirely new class of variegated plants, viz. "Large-flowered" Pelargoniums of the diadematum tints, of fine form and brilliant colours, with the remarkable distinction of variegated jolings, we shall have the pleasure of offering, next season, these unique and beautiful silver-edged plants.

The interest that attaches to the raising of seedlings is much increased by the certainty of being rewarded with new and improved varieties, especially in a flower so popular and beautiful as the Pelargonium. To ensure the amateur against disappointment while in the pursuit of his interesting and favourite employment, our "Sardinian Correspondent," who is distinguished for his eminent success in raising many splendid and novel varieties," remarkable alike in habit and substance, has saved for us seed from the very choicest of his extensive and magnificent collection, so that we feel the greatest confidence in recommending it to those who are desirous of raising real novelties.

#### How to Raise Plants, and to Cultivate them Successfully afterwards.

The seed should be sown in heat, early in March, or as soon after as pessible, in wide shallow pans, well drained, the compost to be light and rich, composed of leaf mould, well rotted manure, a little loam, and a fair proportion of silver sand, to be all passed through a tolerably fine sieve. Fill the pans to within an inch of the top, and carefully smooth the surface, then, having cut off the feather from the end of the seeds, insert them, with that chu luywards, at equal distances from each other, this plan answering better than laying them on the surface. They should be covered a quarter of an inch with the same compost, finely sifted.

As soon as the plants appear the pans should be transferred to the greenhouse, placed as near the glass as possible, and watered moderately with a fine syringe; when they have made their second leaf they may be potted off singly into forty-eight pots, in a compost of equal parts of loam and leaf mould, with the addition of silver sand, and shaded from bright sunshine; when they have filled the pots with roots, let them be repetted, and kept close to the glass; air should be given abundantly, and when the weather is favourable, they may be placed out of doors, in an airy situation, on a thick bed of coal ables. Leave them there during the summer, and replace them in the greenhouse when there is any fear of frest. Be careful not to over-pot them, the object being not to obtain large plants, but to bring them into flower soon.

#### SEALED COLLECTIONS OF PELARGONIUM SEED.

#### COLLECTION O

Contains 12 splendid varieties, 10 seeds each, 5s. 6d., of large-flowored

Pelargoniums, viz.:-

ApolloBeck.	Etna Turner.	Empress of Russia Stuart,
Mulberry	Lord ClydeFoster.	Grande-Duchesse Marie
Beauty of Reading Hoyle.	Crown Imperial Stuart.	Marquise de Châteauneuf
Rosa Bonheur "	Bird of Paradise ,,	Madame Proeschel

#### COLLECTION P

#### Contains 12 splendid varieties, 10 seeds each, 5s. 6d., of spotted Pelargoniums, viz.:-

ì	Bracelet Turner.	Victor Emmanuel Miellez.	Mr. Hooper Stuart.
	Queen of Spots "		
l	Reine Hortense Miellez.	Frances Evelyn,	Prince Impérial "
	Venus de Medicis	Léon Pilatte	Roi d'Italie

#### COLLECTION Q

#### Contains 12 splendid varieties, 10 seeds each, 53. 6d., of fancy Pelargoniums, viz.:-

	Pelargoniums, viz.:-	
AmyTurner.	'CircleTurner.	Louise Bonnaire Stuart.
	Florence StuartStuart.	
Bridesmaid,	Julia Helen ,,	Prince of Wales ,,

Assortment of 36 splendid varieties of large-flowered Pelargoniums, 10 seeds of each, 12s. 6d.

Assortment of 36 splendid varieties of Fancy Pelargoniums, 10 seeds of each, 12s. 6d.

<sup>\*</sup> Dried Specimens of some of these Seedlings, flowered in 1861, may be seen at our Establishment.







NEW SEEDLING PELARGONIUMS,

From the Collection of our "Sardinian Correspondent." Dried flowers of the original may be seen at our Establishment.







#### ANNUALS BY WEIGHT.

THE FOLLOWING ARE ALL EXCEEDINGLY SHOWY AND VERY EFFECTIVE
FOR BEDDING, EDGING, OR COVERING LARGE BANKS,

	Per	OZ.		Per	oz.
Acroclinium roseum, rose	1	6	Leptosiphon luteus, sulphur-coloured	2	0
Alyssum, sweet, white	1	0	Limnanthes grandiflora, yellow and white.	0	9
Anagallis indica, blue	1	0	Linaria bipartita, delicately variegated	1	6
Calandrinia speciosa, rose	1	0	Linum grandiflorum, scarlet	2	6
Calliopsis bicolor nana, crimson and yellow	1	0	Lobelia gracilis, blue	2	6
,, ,, mixed	-	~	alba, white	2	6
Campanula pentagonia, purple	0	9	Lupinus nanus, blue	õ	6
	0	9	. , , , , , , , , , , , , , , , , , , ,	2	0
Candytuft crimson, rose-crimson	0				0
, sweet-scented, white	0	9	" venustus, blue	1	
Catchfly, red	0	9	mixed	1	6
Clarkia pulchella grandiflora, rose	0	9	Malope grandiflora	1	0
" alba grandiflora, white.	0	9	Mignonetteper lb. 5/6	0	6
Collinsia bicolor, purple and white	0	9	" new large " 7/6	0	9
" alba, white	1	0	Nasturtium, Tom Thumb, Dwarf, mixed.	1	6
Convolvulus minor, mixed	0	9	Nemesia compacta	4	0
Cosmidium Burridgeanum, yellow and			Nemophila insignis grandiflora, blue.		
crimson	1	6	per lb. 7/6	0	9
Delphinium cardiopetalon, blue	2	0	" maculata, white, spotted with		
Dianthus chinensis, mixed	1	6	purple	0	9
Erysimum Perowskianum, orange	0	9	Nolana atriplicifolia, blue and yellow	o	9
Eschscholtzia crocea, orange	1	ő	Oxyura chrysanthemoides	ĭ	6
-11 1-4-	1	0	Pea. Sweet, mixed coloursper lb. 2/0	0	3
alba, white	1				
Eucharidium grandiflorum, pink	1	0	Phlox Drummondii, mixed colours	4	0
Eutoca viscida, blue	1	0	Portulaca, mixed colours	4	0
Gilia tricolor	0	6	Saponaria calabrica, rose	2	0
Godetia insignis, pink	1	0	ocymoides	3	6
,, roseo-alba, white, spotted	1	0	Schizanthus pinnatus	1	0
Hibiscus africanus, cream, bronze centre	1	0	Schizopetalon Walkerii, white, fragrant	3	0
Indian Pink, various colours	2	0	Silene pendula, crimson	0	6
Larkspur, tall, double	1	9	Stock, ten weeks	1	0
dwarf, German, double	1	6	Venus's Looking-glass, blue	1	0
Leptosiphon aureus, golden yellow	2	6	Virginian Stock, red	ô	6
densifiorus, purple	0	9	Viscaria oculata, red and rose	1	0
1	1	0	Whitlavia grandiflora, purple	2	0
mensinorus, aibus, white		J	" minaria grandinora, parpie	2	U

## FLOWER SEEDS

FOR SHRUBBERIES, WOODLAND WALKS, RAILWAY EMBANKMENTS, DECORATION OF WILDERNESSES, &C.,

5s. 6d. PER POUND, OR 9d. PER OUNCE.

In a conversation with our "Sardintan Correspondent," some few years ago, he pictured to us, in terms somewhat glowing, the rich native flora of Italy and many other parts of the Continent, at the same time stating that, where Nature failed to adorn, Art became her handmaiden. This conversation originated the idea of adding to the native flora of Britain, and which we at once endeavoured to carry out, by mixing nearly 100 sorts of the hardlest and most showy annuals; and it is with no small degree of pleasure we now find that what then to our minds was an experiment, has proved of the utmost importance. Many gentlemen, having availed themselves of the suggestion, have scattered these seeds on large rockeries; rooteries, natural and artificial; in shrubberies; woodland walks; carriage drives, and wildernesses; also, by the side of rivulets, and wherever a floral display was desired beyond the limits of the flower garden, and the result has been most satisfactory, imparting beauty where there was none before, and an interest to the most uninteresting localities.

FOR A SUMMER AND AUTUMN DISPLAY,

Sow during March and April, simply scattering the seed broadcast, at the rate of 6 or 7 lbs. per acre, and without covering it; but later in the season it must either be covered, or sown during wet weather.

FOR A SPRING AND EARLY SUMMER DISPLAY,

Sow in September and October.

MIGNONETTE, 5/6 per lb.; NEMOPHILA MIXED, 5/6 per lb.

#### PAXTONIAN COLLECTIONS OF FLOWER SEEDS,

ADAPTED TO ANY STYLE OF GARDENING.


These collections are composed of the most beautiful and effective Flowers, so that Amateurs who are unacquainted with the more recently-introduced species and varieties, may be furnished with such only as are calculated to maintain throughout the summer and autumn months a rich and gay floral display.

(SEB IMPORTANT REMARKS ON ANNOLLS, PAGE 2.)

# N.B.—IN ORDERING THESE COLLECTIONS IT SHOULD INVARIABLY BE STATED WHETHER THE SEEDS BE INTENDED FOR SMALL OR LARGE BEDS OR BORDERS.

ALL PACKETS SENT POST PAID.

	D 1				RDY .							
100	Packets of l	peautiful v	arieties,	including	5	100	Packets of	of beaut	iful va	rieties, in	eluding	0010
20	the most e						those i					
50	Ditto	ditto				50 30			litto	ditto		15/0
30	Ditto	ditto			5/6		Ditto		litto	ditto		10/6
21	Ditto	ditto		• • • • • • •		21			litto	ditto		7/8
15	Ditto	ditto	ditto			15	Ditto	(	litto	ditto		5/6
	D 1						NUALS.					
	Packets of										aricties	5/6
50 30	Ditto	ditto		to *				di		ditto		4/6
80	Ditto	ditto	di	tto	10/6	10	Ditto	d)	tto	ditto		2/6
							NIALS.					
	100 Pack		most be		r sprin					tion	30/0	
	50	Ditto		ditto			tto		tto		15/0	
	30	Ditto		ditto			tto		tto	* * * *	7/6	
	21	Ditto		ditto			tto		tto		5/6	
	15	Ditto		ditto		dı	tto	di	tto	****	3/6	
							ENNIAL					
5 F	ackets of th	ne most be	autiful		7/6	15	Packets of	f the m	ost bea	nutiful		4/0
	TH	E BEST	ANNI	TATS A	ND P	ERE	NNIALS	FOR.	ROCK	WORK		
n F	ackets of th										iotice	3/6
1		ditto	ditt				Ditto			ditto		2/6
							PTED F					
	ackets of th						Packets of			autiful		3/6
21	Ditto	ditto			5/6	10	Ditto		ditto			2/6
		EVERI	ASTIN	TLOW	TERS	FOR	WINTE	R. BO	попт	TS.		
IS TO	ackets of th											2/6
10 1	ACREIS OF EL	ic nest sor	13		3/0	10.	E ackets of	. the be	81 2011	0		20/6
			ORN	AMENTA	L FO	LIAC	ED PL	ANTS.				
30 F	ackets of th	ne most ef	fective .		10/6	1 10 1	Packets of	the m	ost effe	ective		3/6
21	Ditto						Ditto					2/6
5		ditto										
			ORN	AMENTA	T. GE	ASST	S, See p	000 70				
SO T	ackets tall a	and dimonf							lavouf.	voniotion		5/0
30	Ditto			*****			Ditto					2/6
,0	21110	ditto							,0	arreo		2010
			ORN	AMENTA	L GO	DURD	S, See pa	ge 76.				
	For these	e the Ron	yal Hor	cticultur	al Soc	ietu o	ffers Pri	izes to	the ar	mount of	£30.	
00	Packets of	the most	ornam	ental and		25 1	Packets o	f the	most	ornament	al and	
	Packets of beautiful				30/0	-	beautif	nl				5/6
50	Ditto	ditto	dit	to	10/6	12	Ditto	)	ditto	ditt	0	2/6
				0037455	,		THE PARTY					
. 33							IMBERS					
	ackets of th	e most be	antiful v	arieties	21/0	15 ]	Packets of	the mo	st bea	utiful vari		5/0
30	Ditto	di				10	Ditto Ditto		ditto			3/6
21	Ditto	di	tto	• • • • • • • •	7/6	6	Ditto		ditto	* *		1/6
					AQUA	TICS						
	6	Doolsota e	C Loonali	S.1 manioti	-					3/6		
	0.	r ackers 0	Dennen	ui varieti	02					0/0		





Flower-seed department Edited by the Rev. H. H. DOMBRAIN, A.B., Member of the Floral Committee of the Royal Horticultural Society, and Editor of the Floral and Botanical Magazines.

## SELECT LIST

OF

## CHOICE FLOWER, TREE, AND SHRUB SEEDS.

THE MORE RARE AND VALUABLE SPECIES AND VARIETIES OF THE ABOVE
HAVE BEEN SAVED FOR US BY OUR "SARDINIAN CORRESPONDENT,"

IN THE SUNNY CLIMATE OF ITALY.

CULTURAL DIRECTIONS PRINTED ON EACH PACKET OF SEED.

## The Novelties of 1861 and 1862 are in Black Type.

IN GIVING ORDERS, THE MARGINAL NUMBERS ALONE WILL SUFFICE.

\* \*\* All packets of Flower Seeds sent post paid.

	ABRONIA, Nat. Ord. Nyctaginaceæ.	Per I	PEt.
	A charming plant, with beautiful verbena-like heads of sweet scented flowers, very effec- e beds, rock-work, or in baskets suspended in a conservatory: growing freely in any ht rich soil, and flowering from August to October.		
1	Abronia umbellata, rose lilac, half hardy annual, ½ ft., from California	0	3
	ABUTILON, Nat. Ord. Malvaceæ.		
	Plants of an unusually ornamental character, with drooping, delicate, wax-like flowers, ined and striped in the most beautiful manner, and succeeding during summer against a th wall. Half-hardy shrubs.		
2 3	Abutilon alba, pure white, delicately pencilled, beautiful, 5 ft.  Alphonse Karr, orange veined with crimson, very fine, 5 ft.		9
4	Power wallow atnined with brown & ft		
	", Comtesse Medicis Spada, primrose veined with carmine, large and beautiful, 6 ft.	o	9
5 6 7 8 9	, Duc de Malakoff, yellow veined with maroon, very fine, 6 ft		6
7	"Humboldtii, orange veined, 5 ft. "insigne, lilac veined with claret, exceedingly pretty, 5 ft.		0
9	Wanted Il I will some line distinct and ways fine E ft		6
10	,, marmoratum, pure white, veined with bright rose, a charming variety, 6 ft		9
11	" Souvenir d'Arago, buff veined with maroon, very beautiful, 4 ft	1	0
12	" Souvenir de Cauchy, vermilion striped with maroon, magnificent, very superior to		
13	Due de Malakoff, 5 ft		9
14	vitifolium superbum, light violet, very large, 5 ft.		9
	ACACIA, Nat. Ord. Leguminosæ.		
	Elegant and ornamental plants, with more graceful and varied foliage than any other class		
	shrubs. During winter and spring they are amongst the most attractive objects of the con- vatory, greenhouse, and drawing-room; while in summer they enrich the flower border,		
	bery, and lawn, imparting to them quite an oriental aspect. When placed out of doors in		
	summer, the pots should be plunged, and watered when necessary. Greenhouse shrubs.		
15	Acacia acanthocarpa, pale red, superb species, 6 ft., from N. Spain	0	6
16	" acutissima, yellow, foliage slender and graceful, 5 ft., from Mexico		0
17 18	albicans, white, with beautiful silvery foliage, 5 ft., from Mexico		3
19	" argyrophylla superba, yellow, foliago silvery, very elegant, 6 ft., from Swan River asparagoides, yellow, graceful asparagus-like foliage, 6 ft , from N. Holland	0	9
20	balsamea, yellow, foliage curious, resembling the beautiful Casuarina, 6 ft., from		0
	N. S. Wales		0

		ACACIA.—continued.	Per P	kt.
21	Acacia	Bartheriana, yellow, a splendid variety, 6 ft., from N. Holland	0	4
22 23	22	calamifolia, yellow, with reed-like foliage, 3 ft., from N. Holland	0	6
24	17	coccinea, rose, very fine, 6 ft., from E. Indies		0
25	37	dealbata, canary yellow, foliage very graceful, 5 ft., from Van Diemen's Land	0	3
26	99	dentifera, yellow, a magnificent species, 10 ft., from Swan River		4
27 28	91	dodoniæfolia, yellow, very slender and graceful, 6 ft., from N. Holland		3
29	97	Drummondii, yellow, beautiful, and very free flowering, 6 ft., from Swan River	1	0
30	22	floribunda minor, yellow, a beautiful free flowering dwarf variety, 4 ft., from N. S.		
31	33	Wales floribunda pendula, yellow, an unusually graceful drooping species, 5 ft., from N.	0	6
32		Holland glaucescens, yellow, silvery white foliage, 4 ft., from N. S. Wales	0	4 6
33	33	grandis, golden yellow, a most beautiful species, 6 ft., from N. Holland	0	4
34	21	graveolens, yellow, foliage resembling the willow, 6 ft., from N. Holland	0	9
35 36	99	heteroclita, yellow, very handsome style of growth, 6 ft., from N. Holland impressa, yellow, a splendid and very distinct species, 6 ft., from N. Holland		9
37	22	ixiophylla, golden yellow, a very graceful and handsome species, 6 ft., from Swan		3
	,,	River juniperina, straw colour, very free flowering, 6 ft., from N. Holland	0	4
38	22	Jumperma, straw colour, very free flowering, 6 ft., from N. Holland	1	6
40	99	lanigera, yellow, 6 ft., from N. Holland lanuginosa, sulphur, very handsome, 6 ft.	î	0
41	"	leakiana nellow a dwarf meturesone variety resembling the "Metrosideros" 4 II.		
42		from N. Holland  Lebbek, pink, beautiful, 5 ft., from Egypt Ilinifolia, yellow, very graceful habit, 4 ft., from N. Holland longifolia, yellow, foliage long and slender, 6 ft., from N. S. Wales	0	6
43	99 93	linifolia, vellow, very graceful habit, 4 ft., from N. Holland	0	6
44	22	longifolia, yellow, foliage long and slender, 6 ft., from N. S. Wales	0	4
45	27	longiflora magnifica, bright yellow, a noble species, with large clusters of flowers, each several inches long, 8 ft., from N. S. Wales		0
46	22	longissima glauca pendula, yellow, the most graceful of the pendulous varieties,	0	9
	"	with slender graceful branches three to four feet in length drooping like a		
47		weeping willow, 6 ft., from N. S. Wales	1	0
48	"	weeping willow, 6 ft., from N. S. Wales lophantha Newmani, yellow, beautiful foliage, 6 ft., from N. S. Wales , speciosa, yellow, very fnc, 6 ft., from N. Holland	0	4
49	29	marginata, yellow, leaves beautifully margined, 4 ft., from N. S. Wales	1	0
50 51	22	Meisnerii, yellow, a very fine species, 5 ft., from N. Holland	1	()
52	"	microphylla, sulphur, a noble plant with large foliage, 5 ft., from N. Holland multinervia, vellow, 4 ft. from N. Holland	í	0
53	22	multinervia, yellow, 4 ft. from N. Holland mirribilia, straw colour, myrthe-like foliage, 5 ft., from N. S. Wales migricans, yellow, with exquisite foliage and habit of growth, 5 ft., from N.	1	0
54	22	nigricans, yellow, with exquisite foliage and habit of growth, 5 ft., from N.	1	0
55	>>	Holland oxycedrus, yellow, flowering in long spikes, very distinct and beautiful, 5 ft., from		U
		N. S. Wales	0	9
56 57	>>	paniculata, yellow, flowering in corymbs, very elegant, 6 ft., from N. Holland petiolaris, pule yellow, foliage large and handsome, 9 ft	1	0
58	"	pinitolia, yellow, pine-like foliage, very handsome, 5 ft., from Van Diemen's Land		0
59	23	pinitolia, yellow, pine-like foliage, very handsome, 5 ft., from Van Diemen's Land penninervis, pale yellow, very fine, 5 ft., from N. Holland	0	4
60	27	playtyptera, orange, 6 ft., from Swan River	-0	9
62	27	plectocarpa, yellow, 4 ft., from N. Holland	0	6
63	27	prostrata, pale yellow, profuse bloomer, 3 ft., from N. S. Wales	1	()
64 65	19	pulchella, yellow, foliage remarkably pretty, 4 ft., from N. Holland	0	3
66	19	retinoides, yellow, leaves long and elegant, compact habit, 6 ft.	1	0
67	39	rotundifolia, yellow, graceful and curious, 4 ft., from Swan River	0	6
68	29	sinuata species nova, yellow, dwarf variety, with beautiful long narrow foliage,	1	0
69	21	very striking and handsome, 3 ft., from Lucia Bay	1	()
70	97	spinosa, rose and white, striking variety, 6 ft., from E. Indies	0	6
71 72	>>	tenuifolia, yellow, very graceful and pretty toliage, 5 ft., from N. Holland undulata, yellow, with wavy foliage, 4 ft., from N. Holland	0	0
73	"	xylophylloides (new), rich golden nellow, flowering in bunches, light green lanceo-	0	U
		lated foliage, handsome variety, 6 ft., from N. Holland	1	0
		ACANTHUS, Nat. Ord. Acanthaceæ.		
	A sta	tely and beautiful ornamental foliaged plant: from the leaf of A. mollis the capital		
	the Cor	unthian column is derived; growing fromly in any good, deep, rich loamy soil.		
11a		ennials,		0
75	Acant	hus mollis, white, 3 ft., from Italy	0	3
	,,	- 1	0	





Per Pkt.

	ACHIMENES, Ivat. Ord. Gesheracete.	8,	d.	
	A class of charming plants, combining great beauty with rich and brilliant colours, succeeding well in a warm greenhouse.			
į	76 Achimenes, mixed from the choicest varieties, various heights	1	0	
Ì	ACROCLINIUM, Nat. Ord. Compositæ.			
-	Charming everlasting flowers, in the style of Rhodanthe, valuable for winter bouquets, flowering freely in any common garden soil. Hardy annuals.			
	77 Acroclinium album, white, 1 ft., from S.W. Australia	0	3	
	78 atro-roseum, dark rose, 1 ft., from S.W. Australia	0	3	
	79 ", roseum, bright rose, 1 ft., from S.W. Australia	0	3	
-	AGAPANTHUS (African Lily), Nat. Ord. Hemerocallidacea.			
	A highly ornamental plant, with large handsome heads of bloom, very effective for porticos, terraces, gravel walks, or planted by the side of lakes or ponds.			
l	80 Agapanthus umbellatus, blue, half-hardy bulb, 2 ft., from Africa	0	3	
l		·		
١	AGERATUM, Nat. Ord. Compositæ.			
l	Valuable plants for large beds or borders, and very useful where cut flowers are in demand, continuing in bloom the whole summer, and succeeding in any soil. Half-hardy annuals.			
ı	81 Ageratum cœlestinum, sky blue, 1½ ft	0	3	
l	82 " nanum, sky blue, 1 ft	0	3	
I	83 . , conspicuum, pure white, 1½ ft	0	3	
Ì	22	0	3	
1		0	U	
ı	AGROSTEMMA (Jove's Flower), Nat. Ord. Caryophyllaceæ.			
ı	A very attractive herbaceous plant, growing freely in any common garden soil.	0	_	
ı	86 Agrostemma, Flos Jovis, bright pink, showy, hardy perennial, 1½ ft., from Germany	0	2	
ı	AILANTHUS (Tree of Heaven), Nat. Ord. Terebinthaceæ.			
l	A stately tree, resembling a gigantic stag's horn Sumach, invaluable for avenues, groves, shrubberies, or wherever trees of stately growth and large ornamental foliage are required;			
ı	the leaves are largely used in France as food for the new species of silkworm (Phalaena			
ļ	Cynthia); succeeding in any poor shallow soil.			
l	87 Ailanthus glandulosa, green, hardy tree, 40 ft., from China	0	4	
١	ALLIUM, Nat. Ord. Liliaceæ.			
١	Very pretty bulbous plants, of easy culture, growing freely in any soil. Hardy bulbs.			
ı	88 Allium, fragrans, white, with vanilla perfume, 12 ft. from West Indies	0	3	
ı	89 ,, hirsutum, rose violet, 11 ft., from West Indies	0	4	
ı	90 , narcissiflorum, rose, 11 ft., from France	0	4	
i	91 , rotundum, puce, 1½ ft., from S. of Europe	0	4	
١	" " " " " " " " " " " " " " " " " " " "	U	-12	
ı	ALONSOA, Nat. Ord. Scrophulariaceæ.			
1	A handsome, free flowering, attractive, bedding plant, also valuable for in-door decoration, continuing in bloom from June till cut off by frost, and succeeding in any rich garden soil.			
ı	93 Alonsoa Warszewiczi, bright crimson, half-hardy annual, 1½ ft., from Chili	0	3	
1	ALSTREMERIA, Nat. Ord. Amaryllidaceæ.			
1	A class of beautiful, free-flowering, tuberous-rooted plants, succeeding best in a warm.			
-	south border, under shelter of a wall, or in front of a greenhouse. Half-hardy perennials.			
1	94 Alstræmeria Van Houttes, mixed from choicest varieties, 1½ ft	0	6	
ı	95 , Chilensis, mixed from choicest varieties, 1½ ft	0	3	
1	ALYSSUM, Nat. Ord. Cruciferæ.			
l	Free flowering, useful, pretty little plants for beds, edgings, or rockwork. The annual			
l	varieties bloom nearly the whole summer, and the perennials are amongst our earliest and most			
1	attractive spring flowers.			
1	96 Alyssum argenteum, yellow, with silvery foliage, hardy perennial, 1 ft., from Switzerland.  97 Atlanticum, fine light yellow, very ornamental. 3 ft.	0	6	
1	98 Benthamii, white, very fine, hardy annual, 1 ft.	0	6	
	97 , Atlantieum, fine light yellow, very ornamental, \(^2\) ft. 98 , Benthamii white, very fine, hardy annual, 1 ft. 99 , saxatile, yellow, extremely showy, hardy perennial, 1 ft., from Candia	0	2	
1	100 ,, compacta, golden yellow, very compact, free flowering and beautiful			1/2
	hardy perennial, 1½ ft.,	0	6	1/1
	101 , sweet (Koniga maritima), white, very sweet, hardy annual, ½ ft., of England	0	3	1
	AMARANTHUS, Nat. Ord. Amarantaceæ.			
1	Ornamental foliaged plants of an extremely graceful and interesting character, producing a striking effect, whether grown for the decoration of the conservatory or out-door flower garden. If the seed be sown early in heat, and the plants put out in May or June in very			

		-
AMARANTHUS—continued.	er I	
rich soil, they make exceedingly handsome specimens for centres of beds or mixed flower	3.	d.
borders, Half hardy annuals,		
102 Amaranthus bicolor, leaves crimson and green, handsome, 2 ft., from E. Indies	0	3
portation part green, particularly graceful, 2 15., 110m E. Indies.	0	3
104 ,, albus, white drooping flowers, very pretty, 2 ft., from E. Indies 105 , tricolor, leaves red and vellow, very handsome, 2 ft., from E. Indies	0	3
105 ", tricolor, leaves red and yellow, very handsome, 2 ft., from E. Indies	0	3
AMARYLLIS, Nat. Ord. Amaryllidaceæ.		
An important class of bulbous plants, with flowers of rare beauty, suitable for warm green-		
house culture.		
107 Amaryllis, various, all very handsome, 2 ft	0	4
AMBLYOLEPIS, Nat. Ord. Compositæ.		
An exceedingly fragrant showy border plant, succeeding well in any common garden soil.		
108 Amblyolepis setigera, bright yellow, hardy annual, 2 ft., from E. Indies	0	3
AMMOBIUM, Nat. Ord. Compositæ.		
A useful everlasting for making dried winter bouquets, and a showy border plant, growing		
freely in any garden soil.		
109 Ammobium alatum, white, hardy annual, 2 ft., from N. Holland	0	3
AMPHICOME, Nat. Ord. Bignoniaceæ.		
Pretty greenhouse evergreen shrubs, with beautiful Pentstemon-like flowers.		
110 Amphicome arguta, lilac, very beautiful, 1 ft., from Himalaya	0	6
111 , Emodi, rose with orange corolla, half hardy perennial, 1 ft., from Himalaya.	0	6
ANAGALLIS, Nat. Ord. Primulaceæ.		
The grandiflora varieties of this genus of pretty little plants, are exceedingly valuable for		
small beds, edgings, rustic baskets, vases, or rockwork; they succeed best in light rich soil,		
and delight in a sunny situation, covering the ground with a profusion of rich coloured flowers		
the whole summer. Half-hardy annuals.	0	4
112 Anagallis grandiflora cærulea, large sky blue, ½ ft  113 "Brewerii, rich velvely blue, ½ ft  Brewerii, rich velvely blue, ½ ft	0	4
114 . Eugenie, light blue shaded with white, 3 It	0	6
115 Marmora dell' Etna, bright red, \( \frac{1}{2} \) ft	0	6
116 ", Napoleon III., maroon, ½ ft	0	6
Parkeii roce lurus 1 ft	0	3
119 ", Phillipsii, large blue, \( \frac{1}{2} \) ft.	0	3
sanguinea oright ruoy, Deauthidi, 21t	0	6
121 " Trionfo di Firenze, pale blue, ½ ft	0	6
ANEMONE (Wind Flower), Nat. Ord. Ranunculaceæ.		
These rank amongst the earliest and prettiest of our spring flowers; with successional		
sowings a gay display may be maintained for many months; succeeding in any ordinary light soil.		
122 Anemone coronaria, various colours, hardy perennial, \( \frac{1}{2} \) ft., from the Levant	0	3
ANOMATHECA, Nat. Ord. Iridaceæ.		
A splendid Cape bulb of a very dwarf compact habit, covered with a profusion of rich		
coloured blossoms, from June to October, particularly effective for edgings or for pot culture, and delighting in a free sandy peaty soil, in a warm sunny border. Hardy bulb.		
123 Anomatheca cruenta, rich orange spotted with crimson, \(\frac{1}{2}\) ft., from Cape of Good Hope	Ω	Q
	0	U
ANONA (Custard Apple), Nat. Ord. Anonaceæ.		
A tropical tree extensively cultivated in America and the West Indian Islands, and		
greatly prized on account of its fruit. Half-hardy trees.  124 Anona trilobata.	0	3
124 Anona trilobata,	1	0
126 " squamosa, from S. America	0	4
ANTHEMIS, Nat. Ord. Compositæ.		
Showy free flowering plants. A. Arabicus has curiously cut sweet-scented foliage and		
large flowers; growing freely in any soil. Hardy annuals.		
127 Anthemis Arabicus, orange, 1 ft., from Arabia	0	2
128 , Chia, white, very pretty, 1 ft., from Chio	0	2
ANTHOLYZA, Nat. Ord. Iridaceæ.		
A genus of beautiful half-hardy bulbous plants, succeeding best in light rich peaty soil,		
and in warm situations.	_	0
129 Antholyza Æthiopica, scarlet and green, 1 ft., from Cape of Good Hope	0	3
bicolor de Gasparini, red and black, 1 ft., from Cape of Good Hope	0	0






				_
		ANTHOCERCIS, Nat. Ord. Scrophulariacea.	Per P	
	A greenhou	ise shrub, with fine foliage and white flowers tipped with grey.	0,	u.
191		is floribunda, 3 ft., from Australia	0	6
101	Anthocerc		U	U
		ANTHYLLIS, Nat. Ord. Leguminosæ.		
	Pretty plan	its with silky-looking heads of flower. A. vulneriana is a neat plant for		
ock	work.			
132	Anthyllis	barba Jovis (Jupiter's beard), pale yellow, half-hardy shrub, 3 ft., from S. of		
		Europe	0	3
133	11	cytisoides, yellow, with silvery green foliage, very pretty, half-hardy shrub,		6
104		2 ft., from S. of Spain	0	6
134	,,	Hermanniæ, yellow, spike flowering, half-hardy shrub, 2 ft., from the Levant-vulneraria rubra, red spotted, hardy penennial, 3 ft., of Britain	0	4
100	29		U	-3
		ANTIRRHINUM (Snapdragon), Nat. Ord. Scrophulariaceæ.		
		hinum, popularly called Snapdragon, one of our most showy and useful border		
olan	ts: amongs	t the more recently improved varieties of this valuable genus are large finely		
shap	ed flowers	of the most brilliant colours, with beautifully marked throats; they succeed in		
ny	good garder	n soil, and are very effective in beds. A. nanum and varieties are valuable for		
		ld walls. Hardy perennials.		0
136 137		um majus, choice mixed, 2 ft	0	3
138	33	", album, pure white, 2 ft. ", brilliant, crimson and white, 2 ft. ", caryophylloides, magnificently striped, 2 ft. ", Delila, rosy carmine and white, 2 ft.	0	3
139		,, brilliant, crimson and write, 2 tt	0	6
140	22	,, Delila, rosy carmine and white, 2 ft.	0	4
141	39	,, Firely, orange-scartet and white, 216	·	4
142	"	,, Galatha, crimson, yellow, and white, 2 ft	0	4
143	99	,, Papillon, scarlet, white, and yellow, 2 ft	0	4
144 145	,	" pourpre superbe, dark purple, 2 ft	0	4
146	99	,, Roi des Feux, brilliant scarlet, 2 ft	0	6
147	**	mana managa albuma muna mbita 1 fe	. 0	6
148	"	, hand novith atoun, pure write, 1 ft, bicolor, crimson, yellow, and white, 1 ft	0	4
149	27	" Ophir, golden yellow, 1 ft	ő	6
		APHELEXIS, Nat. Ord. Compositæ.		
	A oboursis	the state of the s		
tions	and whom	ng greenhouse everlasting, occupying a prominent place at our floral exhibi- ever plants of a high decorative character are in demand; valuable for winter		
hous	quets.	plants of a fight decorative character are in demand; valuable for winter		
		macrantha rosea, rose, fine flowers, 2 ft.	. 0	G
	PHOTOELS			0
		APHYLLANTHES (Lily Pink), Nat. Ord. Liliaceæ.		
		ttle plant, producing its flowers in tufts on the top of rush-like stems.		
151	Aphyllan	thes monspeliensis, sky blue, hardy perennial, 1 ft., from S. of France	0	6
	An order	AQUILEGIA (Columbine), Nat. Ord. Ranunculaceæ.		
rom	hining the	ely showy and ornamental genus of early summer flowering herbaceous plants	2	
is a	great novel	most curious forms with the most beautiful and striking colours. A. Skinner ty. All the varieties succeed in common garden soil. Hardy perennials.		
152	Annileoio	choice mixed double	0	3
153	-rdurregra	, choice mixed double  French varieties	0	3
154	"	,, ,, French varieties. alpina, blue and white, 1 ft., from Switzerland alba carnea, flesh coloured, 1 ft.	0	6
155	99	alba carnea, flesh coloured, 1 ft.	0	6
156	"	californica gigantea nova, bright scarlet, large and beautiful, 2 ft., from Cali-		
		fornia	0	4
157	99	", rosea, rose, very handsome and distinct, 2 ft., from California	0	4
158	29	canadensis, purple, 2 ft., from N. America caryophylloides, double, magnificently striped, 2 ft.	0	4
159 160	79	Durandii double red and arkite string 11 ft.	0	6
161	"	Durandii, double red and white striped, 1½ ft	0	3
162	22	,, alba, double white, 1½ ft		3
163	"	formosa, double red and orange, very showy, 1½ ft., from Kamschatka	0	3
164	27	,, alba violacea pleno, double purple and white, 1½ ft	0	4
165	29	,, cærulea variegata, 2 ft	0	4
166	99	,, tricolor, orange, red, and yellow, 12 ft., from Siberia	. 0	3
167	39	giandulosa, blue and white, splendid, 1 ft	- 0	6
168 169	**	glauca rosea, rose-shaded slate, 2 ft., from Himalaya	0	4
170	39	kermesina, bright red, 2 ft.	- 0	3
171	"	leptoceras, blue, slender horned, 2 ft., from Russia	0	4
172	27	,, lutea, pale yellow, 2 ft., from Russiasiberica, double purple, with yellow stamens, dwarf, 1 ft., from Siberia	0	3
173	"	Skinnerii, scarlet and yellow, very beautiful, 1½ ft., from Guatemala	0	6
	"	To the state of the second	,	

			_
	AQUILEGIA—continued.	er P	kt.
174	Aquilegia viridiflora, green and yellow, 1 1 ft., from Siberia	0	4
175 176	atropurpurea, dark purple, 1½ ft., from Siberia Wittmanniana, blue and white, very handsome, 1½ ft	0	4
177	,, wittinanniana, olue and ionite, very nandsome, 13 ft	0	4
	ARABIS, Nat. Ord. Crucifera.		
	An exceedingly early spring flowering plant, contrasting beautifully in ribbons with the		
	w Alyssum; valuable for rockwork, edgings, &c., and succeeding well in any common len soil.		
	Arabis alpina, pure white, hardy perennial, 3/4 ft., from Switzerland	0	3
	ARBUTUS (Strawberry Tree), Nat. Ord. Ericaceæ.		
	A handsome hardy evergreen shrub, covered during October and November with pearl-		
	blossoms and strawberry fruit.  Arbutus Unedo, 10 ft., from Ireland	0	3
110		U	U
	ARCTOTIS, Nat. Ord. Compositæ.  Handsome, showy, free flowering plants, of close compact dwarf habit, with large beau-		
tiful	flowers in the style of Gazania Splendens, continuing in bloom the whole summer, and ring freely in any rich soil. Half-hardy perennials.		
180 181	Arctotis grandiflora, pale yellow with dark crimson centre, \frac{1}{2} ft., from Cape of Good Hope breviscarpa, deep orange with dark centre, \frac{1}{2} ft., from Cape of Good Hope	0	6
	ARGEMONE, Nat. Ord. Papaveraceæ.		
ing v	Exceedingly showy, free-flowering, border plants, with large Poppy-like flowers, succeedwell in any common garden soil. Hardy annuals,		
182 183	Argemone Hunnemannii, carmine and yellow, 2 ft	0	3
	ARGYROLOBIUM, Nat. Ord. Leguminosæ.		
light	A pretty, Cistus-like plant, with beautiful variegated foliage, succeeding well in any rich, soil, Half-hardy perennial.		
	Argyrolobium Linnæanum, yellow broom-like, leaves white edged, 2 ft., from Mexico	0	3
	ARMERIA, Nat. Ord. Plumbaginaceæ.		
for r	A genus of exceedingly beautiful plants, effective either in pots for in-door decoration, or ockwork and mixed flower borders. Hardy perennials.		
185 186	Armeria formosa alba, white, 1 ft., from Portugal, ,,, carnea, rose and white, 1 ft., from Portugal	0	6
187	, longiaristata, blue, 1 ft., from Portugal , longiaristata, blue, 1 ft., from Portugal , Welwitschii, pink, 1 ft., from Portugal .	0	6
	ARUM, Nat. Ord. Araceæ.		
	Plants with singularly interesting and curious foliage; fine for mixed borders or front of		
shru	bberies. Hardy perennials,	_	
189 190	Arum Corsicum, mottled like a snake, 1 ft., from Corsica  "Italicum, pale yellow, leaves yellow spotted, 1 ft., from Italy	0	4
191	" Dracunculus (Dragon Arum), highly ornamental, flowers extremely large; stems		
	spotted brown and purple, like a snake, 3 ft., from N. America	0	4
	ASCLEPIAS, Nat. Ord. Asclepiadaceæ.		
	Handsome plants, remarkable for the singularity and beauty of their flowers, succeeding light peaty soil.		
192 193	Asclepias curassavica, scarlet, hardy perennial, 3 ft., from S. America	0	3 4
	ASTER, Nat. Ord. Compositæ.		
	This splendid class of plants is not only one of the most popular, but also one of the effective of our garden favourites, producing in profusion flowers in which richness and typo of colour, is combined with the most perfect and beautiful form; it is indispensable in		

This splendid class of plants is not only one of the most popular, but also one of the most effective of our garden favourites, producing in profusion flowers in which richness and variety of colour, is combined with the most perfect and beautiful form; it is indispensable in every garden or pleasure ground where an autumnal display is desired. In our flower beds and mixed borders it occupies a deservedly prominent position, whilst for grouping or ribbon-

ing it stands unrivalled.

The Aster may be divided into two grand sections, French and German. The French, as improved by Truffaut, has flat petals either reflexed or incurved; the former resembling the Chrysanthenum, whilst the latter, turning its petals towards the centre of the flower, forms, when well grown, a perfect ball, and is best described by its resemblance to the Pasony. The German varieties are quilled, and the most perfect lowers are surrounded by a circle of flat or guard petals, as in the Hollyhock. The flowers of these are particularly admired for the exquisite symmetry of their form. The dwarf bouquet varieties of this beautiful genus grow from nine to fifteen inches high, and are particularly adapted for small beds, edgings, or for





			A COMPANY CONTRACT I	Per P	kt.
not a		. there of	ASTER—continued.  Ten flower so profusely as entirely to hide their foliage. All the varieties	8.	d.
delig	tht in a	rich ligh	ht soil, and in hot dry weather should be mulched with well rotted manure,		
and	freque	ntly supp	plied with manure water; this labour will be amply compensated by the y, and duration of the flowers. Half-hardy annuals.		
194			Pæony Perfection (Tassell flowered, of the Horticultural Society), mixed,		
			brilliant and beautiful colours, flowers very double, large and	1	0
195	.,	,,	finely shaped, 1½ ft	•	0
196			shaped, 1½ ft	0	6
190	"	"	shaped, 1½ ft.  Giant Emperor (Tassell flowered, of the Horticultural Society), mixed, brilliant and beautiful colours, flowers extremely		
108			double, and of an enormous size, 2 ft.	1	0
197 198	99	39	", pearly lavender, very handsome, 2 ft	1	0
			centres, bordered with scarlet, carmine, violet or blue, and are unusually		e
199	99	.,	attractive and beautiful, 1½ ft	U	6
000	,,		1½ ft	1	0
200	"	77	Dwarf Chrysanthemum, flowered, mixed, these grow to the uniform height of ten inches, have flowers three to four inches in diameter, and bloom		
			so profusely as entirely to hide the foliage; they flower somewhat later		
			than the other varieties of this genus, and are therefore valuable for suc- cession; for beds, edgings, fronts of flower borders, and pot culture,		
001			they are of great value, 1½ ft.  Dwarf Bouquet, mixed, when well grown, almost every plant forms a	1	0
201	"	39	bouquet of from 150 to 200 flowers, completely hiding the foliage, pro-		
000		Camman	ducing a splendid effect in mixed borders, 9 to 15 in	0	6
202	99	German	Quilled, mixed, very fine, 2 ft	U	4
004			seen at Floral Exhibitions, 2 ft	0	4
204	99	13	Porcupine or Hedgehog, mixed, flowers composed of long quilled curious looking petals, hence the name, 2 ft.	0	6
205	99	,,	Porcupine, dark carmine in colour, the most effective of the genus, 2 ft	0	6
206 207	- 22	22	Ranunculus-flowered, mixed, a very useful variety for cut flowers, 2 ft	0	6 4
208	99	***	Dwarf Quilled, mixed, very useful for edgings, 8 or 12 in	0	3
			ASTRAGALUS, Nat. Ord. Leguminosæ.		
com	A ger	us of sh arden soil	nowy, beautiful, and very useful herbaceous plants, succeeding in any l. Hardy perennials.		
209			degiformis, yellow, with pretty foliage, 3 ft., from Siberia	0	3
210 211	. 1	, lei	ucophæus, pale yellow, with pretty foliage, 3 ft., trailer	0	4
212	1	, m	onspeliensis, white, extremely beautiful, 3 ft., from South of France urpureus, deep red, a pretty trailer, from South of France	0	3
			AUBERGINE (Egg Plant), Nat. Ord. Solanaceæ.		
	The va	arietics er	numerated are the eatable fruited kinds, so extensively cultivated in the		
Sout	h of E	iurope ; a ful egg-sl	as pot plants these are curious and interesting, being covered in autumn haped fruit; the scarlet variety is a great novelty. They succeed in warm		
local	lities of	a south	border. Half hardy annuals.		
213 214	Aube	rgine, wh	hite fruited, 1½ ft., from France	0	3
215	,		arlet ,, very striking and handsome, 1½ ft., from France	0	3
216	,	, lar	ge purple ,, 1½ ft., from France	0 ,	3
		25	AUBRIETIA, Nat. Ord. Cruciferæ.		
smal	An ex l beds.	ceedingly and succ	r pretty, early, free-flowering plant, valuable for edgings, rockwork, or ceeding best in an open dry situation. Hardy perennials.		
217		etia delt	oidea, rose lilac, trailer, from the Levant	0	4
218	,	, purl	purea, purple, trailer, from Greece	0	6
	A	1	AURICULA, Nat. Ord. Primulaceæ.		
219			garden favourite of great beauty, succeeding best in a northern aspect. a finest stage flowers, various colours, half-hardy perennial, $\frac{1}{2}$ ft	3	0
220	22	from	a mixed varieties, various colours, hardy perennial, ½ ft	0	6
			AZALEA, Nat. Ord. Rhodoraceæ.		
	Amon	gst the n	nost beautiful and ornamental of our greenhouse and hardy shrubs, suc-		
ceed 221			ixture of sandy peat. , saved from the finest varieties, greenhouse shrub, 4 ft	1	0
222	99	Pontica	a, saved from the finest varieties, hardy shrub, 4 ft.	1	0

		_	-
	BABIANA, Nat. Ord. Iridaceæ.	er P	kt.
D	warf, free-flowering Cape bulbs of great beauty, succeeding best in a sandy, peaty soil,		
223 1	arm sunny situation. Half-hardy bulbs.  Babiana villosa, delicate violet, 1 ft., from Cape of Good Hope	0	4
224	" fine mixed, various colours, 1 ft., from Cape of Good Hope	0	4
	BALM, Nat. Ord. Labiatæ.		
	weet-scented ornamental-foliaged plants, very effective in mixed borders, and succeeding common garden soil. Hardy annuals.		
225 ]	Balm, Moldavian, blue, 2 ft., from Moldavia	0	2
226	" white, 2 ft	0	2
	BALSAM, Nat. Ord. Balsaminaceæ.		
	fagnificent conservatory or out-door plants, producing their gorgeous masses of beautiful nt coloured flowers in the greatest profusion; when grown in pots, and large specimens		
are des	sired, they should be shifted into 10 or 12-inch pots, using the richest and freest compost		
water;	mand, and the pots plunged in spent hops or tan and liberally supplied with manure; when for out-door decoration, the soil should be of the richest possible character, the		
plants	supported with neat stakes, and liberally supplied with weak guano-water. Half-hardy		
	Balsam, mixed, saved from all the most choice double varieties, including Webb's,		
228	Smith's, and Glenny's	1	0
229	" Camellia flowered, 10 magnificent double varieties: Pink spotted; lilae spotted;	(/	U
	purple spotted; scarlet spotted; rose spotted; rose spotted; white; fine bronze spotted; crimson spotted; bright wink		
	white; fine bronze spotted; crimson spotted; bright pink spotted white; bequitiful crimson spotted white. Each colour		
230	separate 4d. per packet, or the collection, 2s. 6d. 2 ft.  mixed from the above, 2 ft	0	6
231 232	, Copper red, very fine, 2 ft. , Florence, pale yellow, extra fine, 2 ft.	0	6
233	,, Queen Victoria (new Indian variety), pearl grey striped carmine, exquisite, 2 ft.	-	
234	from India	1	0
235	2 ft., from India	1	6
236	miniature, mixed from 8 splendid double varieties, 1 ft	U	U
	peach; scarlet; dark crimson; pink; white; vermilion; rose; cerise. Each colour separate, 4d. per packet, or the collec-		
	tion, 2s. 6d. 2 ft.		_
237 238	" mixed from the above, 2 ft	0	6
	rose centre; crimson spotted; bright purple spotted; cerise spotted white; pink spotted white; purple spotted		
	white. In separate packets 4d. each, or the collec-		
239	tion, 1s. 6d. 2 ft. (improved), mixed from the above, 2 ft	0	6
240 241	Rose Ch mois, chamois, new and beautiful, 2 ft.	0	6
241	", Isabelle, pale rose, changing to yellow, 2 ft. ", Fine mixed double, 2 ft.	0	3
	BANISTERIA, Nat. Ord. Malpighiacew.		
Inam A	an exceedingly ornamental greenhouse shrub with beautiful foliage; succeeds best in and peat.		
	Banisteria unicapsularis (Lamarck)	1	0
	BEAUFORTIA, Nat. Ord. Myrtaceæ.		
	splendid greenhouse evergreen shrub, succeeding best in sandy peat and loam.	1	0
244	Beaufortia decussata, brilliant red, very beautiful, 3 ft., from N. Holland	1	U
A	BEGONIA, Nat. Ord. Begoniaceæ.  magnificent genus of ornamental plants, as remarkable for the varied and beautiful		
foliage	e of many of its varieties, as for the splendour and profusion of the flowers of others;		
245	ds in sandy peat and loam. Greenhouse shrubs.  Begonia Saunderserii, white, extremely beautiful, 2 ft., from Brazil	1	0
246 247	semperflorens, pink, with glossy handsome leaves, 2 ft., from Brazil	1	0
WE!	, choice mixed, from the most beautiful variegated varieties, 2 ft  BENTHAMIA, Nat. Ord. Cornaceæ.	1	U
Λ	an ornamental profuse flowering half-hardy shrub; the flowers succeeded by reddish		
yellow	, strawberry-like fruit, which is eatable : succeeds against a south wall in any good soil.		0
245	Benthamia fragifera, large cream-coloured flowers, 10 ft., from the East Indies	0	3





-		er P	kt.
	BERBERIS (Barberry), Nat. Ord. Berberidaceæ.	3.	
with	Highly ornamental free flowering, fruit-bearing shrubs; at one season of the year covered a profusion of rich yellow flowers, and at another with fruit of a very attractive character.		
249	dy shrubs.  Berberis Asiatica, yellow, evergreen, 4 ft., from Nepaul	0	6
250	"Bealti, yellow, very handsome, 4 ft. "Canadensis, yellow, 5 ft., from Canada	1	6
251	" Canadensis, yellow, 5 ft., from Canada	0	6
252	Canadensis, yellow, 51t, from Canada erassifolia, yellow dealbata, yellow, evergreen with whitish foliage, 5 ft., from Mexico diversifolia, yellow, foliage distinct Fortunii, yellow, evergreen, very handsome, 5 ft., from China Fortunii, yellow, evergreen, very handsome, 5 ft., from China	0	6
253 254	dealbata, yellow, evergreen with whitish foliage, 5 it., from mexico	Ô	6
255	Fortunii, yellow, evergreen, very handsome, 5 ft., from China	0	6
256	heterophylla, yellow, 4 ft., from the Straits of Magellan intermedia, yellow, 4 ft., from the Straits of Magellan intermedia, yellow, with beautiful foliage Japonica, yellow, handsome foliage Juglandifolia, yellow Leschenaultii, yellow, handsome, 5 ft., from China Nacalania, wellow, handsome, 3 ft., from Nenaul	0	9
257	" intermedia, yellow, with beautiful foliage	0	9
258 259	" Japonica, yellow, handsome ionage	0	0
260	Leschenaultii, vellow, handsome, 5 ft., from China	ō	6
261		0	6
262	", Sinensis, yellow, 4 ft., from China, trifoliata, yellow, handsome evergreen, 4 ft., from Mexico	0	6
263		U	6
	BILLBERGIA, Nat. Ord. Bromeliaceæ.		
	A magnificent stove plant, with long graceful, delicate green foliage, beautifully zebra ed; flowers extremely handsome and showy; succeeding best in sandy peat and loam.	•	0
264		U	6
	BORONIA, Nat. Ord. Rutaceæ.		
	A handsome free-flowering greenhouse evergreen shrub, succeeding best in sandy peat.		
265	Boronia alata, rose, very elegant, 3 ft., from N. Holland	0	6
	BOSSIÆA, Nat. Ord. Leguminosæ.		
of tı	A neat, elegant, free-flowering and beautiful genus of plants, succeeding best in a compost arf, loam, and peat. Greenhouse evergreen shrubs.		
266	Bossiæa alata, red and yellow, 2 ft., from N. Holland	0	6
267 268	", biloba stenophylla, 3 ft., from N. Holland	0	6
269	linonhylla, orange 3 ft. from N Holland	0	9
270	"Hendersonii, yellow and bronze, 2 ft., from N. Holland "linophylla, orange, 3 ft., from N. Holland "plumosa, yellow spotted with red, 3 ft., from N. Holland	1	o
	BRACHYCOME, Nat. Ord. Compositæ.		
	A beautiful free-flowering dwarf growing plant, covered during the greater portion of the		
sum	mer with a profusion of pretty Cineraria-like flowers, very effective in edgings, small		
	s, rustic baskets, or for pot culture; succeeding in any light rich soil. Half-hardy annuals,		
271	Brachycome iberidifolia, blue, ½ ft., from Swan River	0	3
272 273	,, albiflora, white, ½ ft., from Swan River	0	3
210		0	0
	BROWALLIA, Nat. Ord. Scrophulariaceæ.		
davi	Very handsome profuse blooming plants, covered with rich strikingly beautiful flowers ing the summer and autumn months, growing freely in any rich soil. Half-hardy annuals		
274	Browallia Cerviakowskii, blue with white centre, beautiful, 1½ ft		3
275	, demissa, light blue, yellow and orange centre, 12 ft., from S. America		3
276	, elata alba, white, 1½ ft., from Peru , cærulea, sky blue, 1½ ft., from Peru	0	3
277	" cærulea, sky blue, 1½ ft., from Peru	0	3
278 279	", grandiflora, sky blue, large and handsome, 1½ ft ", pendula, bright blue, very pretty, 1½ ft	0	3
210		U	0
	BRUGMANSIA, Nat. Ord. Solanaceæ.	ah.	3
high	A genus of magnificent conservatory plants, with a profusion of large double trumpet hly oderiferous flowers; growing freely out of doors during summer, where they are ver	snaj v or	na-
mei	atal in the centres of beds against south walls or in mixed borders. Require rich soil and	ple	nty
of s	pace for the roots.		
280 281		1	0
	BUDDLEA, Nat. Ord. Scrophulariaceæ.		
	A very handsome profuse flowering greenhouse evergreen shrub, delighting in a loamy		
	, mixed with peat.		
262	Buddlea Lindleyana, violet, 5 ft., from China	0	4
	BUPLEURUM, Nat. Ord. Umbelliferæ.		
	A very remarkable, curious-foliaged shrub, succeeding in any common garden soil.		
283	Bupleurum fruticosum, yellow, hardy evergreen, 2 ft., from S. Europe		

		-
CESALPINIA, Nat. Ord. Leguminosæ.	Per l	Pkt.
Very interesting greenhouse evergreen shrubs, succeeding best in sandy peat and loam.	0,	64,
284 Cæsalpinia echinata, striped, 6 ft., from E. Indies	1	0
285 ,, Sinensis, yellow spikes and flowers, new and beautiful variety	2	0
CACTUS, Nat. Ord. Cactaceæ.		
An extremely curious and interesting genus, many of the varieties producing magnifican		
flowers of the most brilliant and striking colours; succeeding best in sandy loam, mixed with		
brick and time rubbish and a fittle peat or rotten dung. Greenhouse perennuts.		
286 Cactus, choice varieties, mixed	1	0
CALANDRINIA, Nat. Ord. Portulaceæ.		
Very beautiful free flowering plants. C. discolor and grandiflora have large handsome flowers, and are fine for edgings; while C. umbellata is of a trailing habit, and producing profusely its glowing rose wielet flowers in bunches, is invaluable for rockwork and dry ho banks, or similar situations, where it will stand for many years. They all succeed in a light rich soil. Hardy annuals.		
287 Calandrinia discolor, rose lilac, very beautiful, 1 ft., from Chili. 289 "grandiflora, rose pink, handsome, 1 ft., from Chili "" 289 "" umbellata, rich rosy violet, exceedingly beautiful, \( \frac{1}{2} \) ft., from Chili \( \frac{1}{2} \)	0	3
	0	3
CALCEOLARIA, Nat. Ord. Scrophulariaceæ.		
Plants of a highly decorative character, indispensable for the ornamentation of the flower-house and garden. C. hybrida is grown for in-door decoration; while C. hybrida shrubby variety, is sometimes grown for in-door and sometimes for out-of-door decoration. They succeed in any light rich soil. Half hardy perennials.		
<ul> <li>290 Calceolaria hybrida, from choice varieties, 2 ft.</li> <li>291 , saved from Exhibition varieties, 2 ft.</li> <li>292 , shrubby (Cole's), saved from carefully hybridized flowers, 1½ ft.</li> <li>293 , scabiosæfolia, clear yellow, half-hardy annual</li> </ul>	1	0
291 ,, saved from Exhibition varieties, 2 ft	1	6
293 scabiosæfolia, clear <i>nellow</i> , half-hardy appual	0	
CALENDULA (Cape Marigold), Nat. Ord. Compositæ.		
A very showy free flowering genus of plants, producing a very pretty effect in beds o		
mixed borders, and growing freely in almost any soil. Hardy annuals.  294 Calendula pongeii, fl. pl., double white, 1 ft.		
294 Calendula pongeii, fl. pl., double white, 1 ft. 295 , pluvialis, pure white, flowers large, 1 ft., from the Cape	0	0
,, , , , , , , , , , , , , , , , , , , ,	. 0	~
CALLA, Nat. Ord. Araceæ.		
A very handsome plant, either as an aquatic or for the ornamentation of the drawing		
room and conservatory,	0	
296 Calla Æthiopica, white Ethiopian lily, half-hardy perennial, 1 ft	U	4
CALLIRHOE, Nat. Ord. Malvaceæ.		
Beautiful, free-flowering plants, continuing in bloom throughout the summer and autumn		
months; C. pedata nana makes a very excellent bedding plant. Hardy annuals.		
297 Callirhoe pedata, purple crimson with white eye, 2 ft., from N. America 298 nana, rich violet, crimson, with white eye, 1 ft.	0	6
	U	0
CALLIOPSIS, OF COREOPSIS, Nat. Ord. Compositæ.		
This genus is amongst the most showy, free-flowering, and beautiful of hardy annuals; the tall varieties are very effective in mixed borders and fronts of shrabberies, while the dwarkinds, from their close compact habit of growth, make fine bedding plants, and are valuable for edgings, while the different varieties make very pretty ribbons. Amongst the tall varieties C. filitolia Burridgi is the most graceful and beautiful, and C. bicolor grandiflora the most showy and effective in mixed borders. All are hardy annuals except C Ackermanni.		
299 Calliopsis Ackermannii, yellow, crimson centre, hardy perennial, 3 ft., from N. America .	0	2
300 bicolor grandiflora, golden yellow, with crimson centre, large and beautiful		
hardy annual, 3 ft., from N. America	0	3
301 , nana, yellow, with crimson centre, beautiful, 4 ft	0	3 9
303 , marmorata, crimson brown, marbled with yellow, 2 ft	0	3
304 nigra energiase wich nelvety animon 9 ft	0	2
305 nana, rich velvetu crimson, 4 ft.	0	3
306 ", cardaminefolia hyorida, brilliant yellow, growth pyramidal, compact and free flowering; plant 2 ft. apart, 1½ ft.	0	6
307 coronata, rich wellow, disc encircled with crimson spots, handsome, 14 ft., from	U	0
Texas	0	3
Drummondii, yellow and crimson centre, 14 ft. from Texas	0	2
309 , filifolia Burridgii, rich crimson, bordered with bright yellow, beautiful, 2 ft.,	0	3
from Texas atropurpuesa, rich crimson purple, with a narrow border of		U
bright yellow, 2 ft.	0	4






_			
	CALLIOPSIS—continued.	Per F	kt.
311	covered with small leaves, giving the plant the appearance of being covered with moss, 1 ft.	0	6
312		0	3
7.	CALLISTACHYS, Nat. Ord. Leguminosæ.  A handsome greenhouse evergeen shub, with beautiful spikes of flowers; it is easy of		
	ture, thriving in sandy peat and loam.  Callistachys lanceolata, yellow, beautiful, 6 ft., from N. Holland	0	4
	CALLITRIS, Nat. Ord. Coniferæ.		
	Very beautiful evergreen trees, for conservatory or greenhouse decoration, succeeding		
314 315		0	6
	CALYCANTHUS (All-Spice), Nat. Ord. Calycanthaceæ.		
Hai	A splendid genus with delightfully fragrant flowers; succeeds best in an open loamy soil.		
316 317	præcox grandissimus, brownish purple, 4 ft., from Carolina	0	9
	CAMELLIA, Nat. Ord. Ternstromiaceæ.		
	Favourite winter and spring flowering plants of great beauty. The amateur, in sowing I saved from the following choice sorts, has a fair chance of raising some valuable varieties; seed in sandy peat and loam. Half hardy shrub.		
318 319		1	(
320	Donkelaarii, 5 ft	î	(
321		1	•
	CAMPANULA, Nat. Ord. Campanulaceæ.  A genus of exceedingly beautiful perennials, all of which are characterised by the richness		
of t	heir colours and the profusion of their bloom; some of the varieties are remarkable for		
hei	r stately growth, others for their close compact habit; of the former, C. pyramidalis grown in , placed about terraces, gravel walks, or the margins of lawns, produces a most striking		
effec	ct. Visitors to Paris may have been struck with the free use made of this plant in the		
	lic gardens. Of the dwarf varieties, C. carpatica is a most valuable bedding plant, while whole genus is worthy of a prominent place in every garden.		
22		0	
24	, bononiensis, blue, very showy, hardy perennial, 2 ft., from the Caucasus , Carpatica, mauve, a profuse blooming and very effective hardy perennial, 1 ft.,	0	;
325	from the Carpathian Alps, alba, pure white, hardy perennial, 1 ft., from the Carpathian Alps.	0	
326	grandiflora, deep purple, very large, hardy perennial, 2 ft	0	
27	" grandissima, deep blue, very large, hardy perennial, 2 ft., from Italy	0	
29	", alba, pure white, very handsome, hardy perennial, 2 ft., from Italy littoralis, blue, hardy annual, ½ ft. from N. Holland	0	
30	,, Loren, purple lilae, extremely showy, hardy annual, 1 ft., from Italy	0	
32	", alba, white tinged with silvery grey, hardy annual, 1 ft., from Italy ", pentagonia, rich purple lilac, a pretty dwarf growing plant, hardy annual,	0	•
33	½ ft., from Turkey	0	9
34	,, alba, white, free flowering, hardy annual, ½ ft., from Turkey, persicifolia alba, pure white, early free flowering, hardy perennial, 2 ft., from	0	2
905	Europe	0	60.0
135 136	" " " " " " " " " " " " " " " " " " "	0	4
337	,, alba, white, handsome, hardy perennial, 3 ft., from Carniola	0	5
338	Trachelium alba plena, double, white, hardy perennial, 3 ft., from Britain  Vidalis, white, showy, half hardy perennial, 1½ ft., from the Azores	0	6
	CANDYTUFT, Nat. Ord. Cruciferæ.		
	The improved varieties of this favourite flower are exceedingly beautiful, and it may be		
	stioned if there be two more effective annuals than C. Dunetti and C. sweet-scented; the		
оце <b>340</b>	a rich crimson purple, the other pure white; they succeed in any rich soil. Hardy annuals. Candytuft Dunnettii, new dark, crimson, exceedingly beautiful hardy annual, 1 ft	0	3
341	Normandy, hlac, 1 ft., from Normandy	0	2
0.40		0	
342 343	purple crimson, very fine, from Europe		2
	" " " " " " " " " " " " " " " " " " "	0 0	2 2 3

## CANNA, Nat. Ord. Marantaceæ,

Per Pkt. For the adornment of the conservatory, drawing-room, or flower gardens, this magnificent genus is unrivalled; its stately growth, combined with its rich and various coloured flowers, and most picturesque and beautiful foliage, renders it the most strikingly effective of our ornamental plants, when intermixed with other plants, or dispersed in pots about terraces, grant

walks, or the margins of lawns or lakes, it imparts quite an oriental aspect; during last summer, in the gardens around Paris, this plant created quite a sensation; being of easy culture and rapid growth, no one need be without this beautifully foliaged plant. Steep the seeds for a few hours in hot water before sowing, then place the pot in a cucumber frame, or some other

		ion, the plants will be ready to plant out in June, or to shift into larger pots for the of halls, terraces, &c., where they immediately become objects of great interest.				
Half hardy perennials,						
346	Canna	Achiras, dark red, 5 ft., from Mendoza	0	6		
347	97	angustifolia nana pallida, light red, 1 ft., from S. America	0	3		
348 349	99	Anneii, crimson, extremely ornamental, 3 ft	1	0		
350	39	aurea vittata, golden, beautiful, 4 ft., from N. Holland	1	0		
351	29	bicolor of Java, red and yellow, 3 ft., from Java	0	3		
352	33	Braziliensis, light scarlet 4 ft., from Brazil	0	6		
353	39	coccinea vera, scarlet, very fine, 2 ft., from S. America	0	3		
354 355	77	compacta elegantissima, large, reddish yellow, free flowering, 2 ft., from S. America crocea, orange scarlet, 2 ft., from S. America	0	4		
356	22	edulis, red, splendid, 3 ft., from Peru	0	6		
357	12	elegantissima nana, dwarf, carmine and yellow, delicate slender leaves, 5 ft., from				
		S. America	1	0		
358	22	erubescens, searlet, shaded foliage, 3 ft.	0	4		
359 360	39	Fintelmannii, yellow, magnificent variety, 3 ft., from S. America	0	6		
361	22	gigantea splendidissima, fine scarlet, enormous leaves, exquisite, 3 ft., from India	1	0		
362	"	aurantiaca, orange-red, 10 ft., very fine	1	0		
363	22	glauca magnifica, yellow, silvery foliage, 2 ft., from S. America	1	0		
364	99	Hookerii, carmine, exceedingly fine and graceful, 4 ft.	1	0		
365	99	Indica rubra, red, 2 ft., from India	0	4		
366 367	29	", superba, scarlet, very superb, 2 ft., from India	0	4		
368	"	iridiflora, red, beautiful, 3 ft., from Peru	0	6		
369	"	Kalosantha, bright red flowers, with long petals, 2 ft	0	6		
370	"	Kartsteiniana, fine maroon, 3 ft., from India	0	3		
371	29	kegelii, shaded carmine, 3 ft., from India	0	6		
372 373	22	læta, yellow and red, 3 ft	0	3		
374	99	Lambertii, scarlet, 4 ft., from Trinidad	0	6		
375	"	leptophylla, ruby, handsome foliage, 4 ft., from Laguna	0	3		
376	"	limbata, intense scarlet, edged with yellow, very striking, 4 ft., from Brazil	0	3		
377	29	Lindleyana, very remarkable foliage, 5 ft.	1	0		
378 379	99	lutea, sulphur, 4 ft., from Brazil picta, shaded yellow, 4 ft., from Brazil	0	3		
380	29	Megelii, scarlet flowers, very large 5 ft.	0	6		
381	33	Mulerii, flowers fine large scarlet, 3 ft	()	6		
382	21	mutabilis, changeable, 5 ft., from Brazil	0	3		
383	92	Nepalensis, clear yellow, very beautiful, 3 ft., from Nepaul	0	6		
384	93	patens, red and yellow, distinct, 5 ft., from Rio Janeiro	0	9		
385 386	>>	" superba, deep red, splendid, 5 ft., from Rio Janeiro.  pedunculata, scarlet, 5 ft., from Rio Janeiro	0	4		
387	21	Reevesii, shaded yellow foliage, 5 ft, from Africa	0	6		
388	22	rosea multiflora, salmon colour, magnificent, 4 ft	1	6		
389	99	Sanguinea Chatei, blood red, dark foliage and stems, 6 ft	1	6		
390 391	,,,	Schubertii, ruby, magnificent, 4 ft., from Africa	0	3		
392	99	Sellowii, scarlet, profuse blooming, from Africa	0	4		
393	22	,, from Batavia, red, very fine, 4 ft	0	6		
394	21	speciosa, red, 4 ft., from S. America	0	3		
395	"	spectabilis, red spotted, 4 ft., from S. America	0	3		
396	29	,, splendidissima, yellow and red spotted, 4 ft., from S. America	0	6		
397 398	39	stenogyna, magnificent foliage, 6 ft. subulata rubra, brilliant carmine, with magnificent foliage, 3 ft., from Africa	0	4		
399	37 37	variabilis, red, changeable, 3 ft., from India	0	3		
400	27	villosa, scarlet, leaves magnificent, 3 ft., from India	0	4		
401	99	Warscewiczii, brilliant red, foliage striped, 3 ft., from Central America	0	3		
402	"	Zebrina, beautiful zebra-striped foliage, 5 ft	0	4		





			_
CA	INTERBURY BELLS (Campanula Medium), Nat. Ord. Campanulacea.	er P	ct.
Whe	en well grown, C. Bells are amongst the most attractive of border plants, and they very effective when flowered in large pots; they succeed in light, rich soil, and should		
e thinne	ed out to 2 ft. apart. Hardy biennials.	_	
	aterbury bell, double lilac, 2½ ft., from Germany	0	3
04 05	", ", "purple, 2½ ft., from Germany	ö	3
06	mixed, 2½ ft., from Germany	0	3
07	", single lilac, 2½ ft., from Germany ", purple, 2½ ft., from Germany	0	2 2
.08 .09	", " white, 2½ ft., from Germany	ŏ	2
10	", mixed, 2½ ft., from Germany	0	2
	CANTUA, Nat. Ord. Polemoniaceæ.		
ut of do	enus of beautiful shrubs, covered with handsome trumpet-shaped flowers; grows freely pors during summer, if planted in a warm sheltered situation; succeeds best in sandy		
eat and 11 Car	loam. Half hardy skrubs.  tuta lignstrina, pale yellow, very fine, 2 ft., from Peru	1	0
1.0	CAPPARIS (Caper), Nat. Ord. Capparidaceæ.	_	
A			
hrives be	ornamental free flowering shrub, the flower buds of which form the well-known pickle; est in loam and peat,	0	6
10 cap	paris spinosa, white, 6 ft., from S. Europe	v	
	CAPSICUM, Nat. Ord. Solanaceæ.		
A pr	etty ornamental plant, especially in autumn, when covered with its bright red fruit; best in light rich soil. Half hardy annuals.		
	sicum annuum, long-podded, beautiful scarlet fruit, 2 ft	0	6
15 ,	short-podded, brilliant carmine fruit, 2 ft	0	
16	heart shaped heartiful danh suimeen fruit 0 ft	0	
18 ,	plum shared evanisite evange fruit 9 ft	0	
19 ,	, small-podded, yellow and maroon fruit, 2 ft	0	
20 ,		0	6
	CARDUUS (Thistle), Nat. Ord. Compositæ.		
A st	rong growing ornamental genus, very useful in shrubberies and large mixed borders; in any common garden soil. Hardy biennials.		
21 Car	duus Mariana, foliage beautifully variegated, 3 ft	0	
22	" nigrescens, dark red, fragrant, ball-like flowers, handsome, 3 ft., from S. France	0	(
	CARNATION, Nat. Ord. Caryophyllaceæ.		
A. n	nagnificent class of popular favourites, most of which are deliciously fragrant, and		
INIAN (	ours extremely rich and beautiful. The seed we offer has been saved by our "Sar-Correspondent" from flowers of great merit; and we can guarantee, that at least		
any ch	orths of the plants raised will produce splendid double flowers, and amongst these of novelties (see Collections). Succeeds best in light rich soil. Hardy perennials.		
23 Car 24	rnation, mixed, saved from the choicest double flowers, first quality, 1½ ft	1	-
w X	" perpetual, saved from choicest double flowers, first quality, 1½ ft	1	(
A	CASSIA, Nat. Ord. Leguminosæ.		
ouse o	renus of highly ornamental and exceedingly useful free flowering shrubs, for green-		
ucceedir	r conservatory decoration, growing freely out of doors during the summer months, ng best in a mixture of loam and peat. Greenhouse shrubs.		
25 Cas	ssia corymbosa, yellow, blooms profusely six months in the year, for training against		
26	the wall of a conservatory or greenhouse it is matchless, 3 ft., from Buenos Ayres	0	
27 ,		0	
28 ,	, icetica, pate yeulow, 4 it., from Duenos Ayres	0	3
29 30		0	(
31 ,	grandiflora, yellow, flowering profusely during autumn and winter, 4 ft., from China	0	
32 ,		0	5
33 ,	, Marylandica, yellow, 4 ft., from N. America	2	3
135	achimifolia nelden nellen macten feliane 4 fe form Cline	0	4
136 ,	,, tenuiolia, deep golden yellow, long spikes densely covered with bloom, 4 ft	0	(
137 138	tomentosa, yellow, very curious, 4 ft., from S. America	0	4
,		0	4
Av	CASUARINA, Nat. Ord. Casuarinaceæ.  ery remarkable, interesting, and picturesque genus of plants, with rush-like branchlets		
AL VI	organisment, and results and picturesque genus of plants, with rush-like branchiets		

A very remarkable, interesting, and picturesque genus of plants, with rush-like branchlets

CASUARINA — continued.	er J			
drooping in bunches, or, as Loudon has it, "like a long head of hair or a horse's tail." An ornamental conservatory tree, succeeding in sandy loam and peat.	s.	d.		
439 Casuarina equisetifolia, 10 ft., from South Sea Islands	1	0		
440 ,, Indica, 10 ft., from India	1	0		
CATALPA (Tulip Tree), Nat. Ord. Bignoniaceæ.	-			
An exceedingly handsome ornamental hardy tree, very effective for lawns and pleasure				
grounds; succeeds best in rich loamy soil.  442 Catalpa syringifolia, 20 ft., from N. America	0	4		
CATANANCHE, Nat. Ord. Compositæ.				
Exceedingly showy free-flowering hardy perennials, succeeding in any garden soil.				
443 Catananche cærulea, blue with purple centre, 2 ft., from S. Europe	0	3		
CATCHFLY, Nat. Ord. Caryophyllaceæ,	·			
A showy free-flowering plant, for beds, borders, or ribbons; succeeds in any common soil.				
445 Catchfly, Lobel's red, hardy annual, 1 ft., of England	0	2		
CEANOTHUS, Nat. Ord. Ramnaceæ.  An extremely handsome, free-flowering genus of highly ornamental shrubs, suitable				
either for conservatory decoration, or covering fronts of villas, walls, or trellis work; succeeds				
best in peat and loam. Hardy shrubs.  446 Ceanothus Americanus, white, 4 ft., from New Jersey	0	6		
azureus grandiflorus, sky blue, flowers in bunches, 4 ft., from Mexico	0	6		
449 , Californicus, blue, tinged with lilac, 4 ft., from California	0	6		
450 , cæruleus microphyllus blue, small leaves, very pretty, 5 ft., from N. America	0	6		
452 , Fontanesianus, blue, shaded red, 4 ft., from N. America	1	6		
454 , Hartwegii, blue, 6 ft., from Mexico	0	0		
	1	0		
CEDRUS, Nat. Ord. Coniferæ.  A splendid ornamental hardy evergreen tree from the Atlas Mountains.				
456 Cedrus argenteus, 50 ft., from Mount Atlas	0	6		
CELOSIA, Nat. Ord. Amarantaceæ.				
Magnificent, free-flowering, graceful-growing plants, producing in the greatest profusion spikes of the most beautiful feathery-looking flowers (see Engraving, which represents a small				
side-shoot of coccinea aurantiaca). C. argentea, however, produces its flowers in spikes like a Gomphrena, but much longer, and if gathered when young they are valuable for winter bouquets.				
Plants of the Celosia flower freely if planted out in June in a warm, sheltered situation; grown in pots, they are the most elegant of greenhouse and conservatory plants, where, with a little				
management, they may be had in flower the whole winter, growing freely in rich loamy soil				
Half-hardy annuals. 457 Celosia argentea, silvery white shaded with bright rose, very handsome, 3 ft	0	6		
458 ,, pyramidalis atrosanguinea, dark red, very handsome, 3 ft.	1	0		
460 ,, coccinea aurantiaca, scarlet and orange, very handsome, 3 ft	1	0		
461 ,, rosea, bright rose, very handsome, 3 ft.	1	0		
CELSIA, Nat. Ord. Solanaceæ.  A very pretty ornamental greenhouse plant.				
462 Celsia interrupta, very showy, 3 ft.	0	6		
CENTAUREA, Nat. Ord. Compositæ.				
Very showy, free-flowering border plants, succeeding in any common garden soil. Hardy annuals.				
463 Centaurea depressa, bright blue with deep red centre, 1 ft., from the Caucasus	0	2		
464 " rosea, rose with pink centre, pretty	0	0		
montana, blue with purple centre, very showy and free flowering, 1 ft., from Austria.	0	3		
467 ,, Phrygia, purple ball, fine, 1½ ft., from Switzerland	0	3		
CENTAURIDIUM, Nat. Ord. Compositæ.				
A very beautiful, free-flowering plant, succeeding in any light rich soil.  468 Centauridium Drummondii, orange, showy, hardy annual, 2 ft., from Texas	0	3		
200 Date of the Lord Control of the Lord Contr				








CELOSIA PYRAMIDALIS COCCINEA AURANTIACA (SCARLET TIPPED ORANGE).







	CENTRANTHUS, Nat. Ord. Valerianaceæ.	Per I	Pkt.	1
	A very pretty free-flowering, compact growing plant, very effective in beds, ribbons, or		Ca.	
	n edging; grows freely in any common garden soil.			1
469	Centranthus macrosiphon nanus, rose, hardy annual, 3/4 ft	0	3	1
	CERATONIA, Nat. Ord. Leguminosæ.			1
	This is generally considered to be the locust-tree of Scripture. In Spain, where the seeds	3		1
	eaten, it is called St. John's-bread. Handsome free-flowering greenhouse evergreen tree	,		1
	ws freely in loam and peat.  Ceratonia siliqua, red and yellow, 10 ft., from the Levant	0	4	1
110		Ŭ	•	1
	CESTRUM, Nat. Ord. Solanaceæ.			
cove	A genus of exceedingly handsome plants for conservatory or greenhouse decoration and during the autumn months with a rich profusion of beautiful tube-shaped blossoms.			i
grov	ws freely in rich loam and peat. Greenhouse shrubs.	1		
471	Cestrum aurantiacum, orange, 12 ft., from Guatemala		3	
472 473	,, Parquii, pale yellow, very beautiful, 6 ft. from Chili	0	3	1
210		0	U	
	CHANESTES, Nat. Ord. Solanacea.			
it gr	A beautiful greenhouse shrub, with handsome foliage and very showy tube-shaped flowers rows and flowers freely if planted against a wall in summer, and protected during winter.	•		1
	Chænestes lanceolata, bright scarlet, handsome foliage, 5 ft., from Quindiu	0	4	
	CHENOSTOMA, Nat. Ord. Scrophulariaceæ.			1
	A neat compact little plant, suitable for edgings, rustic or rock work.			1
475	Chænostoma polyantha, lilac, half hardy annual, ½ ft., from Cape of Good Hope	0	3	1
	CHAMÆROPS (Fan Palm), Nat. Ord. Palmaceæ.			
	A splendid ornamental plant of oriental appearance, producing a striking effect if planted			
out	in lawns or pleasure grounds, and protected during winter; it is also valuable for con-			
	atory decoration; succeeds best in rich loamy soil.			1
470	Chamærops humilis, half hardy tree, 8 ft., from S. Europe	0	3	1
	CHELONE, Nat. Ord. Scrophulariaceæ.			1
cent	A beautiful hardy herbaceous plant, with showy Pentstemon-like flowers, very effective in res of beds, or groups in mixed borders; thrives in any rich soil.			1
	Chelone barbata, scarlet, hardy perennial, 3 ft., from Mexico	0	4	
	CHENOPODIUM, Nat. Ord. Chenopodiaceæ.			1
	Ornamental foliage plants, effective in mixed borders and fronts of shrubberies; succeed			1
in ar	ny garden soil. Hardy annual.			1
478		0	3	1
479	, atriplicis, foliage carmine and purple, beautiful, 3 ft., from China	0	3	1
	CHIRONIA, Nat. Ord. Gentianaceæ.			1
	Charming free-flowering greenhouse plants, succeeding well in peat and loam.			-
480 481	Chironia frutescens, red, 1 ft., from Cape of Good Hope	0	6	1
		U	U	
	CHOROZEMA, Nat. Ord. Leguminosæ.			
	A splendid profuse flowering genus of shrubs, whose rich-coloured blossoms and graceful t render them remarkably effective objects for conservatory or greenhouse decoration; they			1
succe	eed best in sandy peat and loam. Greenhouse shrubs.			1
482 483	Chorozema cordata, red, 2 ft	0	3	1
484	,, elegans multiflora, red and orange, 3 ft., from N. Holland	0	6	-
485	,, Lawrenceana, orange and scarlet, 3 ft., from N. Holland	0	6	
486 487		1	0	1
488	" Fradeliana, yellow and red, 4 ft.  " Fradeliana, yellow and red, 4 ft.  " rotundifolia, yellow and red, 4 ft., from Swan River  Soulangiana, orange and crimson, 3 ft., from Swan River  splendens, red and orange, fine, 4 ft., from N. S. Wales.	0	6	1
489	" Soulangiana, orange and crimson, 3 ft., from Swan River	0	6	1
490 491	splendens, red and orange, fine, 4 ft., from N. S. Wales	0	3	
101	,, superba, orange and genow, very showy and nandsome, 4 it., from N. S. Wates	U	6	1
	CHRYSANTHEMUM, Nat. Ord. Compositæ.  The TALL double flowered annual Chrysanthemums, when well grown, are amongst the			
	showy and effective of summer flowering border plants; to allow for individual develop-			1
ment	, they should be thinned out to from twelve to eighteen inches apart; they are also very			
effect	rive in large pots for placing about terraces.  The dwarf kinds make showy bedding plants; C. tricolor Burridgeanum and C. tricolor			1
**	bried make showy bedding plants; C. tricolor Durringeanum and C. tricolor			1

Venustum are very handsome; these should be thinned out to one foot apart.

The Chrysanthemum Indicum and Indicum nanum are the well known varieties so exten-


			Per P	kt.
. ,			CHRISANTHEMUM—continuea.	d.
as th	grown a	nound I	London, and too well known and appreciated to require any remarks;	
we o	ffer has be	en save	he last flowers of autumn, no garden should be without them. The seed and from the very finest of the new varieties, and is warranted to produce	
75 pe	er cent. of	double :	flowers,	
492	Chrysant	hemum,	double white, extra fine, hardy annual, 2 ft., from Sicily	3
494	91		double yellow, extra fine, hardy annual, 2 ft., from Sicily 0	3
495	91		,, quilled, extra fine, hardy annual, 2 ft., from Sicily 0	3
496 497	91		Indicum, tall double mixed, extra fine, hardy perennial, 3 ft., from China 0	6
401	91	'	,, nanum, double mixed, (dwarf Pompone), hardy perennial, 1 ft., from China	6
498	21		tricolor, yellow and white, very showy, hardy annual, 1 ft., from Barbary 0	2
499	9.5		" Burridgeanum, crimson with white centre, extra fine, hardy	3
500			annual, 1 ft., from Barbary 0 golden yellow, extra fine and showy, hardy annual, 1 ft., from	9
			Barbary 0	2
501	91	,	,, Venustum, white with crimson centre, extra fine, hardy annual,  1 ft., from Barbary	3
			CHRYSOCOMA, Nat. Ord. Compositæ.	
			ntal greenhouse evergreen shrub, the stem terminating with tufts of ex-	
502			den yellow flowers; succeeds best in loam and peat.	e
302	OHI Y SOCO	ma com	naurea, golden yellow, 6 ft., from the Cape of Good Hope	U
503	Charmana	nh o lu m	CHRYSOCEPHALUM, Nat. Ord. Compositæ.	0
900	CHTYSUCE	рпагиш	a strictum, yellow, greenhouse shrub, 6 ft., from the Cape of Good Hope 0	0
	A moll len		CINERARIA, Nat. Ord. Compositæ.	
thro	ngh the gr	eater b	avourite, free-flowering plant, which may be had in splendid bloom portion of the year; and, from the richness and diversity of its colours,	
is on	e of the m	ost valu	uable of our early spring flowers; succeeds best in light rich, free, and	
			dy perennial.	
504 505		dwar	t, saved from the choicest named sorts, $1\frac{1}{2}$ ft., ex	0
506	22		tima, yellow, handsome silvery foliage plant, forming a fine contrast in	U
			ribboning to Perilla Nankinensis, 11 ft., from S. Europe 0	3
			CISTUS, Nat. Ord. Cistaceæ.	
	An extre	nely be	eautiful and profuse-flowering class of plants, for rockwork, banks, or	
			eeds in any common garden soil. Hardy perennials.	
507 508			rose lilac with orange eye, 2 ft., from Spain	3
509	99 III 99 St	lvifoliu	us, white, 2 ft., from S. Europe	3
510	,, tı	ıberariu	us, yellow, leaves dark green, 2 ft., from Spain 0	3
511 512	,, ro	ock (roc	ck rose), fine mixed, various rich colours, ½ ft	3
010	" 6	uttatus		U
	Highly or	namani	citrus, Nat. Ord. Aurantiaceæ. tal greenhouse shrubs, with deliciously fragrant flowers and handsome	
fruit			rich loam.	
513	Citrus d	ecuman	aa (shaddock) 0	6
514 515	99 Bil	nensis r	myrtifolia, 2 ft., from China 0	6
010	,, R	Lauuren	o in the case of t	U
	A boostif	ist enit -	CLARKIA, Nat. Ord. Onagraceæ.	
and	blooming	profuse	e of favourite plants, with pretty, cheerful-looking flowers, growing freely ely under almost any circumstances; but when planted in rich soil and	
prop	perly atten	ded to.	they rank amongst the most effective of bedding plants, especially C.	
inte	gripetala a	nd Tor	m Thumb—the former with large handsome flowers, the latter with a nakes it a fine pot as well as bedding plant. The new double variety C	
pulc	hella fl. pl	, is a ri	ich magenta colour and very handsome. Hardy annuals.	
516			s rosea, double flowered, very beautiful, 12 ft	3
517	22	pulchell	lla grandiflora, deep rose, 11 ft 0	2
518	99	27	alba, pure white, very beautiful, 1½ ft	2 2
520	99	22	pulchella florepleno, rich magenta, flowers double, a very important	~
KO.			addition to the many pretty varieties of this genus, 11 ft 1	0
521 522	29	22	marginata, rosy crimson, edged with pure white, 1\frac{1}{2} ft	3
	**		handsome, 14 ft 0	3
523	99	99	pulcherrima, rose violet, very beautiful colour, 11 ft 0	3
524	19	>>	Tom Thumb, rose purple, dwarf, and of bushy habit, very fine, 3 ft 0	4





	CLARY, Nat. Ord. Labiatæ.	er°P	kt.
0	Ornamental foliaged plants, which are very effective in mixed borders. Hardy annuals.		
	Clary, purple topped, 1 ft., from S, Europe	0	2
26	" red topped, I ft., from S. Europe	0	2
27	" white topped, 1 ft., S. Europe	0	2
	CLEONE, Nat. Ord. Capparidaceæ.		
Α	A very pretty free-flowering genus, succeeding best in a light rich soil. Half hardy annual.		
	Cleome speciosa, rosy white, 14 ft., from Mexico	0	9
29	trachysperma, various colours, 2 ft., from Caraceas	0	9
30	" uniglandulosa, dark brown, very pretty, 1 ft	0	3
	CLIANTHUS, Nat. Ord. Leguminosæ.		
	A genus of magnificent free-flowering shrubs, with elegant foliage and brilliantly coloured		
noul	arly shaped flowers, which are produced in clusters, and have a splendid effect; C. mag-		
ifiens	s and C. puniceus blossom freely out of doors in summer, against a trellis or south wall;		
. Da	empieri succeeds best planted in the border of a greenhouse, and is one of the most mag-		
ificer	nt plants of recent introduction; seeds sown early in spring flower the first year; succeeds		
est ii	n sandy peat and loam. Half hardy shrub.		
31	Clianthus Dampierii, brilliant scarlet, with intense black spot in the centre of the flower,	0	
00	exceedingly handsome and showy, from N. Holland	2	6
32	magnificus, scarlet, beautiful, 4 ft., from N. Zealand	0	
33	" puniceus, scarlet, 4 ft., from N. Zealand	U	ľ
	CLINTONIA, Nat. Ord, Lobeliaceae.		
A	A sweetly pretty little plant of neat compact growth, with flowers resembling the Lobelia,		
ad e	xceedingly beautiful; produces a fine effect in rustic baskets, rock-work, vases, boxes, or		
s an	edging; succeeds best in a light rich soil. Half hardy annual.		
	Clintonia pulchella, bright blue with yellow centre, marked with rich purple, \( \frac{1}{4} \) ft	0	
35	,, alba, white, very beautiful, \(\frac{1}{4}\) ft., from Columbia, , atrocinerea, red the prevailing colour, \(\frac{1}{4}\) ft.	0	
36 37		()	
3 6	white, \( \frac{1}{4} \) ft., from Columbia	0	
		U	
	COCKSCOMB, Nat. Ord. Amarantaceæ.		
F	Highly ornamental, curious looking flowers, for the decoration of the flower-house,		
	ing-room, and garden; all the varieties are remarkably attractive, producing a fine		
ffect,	, mixed with other plants, either on the stage of a greenhouse, or in some warm situation		
	6 1 The fell wine and have been assed from some by a complete for the incident		
ut of	f doors. The following sorts have been saved from combs remarkable for their size,		
ut of	f doors. The following sorts have been saved from combs remarkable for their size, etry, and brilliant colours; the collection from which the seeds were saved having been		
ut of ymm ward	f doors. The following sorts have been saved from combs remarkable for their size,		
ut of ymm ward ardy 38	f doors. The following sorts have been saved from combs remarkable for their size, lettry, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Half-	0	
ut of ymm ward ardy 38 39	f doors. The following sorts have been saved from combs remarkable for their size, tetry, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Half-annuals.  Cockscomb, Dwarf, white shaded rose, very beautiful, 1 ft	0	
mm ward ardy 38 39	f doors. The following sorts have been saved from combs remarkable for their size, lettry, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Half-annuals.  Cocksomb, Dwarf, white shaded rose, very beautiful, 1 ft.  """, sulphur, very handsome, 1 ft.		
mm ward wardy 38 39	f doors. The following sorts have been saved from combs remarkable for their size, lettry, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Half-annuals.  Cocksomb, Dwarf, white shaded rose, very beautiful, 1 ft.  """, sulphur, very handsome, 1 ft.	0	
ut of ymm wardy 38 39 40	f doors. The following sorts have been saved from combs remarkable for their size, tetry, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Half-annuals.  Cocksomb, Dwarf, white shaded rose, very beautiful, 1 ft.  "", sulphur, very handsome, 1 ft.  "", sulphur, very handsome, 1 ft.  "", in eight distinct colours, silver, carmine, cerise, dark crimson, deep yellow, orange, purple, and red, 1 ft.  "", cach sort.	0 0	
ut of ymm wardy ardy 38 39 40 41	f doors. The following sorts have been saved from combs remarkable for their size, tetry, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Half-annuals.  Cocksomb, Dwarf, white shaded rose, very beautiful, 1 ft.  "", sulphur, very handsome, 1 ft.  "", sulphur, very handsome, 1 ft.  "", in eight distinct colours, silver, carmine, cerise, dark crimson, deep yellow, orange, purple, and red, 1 ft.  "", cach sort.	0 0	
ut of ymm wardy 38 39 40 41 42 43	f doors. The following sorts have been saved from combs remarkable for their size, tetry, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Half-annuals.  Cockscomb, Dwarf, white shaded rose, 1 ft.  " sulphur, very handsome, 1 ft.  " in eight distinct colours, silver, carmine, cerise, dark crimson, deep yellow, orange, purple, and red, 1 ft.  " cach sort the same mixed, 1 ft.  Macrocephala gigantea, brilliant red, 1 ft., from Asia.	0 0	
ut of ymm wardy 38 39 40 41 42 43	f doors. The following sorts have been saved from combs remarkable for their size, tetry, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Half-annuals.  Cockscomb, Dwarf, white shaded rose, 1 ft.  "", sulphur, very handsome, 1 ft.  "", sulphur, very handsome, 1 ft.  "", in eight distinct colours, silver, carmine, cerise, dark crimson, deep yellow, orange, purple, and red, 1 ft.  "", he same mixed, 1 ft.  "Macrocephala gigantea, brilliant red, 1 ft., from Asia.  "", wellow, carmine, maroon, rose and orange, white, sherry, and yellow, carmine, maroon, rose and orange, white, sherry, and	0 0	
at of mm wardy 38 39 10 11 42 43 14	f doors. The following sorts have been saved from combs remarkable for their size, tetry, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Half-annuals.  Cockscomb, Dwarf, white shaded rose, 1 ft.  "", sulphur, very handsome, 1 ft.  "", sulphur, very handsome, 1 ft.  "", in eight distinct colours, silver, carmine, cerise, dark crimson, deep yellow, orange, purple, and red, 1 ft.  "", he same mixed, 1 ft.  "Macrocephala gigantea, brilliant red, 1 ft., from Asia.  "", wellow, carmine, maroon, rose and orange, white, sherry, and yellow, carmine, maroon, rose and orange, white, sherry, and	0 0	
at of mm wardy 38 39 10 11 42 43 14	f doors. The following sorts have been saved from combs remarkable for their size, lettry, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Half-annuals.  Cocksoomb, Dwarf, white shaded rose, very beautiful, 1 ft.  """, sulphur, very handsome, 1 ft.  """, sulphur, very handsome, 1 ft.  """, in eight distinct colours, silver, carmine, cerise, dark crimson, deep yellow, orange, purple, and red, 1 ft.  """, the same mixed, 1 ft.  """, Macrocephala gigantea, brilliant red, 1 ft., from Asia.  """, in twelve distinct colours, crimson, orange, purple, rose, silver,  """, in twelve distinct colours, crimson, orange, purple, rose, silver,  """, in twelve distinct colours, crimson, orange, purple, rose, silver,	0 0 0 0	
at of mm wardy 38 39 10 11 42 43 14	f doors. The following sorts have been saved from combs remarkable for their size, lettry, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Half-annuals.  Cocksoomb, Dwarf, white shaded rose, very beautiful, 1 ft.  "" sulphur, very handsome, 1 ft.  "" sulphur, very handsome, 1 ft.  "" in eight distinct colours, silver, carmine, cerise, dark crimson, deep yellow, orange, purple, and red, 1 ft.  "" the same mixed, 1 ft.  "" Macrocephala gigantea, brilliant red, 1 ft., from Asia.  "" in twelve distinct colours, crimson, orange, purple, rose, silver, yellow, carmine, maroon, rose and orange, white, sherry, and sulphur, 1 ft.  "" the same mixed, 1 ft.	0 0 0 0	
nt of ymm ward ardy 38 339 440 441 42 443 445	f doors. The following sorts have been saved from combs remarkable for their size, letty, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Half-annuals.  Cocksomb, Dwarf, white shaded rose, very beautiful, 1 ft.  "" sulphur, very handsome, 1 ft.  "" sulphur, very handsome, 1 ft.  "" in eight distinct colours, silver, carmine, cerise, dark crimson, deep yellow, orange, purple, and red, 1 ft.  "" the same mixed, 1 ft.  "" Macrocephala gigantea, brilliant red, 1 ft., from Asia.  "" in twelve distinct colours, crimson, orange, purple, rose, silver, yellow, carmine, maroon, rose and orange, white, sherry, and sulphur, 1½ ft.  "" cach sort the same mixed, 1½ ft.  "" the same mixed, 1½ ft.  "" cach sort the same mixed, 1½ ft.	0 0 0 0	
nt of vmm ward ardy 388 39 40 411 42 43 44	f doors. The following sorts have been saved from combs remarkable for their size, tetry, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Half-annuals.  Cocksoomb, Dwarf, white shaded rose, it is.  " sulphur, very handsome, I ft.  " sulphur, very handsome, I ft.  " in eight distinct colours, silver, carmine, cerise, dark crimson, deep yellow, orange, purple, and red, I ft.  " Macrocephala gigantea, brilliant red, I ft., from Asia.  " Macrocephala gigantea, brilliant red, I ft., from Asia.  " " wellow, carmine, maroon, rose and orange, white, sherry, and sulphur, I ft.  " yellow, carmine, maroon, rose and orange, white, sherry, and sulphur, I ft.  " the same mixed, I ft.  COLLETIA, Nat. Ord. Rhamnaceæ.  Drnamental greenhouse shrubs, which thrive best in peat and loam.	0 0 0 0 0 0	
or minute of rmmm wardy array 111 42 43 44 45	f doors. The following sorts have been saved from combs remarkable for their size, tetry, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Half-annuals.  Cocksoomb, Dwarf, white shaded rose, very beautiful, 1 ft.  "" sulphur, very handsome, 1 ft.  "" sulphur, very handsome, 1 ft.  "" in eight distinct colours, silver, carmine, cerise, dark crimson, deep yellow, orange, purple, and red, 1 ft.  "" Macrocephala gigantea, brilliant red, 1 ft., from Asia.  "" the same mixed, 1 ft.  "" hacrocephala gigantea, brilliant red, 1 ft., from Asia.  "" in twelve distinct colours, crimson, orange, purple, rose, silver, yellow, carmine, maroon, rose and orange, white, sherry, and sulphur, 1 ft.  "" the same mixed, 1 ft.  COLLETIA, Nat. Ord. Rhamnaceæ.  Ornamental greenhouse shrubs, which thrive best in peat and loam.  Colletia microcarpa, 4 ft., from Peru	0 0 0 0	
or minute of rmmm wardy array 111 42 43 44 45	f doors. The following sorts have been saved from combs remarkable for their size, tetry, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Half-annuals.  Cocksoomb, Dwarf, white shaded rose, very beautiful, 1 ft.  " sulphur, very handsome, 1 ft.  " sulphur, very handsome, 1 ft.  " in eight distinct colours, silver, carmine, cerise, dark crimson, deep yellow, orange, purple, and red, 1 ft.  " the same mixed, 1 ft.  " Macrocephala gigantea, brilliant red, 1 ft, from Asia.  " in twelve distinct colours, crimson, orange, purple, rose, silver, yellow, carmine, maroon, rose and orange, white, sherry, and sulphur, 1 ft.  " the same mixed, 1 ft.  COLLETIA, Nat. Ord. Rhamnaceæ.  Ornamental greenhouse shrubs, which thrive best in peat and loam.  Colletia microcarpa, 4 ft., from Peru.	0 0 0 0 0 0	
ut of wmm ward ardy 38 39 40 41 42 43 44 45	f doors. The following sorts have been saved from combs remarkable for their size, tetry, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Half-annuals.  Cockscomb, Dwarf, white shaded rose, it is, ", sulphur, very handsome, I ft. , sulphur, very handsome, I ft. , erick of the same mixed, I ft. , each sort the same mixed, I ft. , each sort the same mixed, I ft. , from Asia in twelve distinct colours, crimson, orange, purple, rose, silver, yellow, caraine, narroom, rose and orange, white, sherry, and sulphur, I ft. , each sort the same mixed, I ft. , carmine mixed, I ft. , cach sort the same mixed, I ft. , cach sort the same mixed, I ft. , each sort the same mixed, I ft. , expellow, carmine, marroom, rose and orange, white, sherry, and sulphur, I ft. , each sort the same mixed, I ft. COLLETTA, Nat. Ord. Rhamnaceæ.  Ornamental greenhouse shrubs, which thrive best in peat and loam.  Colletia microcarps, 4 ft., from Peru. , spinosa, white, 2 ft., from Peru. , Spinosa, white, 2 ft., from Peru.	0 0 0 0 0 0	
ut of wmm ward ardy 38 39 40 41 42 43 44 45	f doors. The following sorts have been saved from combs remarkable for their size, tetry, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Half-annuals.  Cockscomb, Dwarf, white shaded rose, it is, ", sulphur, very handsome, I ft. , sulphur, very handsome, I ft. , erick of the same mixed, I ft. , each sort the same mixed, I ft. , each sort the same mixed, I ft. , from Asia in twelve distinct colours, crimson, orange, purple, rose, silver, yellow, caraine, narroom, rose and orange, white, sherry, and sulphur, I ft. , each sort the same mixed, I ft. , carmine mixed, I ft. , cach sort the same mixed, I ft. , cach sort the same mixed, I ft. , each sort the same mixed, I ft. , expellow, carmine, marroom, rose and orange, white, sherry, and sulphur, I ft. , each sort the same mixed, I ft. COLLETTA, Nat. Ord. Rhamnaceæ.  Ornamental greenhouse shrubs, which thrive best in peat and loam.  Colletia microcarps, 4 ft., from Peru. , spinosa, white, 2 ft., from Peru. , Spinosa, white, 2 ft., from Peru.	0 0 0 0 0 0	
nt of wmm ward ardy 38 39 440 441 42 43 444 45	f doors. The following sorts have been saved from combs remarkable for their size, tetry, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Half-annuals.  Cockscomb, Dwarf, white shaded rose, very beautiful, 1 ft.  " sulphur, very handsome, 1 ft.  " sulphur, very handsome, 1 ft.  " in eight distinct colours, silver, carmine, cerise, dark crimson, deep yellow, orange, purple, and red, 1 ft.  " haerocephala gigantea, brilliant red, 1 ft., from Asia.  " Macrocephala gigantea, brilliant red, 1 ft., from Asia.  " yellow, carmine, maroon, rose and orange, white, sherry, and sulphur, 1½ ft.  COLLETTA, Nat. Ord. Rhamnaceæ.  Drammental greenhouse shrubs, which thrive best in peat and loam.  Colletia microcarps, 4 ft., from Peru.  " spinosa, white, 2 ft., from Peru.  COLLINSIA, Nat. Ord. Scrophulariaceæ.  An exceedingly pretty, free flowering, popular genus, remarkably attractive in beds, d borders, or ribbons. C. bicolor atbac. L bicolor attrorubens, and C. multi-	0 0 0 0 0 0	
ut of ymm ward ardy 38 39 40 41 42 43 44 45	f doors. The following sorts have been saved from combs remarkable for their size, tetry, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Half-annuals.  Cocksoomb, Dwarf, white shaded rose, it is.  " " " sulphur, very handsome, I ft. " " " " sulphur, very handsome, I ft. " " " " " " " " " " " " " " " " " " "	0 0 0 0 0 0 0 1 1	
ut of ymm ward ardy 38 38 40 41 42 43 44 45 (46 47	f doors. The following sorts have been saved from combs remarkable for their size, tetry, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Halfannuals.  Cocksomb, Dwarf, white shaded rose, very beautiful, 1 ft.  """, sulphur, very handsome, 1 ft.  """, sulphur, very handsome, 1 ft.  """, in eight distinct colours, silver, carmine, cerise, dark crimson, deep yellow, orange, purple, and red, 1 ft.  """, Macrocephala gigantea, brilliant red, 1 ft., from Asia.  """, in twelve distinct colours, crimson, orange, purple, rose, silver, yellow, carmine, maroon, rose and orange, white, sherry, and sulphur, 1 ft.  """, the same mixed, 1 ft.  """, the same mixed, 1 ft.  COLLETIA, Nat. Ord. Rhamnaceæ.  Dramental greenhouse shrubs, which thrive best in peat and loam.  Colletia microcarps, 4 ft., from Peru.  """, spinosa, white, 2 ft., from Peru.  """, spinosa, white, 2 ft., from Peru.  """, corrange, popular genus, remarkably attractive in beds, it borders, or ribbons. C. bicolor, C. bicolor alba, C. bicolor arrorubens, and C. multimarmorata, contrast finely in ribbons. Hardy annuals.	0 0 0 0 0 0 1 1 1	
ut of ymmm wardd ardy 38 38 39 440 441 42 43 44 45 647	f doors. The following sorts have been saved from combs remarkable for their size, tetry, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Halfannuals.  Cocksomb, Dwarf, white shaded rose, very beautiful, 1 ft.  """, sulphur, very handsome, 1 ft.  """, sulphur, very handsome, 1 ft.  """, in eight distinct colours, silver, carmine, cerise, dark crimson, deep yellow, orange, purple, and red, 1 ft.  """, Macrocephala gigantea, brilliant red, 1 ft., from Asia.  """, in twelve distinct colours, crimson, orange, purple, rose, silver, yellow, carmine, maroon, rose and orange, white, sherry, and sulphur, 1 ft.  """, the same mixed, 1 ft.  """, the same mixed, 1 ft.  COLLETIA, Nat. Ord. Rhamnaceæ.  Dramental greenhouse shrubs, which thrive best in peat and loam.  Colletia microcarps, 4 ft., from Peru.  """, spinosa, white, 2 ft., from Peru.  """, spinosa, white, 2 ft., from Peru.  """, corrange, popular genus, remarkably attractive in beds, it borders, or ribbons. C. bicolor, C. bicolor alba, C. bicolor arrorubens, and C. multimarmorata, contrast finely in ribbons. Hardy annuals.	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
ut of ymm wardy 38 39 40 41 442 443 441 45 466 47	f doors. The following sorts have been saved from combs remarkable for their size, tettys, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Halfannuals.  Cocksoomb, Dwarf, white shaded rose, very beautiful, 1 ft.  "" sulphur, very handsome, 1 ft.  "" sulphur, very handsome, 1 ft.  "" in eight distinct colours, silver, carmine, cerise, dark crimson, deep yellow, orange, purple, and red, 1 ft.  "Macrocephala gigantea, brilliant red, 1 ft., from Asia.  "" in twelve distinct colours, crimson, orange, purple, rose, silver, yellow, carmine, maroon, rose and orange, white, sherry, and sulphur, 1 ft.  "" the same mixed, 1 ft.  COLLETIA, Nat. Ord. Rhamnaceæ.  Dramenental greenhouse shrubs, which thrive best in peat and loam.  Colletia microcarpa, 4 ft., from Peru.  "" spinosa, white, 2 ft., from Peru.  COLLINSIA, Nat. Ord. Scrophulariaceæ.  An exceedingly pretty, free flowering, popular genus, remarkably attractive in beds, d borders, or ribbons. C. bicolor, C. bicolor alba, C. bicolor atrorubens, and C. multimarmorata, contrast finely in ribbons. Hardy annuals.  Collinsia bartsivefolia, purple lilace, dwarf habit, § ft., from California.  "" alba, purve white, very dwarf, § ft., from California.	0 0 0 0 0 0 0 0 0 0 0 0 0	
ut of ymm wardy 38 39 40 41 42 43 44 45 45 45 655 1	f doors. The following sorts have been saved from combs remarkable for their size, lettry, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Half-annuals.  Cocksoomb, Dwarf, white shaded rose, it is, supported by the same of the same mixed, it is, sulphur, very handsome, it is, sulphur, errise, dark crimson, deep yellow, orange, purple, and red, it is, cach sort the same mixed, it is, macrocephala gigantea, brilliant red, it fit, from Asia.  Macrocephala gigantea, brilliant red, it fit, from Asia.  In twelve distinct colours, crimson, orange, purple, rose, silver, yellow, carmine, maroon, rose and orange, white, sherry, and sulphur, it fit is same mixed, it fit.  COLLETIA, Nat. Ord. Rhammaceæ.  Drammental greenhouse shrabs, which thrive best in peat and loam.  Colletia microcarpa, 4 fit, from Peru.  COLLINSIA, Nat. Ord. Scrophulariaceæ.  An exceedingly pretty, free flowering, popular genus, remarkably attractive in beds, it borders, or ribbons. C. bicolor, C. bicolor alba, C. bicolor atrorubens, and C. multimarmorata, contrast finely in ribbons. Hardy annuals.  Collinsia bartsierfolia, purple tilac, dwarf habit, § ft., from California.  " alba, pure white, very dwarf, § ft., from California.  The suppose of the substitute of the popular collionia.  The suppose of the proper of the collionia alba, pure white, hearting variety. If ft. from California.	0 0 0 0 0 0 0 0 0 0 0 0 0	
ut of ymm ward wardy 38 39 40 41 42 43 44 45 45 6 447 45 50 1551 1552	f doors. The following sorts have been saved from combs remarkable for their size, lettry, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Half-annuals.  Cocksoomb, Dwarf, white shaded rose, it is, supported by the same of the same mixed, it is, sulphur, very handsome, it is, sulphur, errise, dark crimson, deep yellow, orange, purple, and red, it is, cach sort the same mixed, it is, macrocephala gigantea, brilliant red, it fit, from Asia.  Macrocephala gigantea, brilliant red, it fit, from Asia.  In twelve distinct colours, crimson, orange, purple, rose, silver, yellow, carmine, maroon, rose and orange, white, sherry, and sulphur, it fit is same mixed, it fit.  COLLETIA, Nat. Ord. Rhammaceæ.  Drammental greenhouse shrabs, which thrive best in peat and loam.  Colletia microcarpa, 4 fit, from Peru.  COLLINSIA, Nat. Ord. Scrophulariaceæ.  An exceedingly pretty, free flowering, popular genus, remarkably attractive in beds, it borders, or ribbons. C. bicolor, C. bicolor alba, C. bicolor atrorubens, and C. multimarmorata, contrast finely in ribbons. Hardy annuals.  Collinsia bartsierfolia, purple tilac, dwarf habit, § ft., from California.  " alba, pure white, very dwarf, § ft., from California.  The suppose of the substitute of the popular collionia.  The suppose of the proper of the collionia alba, pure white, hearting variety. If ft. from California.	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
ut of ymm ward ardy 38 39 440 441 442 443 44	f doors. The following sorts have been saved from combs remarkable for their size, tettys, and brilliant colours; the collection from which the seeds were saved having been led a first class certificate, we can therefore recommend it with great confidence. Halfannuals.  Cocksoomb, Dwarf, white shaded rose, very beautiful, 1 ft.  "" sulphur, very handsome, 1 ft.  "" sulphur, very handsome, 1 ft.  "" in eight distinct colours, silver, carmine, cerise, dark crimson, deep yellow, orange, purple, and red, 1 ft.  "Macrocephala gigantea, brilliant red, 1 ft., from Asia.  "" in twelve distinct colours, crimson, orange, purple, rose, silver, yellow, carmine, maroon, rose and orange, white, sherry, and sulphur, 1 ft.  "" the same mixed, 1 ft.  COLLETIA, Nat. Ord. Rhamnaceæ.  Dramenental greenhouse shrubs, which thrive best in peat and loam.  Colletia microcarpa, 4 ft., from Peru.  "" spinosa, white, 2 ft., from Peru.  COLLINSIA, Nat. Ord. Scrophulariaceæ.  An exceedingly pretty, free flowering, popular genus, remarkably attractive in beds, d borders, or ribbons. C. bicolor, C. bicolor alba, C. bicolor atrorubens, and C. multimarmorata, contrast finely in ribbons. Hardy annuals.  Collinsia bartsivefolia, purple lilace, dwarf habit, § ft., from California.  "" alba, purve white, very dwarf, § ft., from California.	0 0 0 0 0 0 0 0 0 0 0 0 0	

, , , , , , , , , , , , , , , , , , , ,		
COLUTEA, Nat. Ord. Leguminosæ.	Per F	kt.
Handsome, free growing, profuse flowering shrubs, continuing in blossom nearly the whole season, therefore are valuable for shrubberies, thriving in any soil. Hardy shrubs.		-
556 Colutea frutescens, scarlet, 3 ft., from Cape of Good Hope.  557 , grandiflora, dark red, large flowers, resembling Clianthus, 3 ft., from	0	G
Australis, 3 ft.	0	6
COMMELINA, Nat. Ord. Commelinaceæ.		
Very pretty, free-flowering, tuberous-rooted plants, with rich blue flowers, succeeding in any rich light soil. Half-hardy perennials.  558 Commelina collectis, shy blue, 14 ft., from Mexico.	0	
558 Commelina cœlestis, sky blue, 1½ ft., from Mexico	0	3
CONOCLINIUM, Nat. Ord. Compositæ.		
A greenhouse evergreen shrub, with beautiful large clusters of Ageratum-like flowers; succeeds in a light rich soil.		
560 Conoclinium ianthinum, pale blue, very handsome, 2 ft., from Brazil	0	4
CONVOLVULUS, Nat. Ord. Convolvulaceæ.		
A beautiful, free-flowering, and remarkably showy class of plants, with exceedingly handsome, rich-coloured flowers, producing in beds and mixed borders an unusually brilliant effect, either in distinct colours, ribboned, or mixed.		
561 Convolvulus minor tricolor atropurpureus, rich violet purple with white centre, trailer	0	2
562 ,, splendens, rich violet with white centre, trailer	0	3 2
564 , silky white, trailer, from S. Europe	0	2
3, azure blue with white centre, trailer	0	2
some, trailer	0	6
567 , subcæruleus, dove colour, trailer, very pretty	0	4
569 "Cantabricus, rosy purple, beautiful, trailer, from S. Europe	0	6
570 , stellatus novus, in growth and habit resembling C. Canta-		
brious, but with flowers and foliage perfectly distinct; the flowers are of a beautiful pink, with a pure white double star in the centre, and are produced in the greatest pro-		
fusion; it forms a splendid bedding plant, and is exceedingly elegant in hauging baskets. (See Engraving.)		
571 , oleifolius, white tinted with rose, foliage silvery, beautiful, trailer, from Cape	1	0
of Good Hope	0	6
CORIS, Nat. Ord. Primulaceæ.		
An ornamental little greenhouse biennial of a somewhat succulent nature, succeeding in well-drained pots of peat and loam.		
572 Coris monspeliensis, dark rose, § ft., from S. Europe	0	6
CORONILLA, Nat. Ord. Leguminosæ.		
Handsome, free-flowering, greenhouse shrubs, with silvery-looking foliage, their pretty		
flowers dispersed in little tufts like coronets; easily cultivated, growing freely in a mixture of peat and loam, and succeeding well against a south wall with a little winter protection. Halfhardy shrubs.		
573 Coronilla glauca, yellow, very free-flowering, 2 ft., from S. France	0	3
574 , juncea, yellow, very free-flowering, 2 ft., from S. France	0	3
COSMANTHUS, Nat. Ord. Hydrophyllacea.		
A neat little plant, with prettily fringed flowers, of a somewhat spreading habit.	0	3
575 Cosmanthus fimbriatus, lilac and white, hardy annual, 1 ft., from N. America COSMOS, Nat. Ord. Compositæ.	U	0
Showy free flowering plants, suitable for shrubberies and mixed borders. Hardy annuals.		
576 Cosmos atropurpurea, deep purple and yellow, 2 ft., from Mexico	0	3
577 ,, bipinnata, red, purple, and yellow, 2 ft., from Mexico	0	3
COULTERIA, Nat. Ord. Leguminosæ.		
An ornamental shrub, with beautiful foliage and magnificent spikes of flowers; succeeds best in peat and loam.		
578 Coulteria, species nova, orange, very handsome, from China	2	6
COWSLIP, Nat. Ord. Primulaceæ.		
Favourite early free flowering plants, which should be extensively grown for filling the beds and borders of the spring flower garden; succeeding best in rich soil. Hardy perennials.		
579         Cowslip, new giant mixed, very large, 1 ft., Britain	0	6







CONVOLVULUS CANTABRICUS STELLATUS NOVUS, NEW HYBRID, FROM OUR "SARDINIAN CORRESPONDENT."







	70 -	
CRUCIANELLA, Nat. Ord. Rubiaceæ.		Pkt.
A very useful early free flowering plant for rockwork, &c. grows freely in cost soil. Hardy perennial.	nmon	
581 Crucianella stylosa, pink, 1 ft., from Persia	0	3
CRYPTOMERIA, Nat. Ord. Coniferæ.		
Majestic and extremely ornamental. Hardy evergreen trees.	0	. 4
582 Cryptomeria Japonica, 50 ft., from Japan	0	6
CUNNINGHAMIA, Nat. Ord. Conifera.		
An exceedingly handsome ornamental half-hardy evergreen tree, succeeding best	in a	
mixture of peat and loam, and growing freely in any warm sheltered situation; but shot protected in winter from severe frost.	ild be	
584 Cunninghamia sinensis, 30 ft., from China	0	6
CUPHEA, Nat. Ord. Lythraceæ.		
A highly ornamental and exceedingly beautiful genus of profuse blooming plants, equalizable for the ornamentation of the flower-house, drawing-room, and flower-garder eminens is of a graceful branching habit, covered profusely with splendid long scarleyellow tubular flowers; C. Zimampinii is covered with beautiful red-violet, and C. ocyn with rich purple-violet flowers. The perennial varieties, if sown early, can be used for be plants the first year; the annual varieties may be treated like ordinary half-hardy annual	t and noides dding	
585 Cuphea Donkelæri, green and yellow, half-hardy perennial, 11 ft	0	4
586 ,, eminens, bright red and yellow, splendid free flowering variety, half-hardy I	eren-	6
587 , hybrida, red and yellow, handsome, half-hardy perennial, 1½ ft	0	6
588 miniata, scarlet and lavender, half-hardy perennial 1½ ft	2 ft.,	4
from Mexico	0	6
591 ,, purpurea, purple, remarkably handsome, half hardy annual, 2 ft., from Me	xico. 0	3
strigulosa, orange and red, half-hardy perennial, 2 ft., from the Andes	0	4
2 ft	1	0
CUPRESSUS, Nat. Ord. Coniferæ.		
Trees and shrubs of the most ornamental and interesting description, combining beauty with distinctness of form and character. Hardy trees.	great	
594 Cupressus Australis, 20 ft., from N. Holland	0	6
594         Cupressus Australis, 20 ft., from N. Holland           595         Benthamii, 20 ft., from Mexico           596         elegans, pendulous habit, 20 ft., from Mexico           597         excelsa           598         funebris, very elegant, 20 ft., from China	0	6
597 , excelsa	0	6
funebris, very elegant, 20 ft., from China	0	6
Goveniana, elegant drooping foliage, 10 ft., from California	0	6
601 ,, Knightiana, 10 ft	0	6
bus ,, mac Nabiana	0	9
Neapolitana, fine evergreen, 10 ft., from Naples.	0	9
sinensis pendula, 15 ft., from Japan	0	9
olegans, pyramida, inc, 20 le., from Himalaya	0	6 9
Udheana, splendid hardy tree, 20 ft., from Nepaul	0	6
CYANUS, Nat. Ord. Compositæ.		
Very ornamental plants for shrubberies and mixed borders, and exceedingly useful vent flowers are in demand; growing in any common soil. Hardy annuals.	vhere	
610 Cyanus, mixed, or in separate colours, viz., blue, pink, rich purple, and striped, 1	1 ft.,	
from Britain, each sort  CYCLAMEN, Nat Ord. Primulaceæ.	0	2
A genus of the most beautiful and elegant winter and spring blooming plants, univer	sally	
admired; growing freely in sandy loam. Half hardy perennial.  611 Cyclamen Africanum macrophyllum, white and rose, fine foliage, 3 ft., from Africa.	0	G
612 singerbum shaded real years bandsome 8 ft from A fries	A	9
hederæfolium, purple, exceedingly pretty, hardy perennial, ½ ft., from Bri Neapolitanum, deep nink, ½ ft., from Naples	tain. 0	9
1613  hederæfolium, purple, exceedingly pretty, hardy perennial, ½ ft., from Bri 1614  Neapolitanum, deep pink, ½ ft., from Naples  1615  album, purp white, ½ ft., from Naples  Persicum, white and pink, a charming sweet scented variety, ½ ft., from Cy	0	9
Persicum, white and pink, a charming sweet scented variety, \(\frac{1}{2}\) ft., from Cy  atropurpureum, red and purple, \(\frac{1}{2}\) ft., from Cyprus	prus 0	6
, atropurpureum, red and purple, ½ ft., from Cyprus	0	9

	_		
CLYCLAMEN—continued.		r P	
618 Cyclamen Persicum carneum, Aesh colour, ½ ft., from Cyprus		8.	9
619 , roseum, rose, 1 ft., from Cyprus		0	9
, rubrum, deep crimson, ½ ft., from Cyprus			9
621 ,, striatum magnificum, brilliant carmine striped with white, ½ ft			9
CYDONIA (Quince), Nat. Ord. Rosacea.			
An ornamental hardy tree for lawns or pleasure grounds.			
623 Cydonia sinensis, pink, hardy shrub, from China, 10 ft		0	3
CYNOGLOSSUM, Nat. Ord. Boraginaceæ.			
Very pretty herbaceous border plants, of the Anchusa family, remarkable for their riblue flowers; growing freely in any common soil. Hardy perennials.	eh		
624 Cynoglossum cœlestinum, bright blue, 2 ft., from India 625 , Honkii, bright blue, 2 ft.		0	3
CYTISUS, Nat. Ord. Leguminosæ.			
An extremely useful free flowering, ornamental tribe of hardy shrubs, equally valual for the decoration of the conservatory, drawing-room, and flower garden; succeeding in a	le		
ordinary soil. 626 Cytisus ramosissimus superbus. uellow, hardy shrub, 3 ft., from Spain		0	0
626 Cytisus ramosissimus superbus, yellow, hardy shrub, 3 ft., from Spain 627 , spinosus, yellow, hardy tree, 2 ft., from S. of Europe. 628 , triflorus, yellow, hardy shrub, 4 ft., from Spain		0	3
DAHLIA, Nat. Ord. Compositæ.			
A noble autumn flowering plant; the seed offered has been saved from the choice	est		
varieties.			
629 Dahlia, from finest named flowers, half-hardy perennial, 4 ft	• •	1	0
630 , from dwarf named flowers, half-hardy perennial, 1½ ft repens, peach colour, half-hardy annual, 1½ ft., from Mexico		0	3
DAISY, Nat. Ord. Composite.			
A popular favourite for edgings, or filling small beds in spring gardens. We offer se	d		
saved from the finest double Belgian varieties.			
632 Daisy, from fine double flowers, hardy perennial, \(\frac{1}{4}\) ft		0	G
DARLINGTONIA, Nat. Ord. Leguminosæ.			
A pretty little half-hardy herbaceous plant; succeeds best in sandy peat mixed with le	af		
mould; is best grown in pots amongst alpine plants.  633 Darlingtonia glandulosa, white, half-hardy perennial, 1 ft., from N. America		0	А
	•	U	7
DATURA, Nat. Ord. Solanaceæ.			
A tribe of highly-ornamental plants, producing large sweet-scented trumpet-shaped flower of the most attractive character and succeeding in any light rich soil. D. humilis has lo	19		
of the most attractive character, and succeeding in any light rich soil. D. humilis has lo magnificent golden yellow double flowers; D. Wrightii has large white flowers bordered with	th		
Mac. Hardy unnuals.			
Datura ceratacaulon, satin white striped with purple, very handsome and sweet scente 2 ft., from S. America		0	3
fastuosa alba, pure white, double, 3 ft., from Egypt		0	3
violacea fine violet, double, 3 ft., from Egypt		0	3
<ul> <li>humilis flore pleno (chloranthe fl. pl.), rich yolden yellow, a magnificent, fre flowering, sweet-scented variety, 2 ft., from Texas.</li> <li>Knightii, white, splendid double flowers with exquisite odour, 3 ft.</li> </ul>	C-	0	4
638 , Knightii, white, splendid double flowers with exquisite odour, 3 ft		0	3
<ul> <li>quercifolia, lilac, oak leaved, 3 ft., from Asia</li> <li>Wrightii (meteloides), satiu white, bordered with lilac, an exquisite, sweet-scent</li> </ul>	-3	0	3
plant, 2 ft., from Asia		0	3
DAUBENTONIA, Nat. Ord. Leguminosæ.			
Very handsome, free-flowering elegant greenhouse shrubs, succeeding in sandy loam.			
641 Daubentonia magnifica, red orange, rounded leaves, splendid and distinct variety		1	G
642 , punicea, vermilion, 4 ft., from N. Spain		0	3
DELPHINIUM, Nat. Ord. Ranunculaceæ.			
A highly ornamental genus of splendid profuse-flowering plants of an unusually high	h		
decorative character. When planted in large beds or groups, their gorgeous spikes of flower of almost endless shades, from pearl white to the very richest and deepest blue, render the	S,		
the most conspicuous and striking objects in the flower garden or pleasure grounds; the	·y		
delight in deep, highly enriched soil. With the exception of D. cardiopetalum they are a hardy perennials.	.11		
644 Delphinium atroviolaceum, dark violet, 3 ft		0	G
1 / / / / / / / / / / / / / / / / / / /			





					-
			DELPHINIUM—continued.	Per I	kt.
45	Delphinium	Belle	Alliance, blue and white, very beautiful, 3 ft	0	6
46	"		opetalum, deep blue, heart shaped, hardy annual, 1 ft., from the Pyrences	0	3
17	"		tinum grandiflorum, celestial blue, long spikes, very handsome, 3 ft	0	(
18	22		anthiflorum, blue and white, charming, 3 ft	0	€
9	29	formo	sum, blue and white, splendid variety, 2 ft.	0	- 6
0	, ,,	gigant	teum, blue shaded, large, 3 ft	0	-(
1	>>	Hend	ersonn, oue and watte, 25 tb	0	4
2	27	hyacii	nthiflorum, blue and white, extremely fine, 21 ft	0	- (
3	"	Mada	me Rougier, sky blue, very beautiful, 2½ ft	0	- (
4	22	Nanci	anum, white striped, novel, 2½ ftse album, fl. pl. double, white, 2 ft	0	-
5	"	sinens	se album, fl. pl. double, white, 2 ft	0	- (
6	99	22	azureum, fl. pl. double, azure blue, 2 ft	0	
7	22	22	cæruleum punctatum, fl. pl double, cærulean blue, 2 ft	0	-(
8	99	22	" grandiflorum, fl. pl. double, blue, 2 ft	0	
9	29		punctatum rubrum, sky blue, red spotted, 2 ft	0	- (
0	19	splend	didum, blue, a magnificent variety, 2½ ft	0	
1	- 21		, mixed, all colours, various	0	- 1
			DESIMANDER Not Ond Lagraning		
			DESMANTHUS, Nat. Ord. Leguminosæ.		
			mental greenhouse shrub; succeeds best in peat and loam.		
4	Desmanthus	virgat	tus, white, 1½ ft., from W. Indies	0	1
			DESMODIUM, Nat. Ord. Leguminosæ.		
eds	; succeeds w	vell in	reenhouse plant, flowering in long spikes, and having curiously twisted sandy loam and peat. Greenhouse perennials.		
3	Desmodium		ticum, lilac, 2 ft., from W. Indies	0	-
4	22		S	0	-
			DIAMPERE Not Oak Committee		
			DIANTHUS, Nat. Ord. Caryophyllaceæ.		
	A magnificer	nt gen	us, which embraces some of the most popular flowers in cultivation.		
he	Carnation,	Picotee	e, Pink, and Sweet William, all "household words," belong to this		
enu	s. D. Chine	nsis a	nd its varieties may be considered the most beautiful and effective of		
ar l	nardy annual	s; the	double and single varieties, with their rich and varied colours in beds		
m	asses, are rei	markal	oly attractive; while the recently introduced species, D. Heddewigii,		
ith	its large rich	1 colou	ared flowers, three to four inches in diameter, close compact habit, and		
roft	ision of bloor	n, is u	nsurpassed for effectiveness in beds or mixed borders.		
35	Dianthus ar	boreus	s, pink, very compact and pretty, hardy perennial, 11 ft., from Greece.	0	-
66	., at	rorube:	ns, dark red, handsome, hardy biennial, flowers the first year, 1 ft.,		
		from	a Italy	0	
37	·,, Ca	arthusia	anus, crimson, scarlet, purple, lilac, &c., beautiful, hardy annual, 1 ft.,		
			Europe	0	:
8	,, Cl		is albus, fl. pl. double, white, hardy annual, 1 ft	0	
9	**	2)	marginatus	0	
0	**	22	pictus, white marbled with rose, and beautifully fringed, hardy		
	"	"	annual, 1 ft.	0	
1	22	**	atropurpureus	ő	
2	"		Burnswenechii hybridus, white shaded	0	
3	"	79	giganteus Heddewigii, colour varies from the richest velvety crimson		
	"	,,	to the most delicate rose; flowers three to four inches in		
			diameter, a magnificent variety, hardy annual, 1 ft., from Japan		-
4			Tradaminis A ml shows how double hands		
-	97	99	1 ft., from Japan	1	
			- and around ambient	de	
5			laciniatus Reddewigii white flesh rose red carmine violet numbe		
5	. ,,	**	laciniatus Heddewigii, white, flesh, rose, red, carmine, violet, purple,		
5	. 11	**	laciniatus Heddewigii, white, flesh, rose, red, carmine, violet, purple, and rich maroon, double and beautifully fringed, three to four		
	. 11		laciniatus Heddewigii, volite, flesli, rose, red, carmine, violet, purple, and rich maroon, double and beautifully fringed, three to four inches in diameter, hardy annual, 2 ft., from Japan	0	
	. 99	"	laciniatus Heddewigii, volite, flesh, rose, red, carmine, violet, purple, and rich muroon, double and beautifully fringed, three to four inches in diameter, hardy annual, 2 ft., from Japan	0	
6	. 27	33	laciniatus Heddewigii, vohite, flesh, rose, red, carmine, violet, purple, and rich maroon, double and beautifully fringed, three to four inches in diameter, hardy annual, 2 ft., from Japan		
6	" " " " " " " " " " " " " " " " " " "		laciniatus Heddewigii, white, flesh, rose, red., carmine, violet, purple, and rich muroon, double and beautifully fringed, three to four inches in diameter, hardy annual, 2 ft., from Japan	0	•
6	23	"	laciniatus Heddewigii, vohite, flesh, rose, red, carmine, violet, purple, and rich maroon, double and beautifully fringed, three to four inches in diameter, hardy annual, 2 ft., from Japan,  Heddewigii, fl. pl., as above, but double, hardy annual, 2 ft., from Japan  Imperialis, fl. pl., dark red, double, very fine, hardy annual, 1 ft., from China	0	•
6	23 23 25 (iii) 22	33	laciniatus Heddewigii, vohite, flesh, rose, red., carmine, violet, purple, and rich maroon, double and beautifully fringed, three to four inches in diameter, hardy annual, 2 ft., from Japan	0 1 0	
6 7 8	23 23 25 (66) 22	"	laciniatus Heddewigii, vohite, flesh, rose, red, carmine, violet, purple, and rich maroon, double and beautifully fringed, three to four inches in diameter, hardy annual, 2 ft., from Japan.  Heddewigii, fl. pl., as above, but double, hardy annual, 2 ft., from Japan  Imperialis, ft. pl., dark red, double, very fine, hardy annual, 1 ft., from China  nanus atrosanguineus, deep blood red, very brilliant and excessively free flowering, hardy annual, ½ ft.	0 1 0 0	
6 7 8 9	"	"	laciniatus Heddewigii, vohite, flesh, rose, red, carmine, violet, purple, and rich maroon, double and beautifully fringed, three to four inches in diameter, hardy annual, 2 ft., from Japan,  Heddewigii, fl. pl., as above, but double, hardy annual, 2 ft., from Japan  Imperialis, ft. pl., dark red, double, very fine, hardy annual, 1 ft., from China  nanus atrosanguineus, deep blood rcd, very brilliant and excessively free flowering, hardy annual, ½ ft.  albo-marginatus, hardy annual, ½ ft.	0 1 0 0 0	
76 77 78	99	"" "" "" "" "" ""	laciniatus Heddewigii, vohite, flesh, rose, red, carmine, violet, purple, and rich maroon, double and beautifully fringed, three to four inches in diameter, hardy annual, 2 ft., from Japan.  "Heddewigii, ft. pl., as above, but double, hardy annual, 2 ft., from Japan  2 ft., from Japan  Imperialis, ft. pl., dark red, double, very fine, hardy annual, 1 ft., from China  nanus atrosanguineus, deep blood red, very brilliant and excessively free flowering, hardy annual, ½ ft.  "albo-marginatus, hardy annual, ½ ft.  albo-striatus, hardy annual, ½ ft.	0 1 0 0 0 0 0	
76 77 78 79 30	99 99 99	33 33 33 33 33 33 33	laciniatus Heddewigii, vohite, flesh, rose, red, carmine, violet, purple, and rich maroon, double and beautifully fringed, three to four inches in diameter, hardy annual, 2 ft., from Japan.  "Heddewigii, fl. pl., as above, but double, hardy annual, 2 ft., from Japan Imperialis, ft. pl., dark red, double, very fine, hardy annual, 1 ft., from China nanus atrosanguineus, deep blood red, very brilliant and excessively free flowering, hardy annual, ½ ft.  "albo-marginatus, hardy annual, ½ ft. "albo-striatus, hardy annual, ½ ft. "albo-striatus, hardy annual, ½ ft.	0 0 0 0 0 0 0	
76 77 78 79 30 31 32	99	"" "" "" "" "" ""	laciniatus Heddewigii, vohite, flesh, rose, red, carmine, violet, purple, and rich maroon, double and beautifully fringed, three to four inches in diameter, hardy annual, 2 ft., from Japan.  2 ft., from Japan	0 0 0 0 0 0 0 0 0	
75 76 77 78 79 30 31 32 83	99 99 99	33 33 33 33 33 33 33	laciniatus Heddewigii, vohite, flesh, rose, red, carmine, violet, purple, and rich maroon, double and beautifully fringed, three to four inches in diameter, hardy annual, 2 ft., from Japan.  " Heddewigii, fl. pl., as above, but double, hardy annual, 2 ft., from Japan Imperialis, fl. pl., dark red, double, very fine, hardy annual, 1 ft., from China nanus atrosanguineus, deep blood red, very brilliant and excessively free flowering, hardy annual, ½ ft.  " albo-marginatus, hardy annual, ½ ft.  " albo-striatus, hardy annual, ½ ft.  " atropurpureus, ½ ft.  " purpureus, rich purple, hardy annual, ¾ ft.	0 1 0 0 0 0 0 0 0 0 0 0	6 4 4 6 6 6 6
76 77 78 79 80 81 83 83 83 84	99 99 99 23	33 33 33 33 33 33 33 33 33 33 33 33 33	laciniatus Heddewigii, white, flesh, rose, red, carmine, violet, purple, and rich maroon, double and beautifully fringed, three to four inches in diameter, hardy annual, 2 ft., from Japan.  " Heddewigii, fl. pl., as above, but double, hardy annual, 2 ft., from Japan Imperialis, ft. pl., dark red, double, very fine, hardy annual, 1 ft., from China nanus atrosangmienus, deep blood red, very brilliant and excessively free flowering, hardy annual, ½ ft.  " albo-marginatus, hardy annual, ½ ft.  " albos striatus, hardy annual, ½ ft.  " atropruprueus, ½ ft.  " purpurpueus, jt.  " purpureus, rich purple, hardy annual, ½ ft.  " rutus striatus, double, red striped with white, hardy annual, ½ ft.	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
76 77 78 79 30 31 32 33 33 34	99 99 99 23	33 33 33 33 33 33 33 33 33 33 33 33 33	laciniatus Heddewigii, vohite, fiesh, rose, red, carmine, violet, purple, and rich maroon, double and beautifully fringed, three to four inches in diameter, hardy annual, 2 ft., from Japan.  "Heddewigii, fl. pl., as above, but double, hardy annual, 2 ft., from Japan Imperialis, ft. pl., dark red, double, very fine, hardy annual, 1 ft., from China nanus atrosanguineus, deep blood red, very brilliant and excessively free flowering, hardy annual, ½ ft.  "albo-marginatus, hardy annual, ½ ft.  "albo-striatus, hardy annual, ½ ft.  "albostriatus, hardy annual, ½ ft.  "atropurpureus, ½ ft.  "purpureus, rich purple, hardy annual, ¾ ft.  "purpureus, rich purple, hardy annual, ¾ ft.  "purpureus, rich purple, hardy annual, ¾ ft.	0 0 0 0 0 0 0 0 0 0 0 0	( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (
76 77 78 79 30 31 32 33 34 35 36	99 20 23 31 39 29 29	33 33 33 33 33 33 33 33 33 33 33 33 33	laciniatus Heddewigii, white, flesh, rose, red, carmine, violet, purple, and rich maroon, double and beautifully fringed, three to four inches in diameter, hardy annual, 2 ft., from Japan.  " Heddewigii, fl. pl., darb (a. pl., as above, but double, hardy annual, 2 ft., from Japan  Imperialis, ft., pl., darb, red, double, very fine, hardy annual, 1 ft., from China  nanus atrosanguineus, deep blood red, very brilliant and excessively free flowering, hardy annual, ½ ft.  " albo-marginatus, hardy annual, ½ ft.  " albo-striatus, hardy annual, ½ ft.  " albos fiore pleno, double, white, ½ ft.  " purpureus, rich purple, hardy annual, ¾ ft.  " rubra striatus, double, red striped with white, hardy annual, ¼ ft. splendid mixed, flowers large and very double, hardy annual, ¼ ft.  splendid mixed, single, very fine hardy annual, ¼ ft.	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
78 79 10 11 132 133 134 135 136 137	99 20 21 29 29 29 29 29 29 29 29 29 29 29 29 29	""""""""""""""""""""""""""""""""""""""	laciniatus Heddewigii, vohite, flesh, rose, red, carmine, violet, purple, and rich maroon, double and beautifully fringed, three to four inches in diameter, hardy annual, 2 ft., from Japan.  Heddewigii, fl. pl., as above, but double, hardy annual, 2 ft., from Japan Imperialis, ft. pl., dark red, double, very fine, hardy annual, 1 ft., from China  nanus atrosanguineus, deep blood red, very brilliant and excessively free flowering, hardy annual, ½ ft.  albo-marginatus, hardy annual, ½ ft.  albo-striatus, hardy annual, ½ ft.  albo striatus, hardy annual, ½ ft.  purpureus, ½ ft.  purpureus, rich purple, hardy annual, ¾ ft.  rubrus striatus, double, red striped with white, hardy annual, ½ ft. splendid mixed, flowers large and very double, hardy annual, ½ ft. splendid mixed, flowers large and very double, hardy annual, ½ ft. splendid mixed, flowers large and very double, hardy annual, ½ ft.	0 0 0 0 0 0 0 0 0 0 0 0	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
6 7 8 9 0 1 2 3 4 5 6	99 20 21 29 29 29 29 29 29 29 29 29 29 29 29 29	""""""""""""""""""""""""""""""""""""""	laciniatus Heddewigii, white, flesh, rose, red, carmine, violet, purple, and rich maroon, double and beautifully fringed, three to four inches in diameter, hardy annual, 2 ft., from Japan.  " Heddewigii, fl. pl., darb (a. pl., as above, but double, hardy annual, 2 ft., from Japan  Imperialis, ft., pl., darb, red, double, very fine, hardy annual, 1 ft., from China  nanus atrosanguineus, deep blood red, very brilliant and excessively free flowering, hardy annual, ½ ft.  " albo-marginatus, hardy annual, ½ ft.  " albo-striatus, hardy annual, ½ ft.  " albos fiore pleno, double, white, ½ ft.  " purpureus, rich purple, hardy annual, ¾ ft.  " rubra striatus, double, red striped with white, hardy annual, ¼ ft. splendid mixed, flowers large and very double, hardy annual, ¼ ft.  splendid mixed, single, very fine hardy annual, ¼ ft.	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6 4 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6

-			-
	DIANTHUS—continued.	Per 1	kt.
689	anthus deltoides rubra, pinh, beautiful, hardy perennial	0	3
690	" Gardnerianus, various colours, beautifully fringed, hardy perennial, 1 ft	0	6
691 692	giganteus, rose, beautiful rock plant, hardy annual, from Greece	0	6
693	" rose and white, from Greece	0	3
694	" hybridus corymbosus, various rich colours, flowers the first year, hardy peren-		
005	nial, 1 ft	0	6
695 696	n latifolius splendens, crimson, extremely handsome, hardy annual, 1 ft., from Europe , fl. pl., crimson, fine double, hardy annual, 1 ft., from Europe	0	3
697	pulchellus, white and red striped, hardy perennial, I ft., from Siberia	0	3
698	" superbus nanus, lilac dwarf, beautifully fringed, hardy perennial, 3 ft., from Europe	0	3
	DIDISCUS, Nat. Ord. Umbelliferæ.		
	pretty little plant, from Australia.		
699	discus cæruleus, blue, half hardy annual, 1½ ft	0	4
	DIDYMOCARPUS, Nat. Ord. Cyrtandraceæ.		
peat	exceedingly pretty greenhouse plant, flowering in bunches, succeeding best in light		
	dymocarpus Humboldtianus, blue, very pretty	1	0
	DIGITALIS, Nat. Ord. Scrophulariaceæ.		
geno	narkably handsome and highly ornamental plants of stately growth and easy culture, by adapted for shrubbery borders, or for woods and pleasure grounds; thrive in any soil,		
	perennials.		
701	gitalis alba, pure white, 3 ft., from Britain	0	3
702	aurea, golden, 3 ft., from Greece	0	3
703	" ferruginea, white and brown, very curious, 3 ft., from Italy	0	3
704 705	" grandiflora, sulphur, 3 ft , from Switzerland	0	3
706	gloxinoides, large, beautifully spotted, flowers of various colours, 4 ft	0	3
707	nevedis, red, purple spotted, 3 ft. punctata, white and crimson spotted, 3 ft., from Britain	0	3
708	purpurea superba, fine purple, 3 ft., from Europe, rosea alba, rosy white, 3 ft.	0	3
709	" rosea alba, rosy white, 3 ft	0	3
710	" fine mixed, 3 ft	0	3
	DIOCLEA, Nat. Ord. Leguminosæ.		
	very beautiful half hardy shrub of a twining habit, succeeding in any common soil.		
711	oclea glycinoides, red, flowering in handsome racemes, 3 ft., from Martinique	0	6
	DIOSPYROS (Date Plum), Nat. Ord. Ebenaceæ.		
	exceedingly ornamental tree, bearing date-like fruit; succeeds in rich loamy soil.		
712	iospyros Virginiana, yellow and green, hardy tree, 20 ft., from N. America	0	3
	DIPLACUS, Nat. Ord. Scrophulariaceæ.		
	very elegant free flowering plant, with pretty Mimulus-like flowers, growing freely in		
any	at soil.		
713	iplacus grandiflorus, apricot colour	1	0
	DIPTERACANTHUS, Nat. Ord. Acanthaceæ.		
	exceedingly handsome greenhouse shrub, with Petunia-like flowers of a rich dark blue		
succ	s best in sandy peat and loam.		
	ipteracanthus spectabilis, dark blue, 3 ft., from E. Indies	0	4
	DORYCNIUM, Nat. Ord. Leguminosæ.		
	handsome hardy evergreen shrub, succeeding best in a dry soil.		
715	oryenium suffruticosum, white, hardy perennial, 1½ ft., from S. Europe	0	6
		0	
	DURANTA, Nat. Ord. Verbenaceæ.		
host	very beautiful free-flowering plant, producing its flowers in graceful racemes, succeeding		
	loam and peat. Hardy greenhouse shrub.  uranta Plumierii, pale blue, flowering in graceful racemes, 10 ft., from S. America	0	4
110		U	4
	EBENUS, Nat. Ord. Ebenaceæ.		
100 to 200	exceedingly pretty dwarf growing half hardy shrub, requiring peaty soil.		
717	benus cretica, pink, 11 ft., from Candia	0	65
	ECHINOPS (Globe Thistle), Nat. Ord. Compositæ.		
	strong growing free flowering plant of considerable beauty, suitable for large shrubbery	,	
bore			
718	chinops bannaticus, blue ball, hardy perennial, 3 ft., from Hungary	0	3





	ECHIUM, Nat. Ord. Boraginaceæ.	Per :	
	An exceedingly pretty little shrub, producing its beautiful blue flowers in bunches; thrives		d.
	l in peat and loam.		
719	Echium candicans, blue, half-hardy perennial, 4 ft., from Madeira	0	4
	EGG PLANT, Nat. Ord. Solanaceæ.  A very singular and ornamental class of fruit-bearing plants, especially adapted for con-		
	vatory or drawing-room decoration; thrives best in very rich light soil.		
720 721	Egg Plant, white fruited, half-hardy annual, 1½ ft., from Africa	0	3
722	violet, 14 ft., from Africa	0	3
723	", new striped, weighing from 1 to 4 lbs., very handsome, 1½ ft., from Africa	0	3
	ENGELMANNIA, Nat. Ord. Compositæ.  A pretty, sweet-scented, dwarf-growing plant.		
724	Engelmannia pinnatifida, yellow, hardy annual, ½ ft., from Chili	0	4
	ENTELEA, Nat. Ord. Tiliaceæ.		
	Handsome greenhouse evergreen shrubs; succeed best in loam mixed with a little peat.		
725	Entelea arborescens, white, half-hardy shrub, 6 ft., from New Zealand	0	4
	EPHEDRA, Nat. Ord. Gnetaceæ.		
726	A very curious plant, producing sweetish berries which are eaten by the peasants of Russia, Ephedra altissima, half-hardy shrub, twiner, from Barbary	0	6
	EPIPHYLLUM, Nat. Ord. Cactaceæ.		
020	A splendid class of plants, with magnificent flowers of the most brilliant colours; they		
727	of easy culture, and succeed in sandy loam, requiring very little water.  Epiphyllum crenatum, orange, greenhouse shrub, 2 ft., from Honduras	1	0
728	grandis	î	0
729 730	,, Novelty	1	0
731	, Novelty , Barclayanum ,, speciosismum	î	0
732	" choice mixed	1	0
	EREMOSTACHYS, Nat. Ord. Labiatæ.		1
	A free-flowering, handsome plant, succeeding in common garden soil. Hardy perennial.  Eremostachys laciniatus, yellow, 1½ ft., from the Caucasus	0	6
	ERICA, Nat. Ord. Ericaceæ.		
	A well-known genus of extremely beautiful and interesting plants, flowering most pro-		
fusel	ly, and especially effective from their compact, close habit of growth; both the hardy and reenhouse varieties require a sandy peat.		
734		0	6
735	Erica arborea, various, hardy shrub, 3 ft., from S. Europe	1	0
	ERIGERON, Nat. Ord. Compositæ.		
	Exceedingly handsome, free-flowering plants, continuing a long time in beauty; succeed by common soil. <i>Hardy annuals</i> ,		
736	Erigeron Bevrichii, exceedingly handsome, 1 ft	0	3
737	, Karwinskianum, blue and white, 1 ft	0	4
	ERIOCEPHALUS, Nat. Ord. Compositæ.  A handsome evergreen shrub, with beautiful silvery foliage; succeeds best in sand and		
loam	l.		
738	Eriocephalus aromaticus, white, very beautiful, 3 ft.	1	0
	ERIOSTEMON, Nat. Ord. Rutaceæ.		
of gr	One of the most charming classes of greenhouse shrubs, extremely elegant in their habit rowth, and producing in great profusion their beautiful star-shaped blossoms; they thrive in sandy peat and loam. Greenhouse shrubs.		
739	Eriostemon amænum, blush, 3 ft., from N. Holland	0	6
740 741	" cuspidatum, red, 3 ft., from N. Holland	0	6
742 743	" densifolium, pink, 3 ft., from N. Holland	0	6
744	", intermedium, white, 3 ft., from N. Holland	0	9 9
745	" pulchellum, 3 ft., from N. Holland	0	9
	ERODIUM, Nat. Ord. Geraniaceæ.		
746	Charming little plant for rockwork, edgings, or mixed flower borders.  Erodium Pelargoniæflorum, hardy perennial, ½ ft.	1	0
747	hymenoides, pink, flowering in bunches, hardy perennial, ½ ft.	î	ŏ

,			_
ERYSIMUN, Nat. Ord. Cruciferæ.	Per	P	kt
Very showy, free-flowering, handsome, hardy annuals, very effective in beds, mixed border or ribbons; succeed in light rich soil. Hardy annuals.	3,		64.
748 Erysimum Arkansanum, sulphur vellow, very handsome, 11 ft., from N. America	. 1	0	3
749 ,, Barbarianum variegatum, yellow, foliage prettily variegated, 1½ ft. 750 , Peroffskianum, orange, showy, 1½ ft., from Palestine	. (	0	3
ERYTHRINA, Nat. Ord. Leguminosæ.			~
A splendid genus of nearly hardy shrubs, with fine leaves and beautiful brilliant searly	et		
flowers; they grow freely out of doors if planted in a warm situation. Cut them down close the ground before frost, and cover with an inverted flower pot; they grow best in rich loa	to		
and peat. Half-hardy shrubs.	ш		
751 Erythrina corallodendron (Coral tree), scarlet, 20 ft., from W. Indies		0	96
753 Hendersonii, scarlet, 4 ft.		1	0
754 " Laurifolia, scarlet, 4 ft., from S. America	4	0	9
ESCALLONIA, Nat. Ord. Escalloniaceæ.			
Handsome evergreen shrubs, with rich glaucous leaves, and bunches of pretty tubul flowers; succeed against a south wall, if protected in the winter; thriving best in sandy pend leave.	at		
and loam. Hardy shrubs.  755 Escallonia floribunda, white, 3 ft., from Granada		0	6
756 , macrantha, purple scarlet, 3 ft., from Granada		1	0
758 viscosa alba, white, from Mendoza, 3 ft		1	0
ESCHSCHOLTZIA, Nat. Ord. Papaveraceæ.			
An exceedingly showy profuse flowering class of plants, with extremely rich and beautif	nl		
An exceedingly showy profuse flowering class of plants, with extremely rich and beautif colours; attractive for bedding, massing, or ribboning; E. tenuifolia is remarkably neat f small beds, edgings, or rockwork; delights in light rich soil. Hardy annuals.	31		
759 Eschscholtzia Californica, bright vellow with rich orange centre, 1 ft., from California.		0	2
761 crocea, rich orange, 1 ft., from California		0	2 2
762 ", alba, creamy white, 1 ft., from California	in	0	3
EUCALYPTUS (Gum Tree), Nat. Ord. Myrtaceæ.	166	0	J
A tall and handsome fast growing greenhouse shrub, suitable for conservatory decoration	1;		
thrives in peat and sandy loam.  764 Eucalyptus floribunda, white, 10 ft., from N. Holland		1	0
EUCHARIDIUM, Nat. Ord. Qnagraceæ.			
Exceedingly pretty profuse flowering compact-growing plants, very effective for beddin	g,		
edging, or ribboning; succeed in common garden soil. Hardy annuals.  765 Eucharidium grandiflorum, deep rose shaded pink, 1 ft., from N. America	-	0	3
766 ,, album pure white, beautiful, 1 ft		0	6
767 ,, roseum, rose, very pretty, 1 ft		0	6
A charming golden blossomed plant, alike effective and showy in mixed borders, or grow	m		
in pots for conservatory decoration; succeeds in light rich soil.  768 Eucnide Bartonioides, primrose, half hardy annual, 1 ft., from Mexico		0	0
EUCOMIS, Nat. Ord. Lilaceæ.		0	6
A very ornamental half hardy bulb, with curious tust crowned spikes of flowers.			
769 Eucomis punctata, green and brown, half hardy bulb, 2 ft., from Cape of Good Hope .		0	4
EUONYMUS, Nat. Ord. Celastraceæ.  Beautiful hardy evergreen shrubs with handsome foliage, succeed in any garden soil.			
770 Euonymus citrifolius, white with light green foliage, 6 ft., from Jupan		0	6
771 , Japonicus, pink, 6 ft., from Japan	. 1	0	3
	. 1	0	0
A pretty class of herbaccous plants, with bunches of showy flowers. Hardy perennials			
773 Eupatorium corymbosum, blue, 2 ft., from Carolina		0	4
774	. !	0	6
EURYBIA, Nat. Ord. Compositæ.			
Curious flowering greenhouse shrubs, each corymb usually consisting of numerous heads of flowers; succeed in light rich loam. Half hardy shrubs.	18		
778 Eurybia ilicifolia, white, 4 ft., from N. Zealand	. (	0	4
777 ,, ramulosa, white, pretty heath-like foliage, 2 ft., from Van Diemen's Land	. !	0	4

oder table



EUTOCA, Nat. Ord. Hydrophyllaceæ.	er P	
Showy free-flowering plants suitable for beds or mixed borders; E. Wrangeliana flowers	0.	
very early, and is very attractive; succeed in any light soil. Hardy annuals.		
778 Eutoca alba striata, white striped blue, 1 ft.	0	3
779 viscida, bright blue, 1 ft., from California	0	2 2
	U	2
FABIANA, Nat. Ord. Solanaceæ.		
A handsome Erica-like half-hardy shrub of easy culture; succeeds best in sandy peat.		_ }
781 Fabiana imbricata, white, 2 ft., from Chili	0	6
FABRICIA, Nat. Ord. Myrtaceæ.		
An exceedingly ornamental conservatory shrub, with graceful delicate drooping foliage,		
and very beautiful star-like flowers; succeeds best in sandy peat and loam.		
782 Fabricia glauca, white, 6 ft., from N. Holland	0	4
FELICIA, Nat. Ord. Compositæ.		
An exceedingly pretty plant, with beautiful Cineraria-like flowers.		
783 Felicia species Zeyherii, blue, very pretty, 1 ft	1	0
FENZLIA, Nat. Ord. Polemoniaceæ.		
A splendid, profuse-blooming, neat little plant of dwarf growth very effective in small		
beds, vases, or rustic baskets, or in pots or boxes for conservatory or window decoration; remains in flower the whole summer, thrives best in light rich soil, and requires to be well		
supplied with moisture.  784 Fenzlia Dianthiflora Veitchii, rosy lilac, crimson centre with yellow anthers, hardy annual,		
½ ft., from California	1	0
FERNS, Nat. Ord. Polypodiaceæ.		
This graceful and magnificent order is too well known and highly appreciated to need		
description; from the seed we offer the amateur has the certainty of raising many elegant and		
graceful varieties; delights in peaty sandy soil.		
785 Ferns, Adiantum cuneatum, resembling the maiden hair, exquisite	1 -	
786 "Nephrodium molle, very handsome	1	6
788 , tremala, very elegant, pretty	i	0
789 serrulata, exquisite little variety for fern cases	ī	0
790 ,, golden and silver mixed, from finest varieties	1.	0
	1	0
FERULA, Nat. Ord. Umbelliferæ.		
Very striking and effective for shrubbery borders, margins of lakes, or any space requiring		
to be filled by a large-growing, ornamental-foliaged plant; succeeds in any garden soil.  792 Ferula communis (Giant Fennel), yellow, hardy perennial, 5 ft., from S. Europe	0	6
	U	0
FRAXINELLA, Nat. Ord. Rutaceæ.		
Handsome, free-flowering, herbaceous plants, suitable for mixed borders; succeed in any common soil.		
793 Fraxinella, white and red, hardy perennial, 2 ft., from S. Europe	0	3
FRENELA, Nat. Ord. Coniferæ.	Ū	
A very handsome, hardy conifer, with long elegant foliage; very ornamental. Half-		
hardu tree		
794 Frenela macrostachya, 20 ft., from N. Holland 795 , nova species, 20 ft., from N. Holland 796 , triquetra, 20 ft.	0	6
795 , nova species, 20 ft., from N. Holland	0	6
	0	6
FUCHSIA, Nat. Ord. Onagraceæ.		
The seed we offer has been carefully selected and saved from the choicest named		
varieties.		
797 Fuchsia, from the finest single and double named varieties	1	0
GAILLARDIA, Nat. Ord. Compositæ.		
Splendid bedding plants, remarkable for the profusion, size, and brilliancy of their flowers, continuing in beauty during summer and autumn; thriving in any light rich soil.		
798 Gaillardia alba marginata, white edged, half hardy annual, 1½ ft	0	3
799 ,, grandiflora hybrida, rich crimson and yellow, remarkably large, half hardy annual, 1½ ft	0	3
Drummondii, crimson and yellow, half hardy annual, 1 to ft., from Louisiana	0	3
, nana, crimson and yellow, half hardy annual, I ft	0	3
Richardsonii, orange with brown centre, hardy perennial, 1½ ft., from N.	0	3
America	U	0

38	BARR & SUGDEN'S SPRING SEED CATALOGUE,		
	CARROCHIA Not Ord Juliate P	er P	kt.
	GARDOQUIA, Nat. Ord. Labiate.  A pretty dwarf growing plant, continuing in bloom for several months; well worthy of	δ.	
	vation on account of its large showy flowers. Hardy perennial.		
803	Gardoquia betonicoides, pink, 3 ft., from Mexico	0	6
	GAURA, Nat. Ord. Onagraceæ.		
	An exceedingly handsome and free flowering herbaceous plant, continuing in bloom the		
	le summer; succeeds best in sandy loam.		
804	Gaura Lindheimeria, white with pink calyx, hardy perennial, 2 ft., from Texas	0	3
	GAZANIA, Nat Ord. Compositæ.		
	Amongst the most effective of our bedding plants; its brilliantly coloured and strikingly		
mar	ked flowers, are produced in great abundance, and are very effective for beds or ribboning; beautiful. Half-hardy perennials.		
805	Gazania rigens, orange with a centre ring of velvety black, spotted with white, 1 ft., from		
	Cape of Good Hope	0	6
806	" splendens (crop failed), 1 ft., from Cape of Good Hope.		
	GENISTA, Nat. Ord. Leguminosæ.		
	Profuse flowering ornamental hardy shrubs, exceedingly handsome in shrubbery borders.		
807	Genista candicans, yellow, 2 ft., from Spain	0	3
808	, canariensis, yellow, 2 ft., from the Canaries	0	6
810	" ephedrioides, yellow, 2 ft., from Sardinia	0	4
811	, juncea, yellow, 2 ft., from Sardinia	0	. 3
812 813	" linifolia, yellow, 2 ft, from Spain " mantica, yellow, 3 ft., from S. of Europe	0	6
814	multiflora alba, white, 3 ft., from S. of Europe	0	4
815	" pendula, yellow, 4 ft., from Italy	0	6
816 817	,, racemosa, yellow, 3 ft., from Italy	0	4
818	multifiora alba, white, 3 ft., from S. of Europe pendula, yellow, 4 ft., from Italy racenosa, yellow, 3 ft., from Italy radiata, yellow, 3 ft., from Italy ramoissima, yellow, 3 ft., from Italy	0	6
819	spinifolia, white, 3 ft., from Italy	0	6
820	" umbellata, yellow, 5 ft., from Barbary	0	4
	GERANIUM, Nat. Ord. Geraniaceæ.		
dece	These well-known garden favourites are as indispensable for in-door as for out-of-door pration, and should be extensively cultivated; the seed we offer having been saved from the		
follo	owing first-class varieties, the amateur has a fair chance of raising many charming novel-		
ties.	Half hardy perennials.		
821 822	Clause de Weinerste	1	0
823	" Duchess Helena	1	0
824	Diadem Imperial	î	0
825 826	" Lightning	1	0
827	,, Lucrece	1	0
828	,, Madame Chardine	î	0
829	,, Napoleon III	0	6
831	,, Roi d'Italie ,, Globe superb	0	6
832	" finest mixed	0	6
833	Geranium Endlicheranum, rose with yellow stamens, exceedingly ornamental tuberous rooted variety, from Taurus Mountains		
		2	6
	GESNERA, Nat. Ord. Gesneraceæ.		
real	Beautiful stove plants, producing their brilliantly coloured flowers in handsome spikes; uire a light rich peaty soil.		
	Gesnera elongata, scarlet, 1 ft., from S. America	1	0
835	" longiflora, crimson, 1 ft., from S. America	î	0
	GEUM, Nat. Ord. Rosaceæ.		
	Handsome, free-flowering, and remarkably showy plants, for mixed or shrubbery borders.		
836	Houng stresson griper deep red loves flowers 1 ft		
837		0	4
838		1	0
	GILIA, Nat. Ord. Polemoniaceæ.		
	Very pretty, early, and profuse-flowering little plants; exceedingly valuable for beds or		
	poning; succeed best in light rich soil. Hardy annuals.		
839		0	6
0.10	m many part white, 12 to, from Camorina	U	0





The state of the s		
GILIA—continued.	Per :	d.
<ul> <li>841 Gilia bicolor alba, white and purple, § ft., from California.</li> <li>842 Californica, delicate lilac, 1§ ft., from California.</li> <li>843 capitata major, celestial blue, § ft., from California.</li> <li>844 ricolor, white, lilac, and purple, § ft., from California.</li> <li>845 nrosca, rose, purple, and white, § ft., from California.</li> </ul>		2 2 2 2
GLADIOLUS, Nat. Ord. Tridaceæ.		
The seed offered has been carefully saved from the finest-named Hybrids of Gandavensis.  846 Gladiolus Gandavensis, from the finest-named varieties, hardy bulb, 3 ft	0	6
GLOBE AMARANTHUS (Gomphrena), Nat. Ord. Amarantaceæ.  Extremely handsome everlastings, with showy, pretry flowers, which may be cut in summer and preserved for winter bouquets; very effective for conservatory or ont-door decoration, blooming from June to October; require light rich soil. Half hardy annuals.  847 Globe Amaranthus, flesh colour, 2 ft., from India  848 "golden, 2 ft., from India  849 "procumbens, rose, 2 ft., from India  850 "red, 2 ft., from India  851 "variegated, striped rose and white, 2 ft., from India	0	3 3 3 3
99 99 Write, 2 It., From India	0	3
GLOBULARIA, Nat. Ord. Selaginaceæ.  Handsome, profuse-flowering plants, with beautiful ball-shaped flowers; succeed in light rich soil. Half hardy perennials.		
853 Globularia Alypum, crimson, 2 ft., from S. of Europe	0	6
GLOXINIA, Nat. Ord. Gesneraceæ.		
A superb genus of stove plants, producing in great profusion beautiful flowers, of the richest and most beautiful colours; thrive best in sandy peat and loam.  855 Gloxinia erecta Taglionii, 1 ft.  856 tubiflora, white, deliciously scented, tuberose-like flowers  857 ", hybridised with G. erecta, 1 ft.  858 ", finest mixed.	1 1 1 1	6 0 6 0
GODETIA, Nat. Ord. Onagraceæ.		
A very desirable, free flowering genus, particular attractive in beds, mixed borders, and ribbons; grows freely in any garden soil. Hardy annuals.  859 Godetia alba, pure white, very pretty, 1½ ft.  860 "bifrons, rose likae blotched with carmine, 1½ ft., from Texas  861 "insignis, red likae, with purple blotches, 1 ft., from N. America  862 "Lindleyana, peach likae, with carmine centre, 1½ ft., from N. America  863 "Romanzovii, violet, distinct and compact, 1 ft., from N. America  864 "rosea alba, white, with carmine blotches, 1½ ft., from N. America  865 "rubicunda, rose likae, with ruby centre, 1½ ft., from California  866 "tenella, mauve, compact, 1 ft., from Chili  867 "venosa, rosy likae, with ruby centre, 1½ ft., from Florida	0 0 0 0 0 0 0	3 2 2 2 2 2 2 2 2 2 2 2 2
GONOSPERMUM, Nat. Ord. Compositæ.		
A pretty evergreen shrub, of easy growth, producing its beautiful flowers in bunches; succeeds best in light soil.  868 Gonospermum elegans, yellow, very fine, from the Canaries, 3 ft.  GOSSYPIUM, Nat. Ord. Malvaceæ.	1	0
A handsome greenhouse shrub, with large beautiful mallow-like flowers.  869 Gossypium nankinensis, yellow, 3 ft., from China	1	0
GRAMMANTHES, Nat. Ord. Crassulaceæ.  A charming, profuse flowering class of miniature plants, with beautiful star-shaped flowers, delighting in warm sunny situations, and especially effective in rock-work, rustic		
baskets, or edgings. Half-hardy annual.  870 Grammanthes gentianoides, rich orange scarlet, \(\frac{1}{4}\) ft., from Cape of Good Hope  871 , cinnabarina, crimson scarlet, \(\frac{1}{4}\) ft.  872 , lilacina, lilac, \(\frac{1}{4}\) ft.  873 , lutea, yellow, \(\frac{1}{4}\) ft.	0 1 1 0	6 0 0 6
GREVILLEA, Nat. Ord. Proteaceæ.		
Very ornamental greenhouse shrubs, of a handsome style of growth, with remarkably beautiful flowers and foliage, succeed best in peat and loam.  874 Grevillea Manglesii, white, beautiful foliage, greenhouse shrub, 4 ft., from S. River	1	0

		_	
GREVILLEA—continued.		r Pi	kt.
875 Grevillea robusta, orange, beautiful foliage, magnificent variety, 6 ft., from M	Iount		
Jackson		0	6
GRINDELIA, Nat. Ord. Compositæ.			
A beautiful plant with extremely neat elegant foliage, and pretty flowers.			
877 Grindelia robusta, yellow, half-hardy perennial, from Mexico, 2 ft		0	6
GUAZUMA, Nat. Ord. Sterculiaceæ.			
A magnificent ornamental tree, growing from 20 to 40 feet high; thrives best mixture of peat and loam.	in a		
878 Guazuma tomentosa, yellow, from Cumana		1	0
GUILANDINA, Nat. Ord. Leguminosæ.			
A genus of pretty, warm greenhouse, evergreen shrubs; succeeds in sandy peat and	loam.		
879 Guilandina glabra, 5 ft		2	6
880 ,, microphylla, from E. Indies 4 ft		2	G
GYPSOPHILA, Nat. Ord. Caryophyllaceæ.			
A pretty, free-flowering, elegant little plant, best adapted for rustic rockwork, edgings; succeeding in any garden soil.	, and		
881 Gypsophila muralis, pink, hardy annual, ½ ft., from Germany		0	3
HABROTHAMNUS, Nat. Ord. Solanaceæ.			
Exceedingly handsome greenhouse shrubs, with beautiful bunches of brilliant cold flowers of a waxy appearance, especially useful for the winter and spring decoration of conservatory or drawing-room; they may also be grown against a south wall in localities, with winter protection; succeed best in peat and loam. Half-hardy shrubs.	oured of the		
conservatory or drawing-room; they may also be grown against a south wall in localities, with winter protection; succeed best in peat and loam. Half-hardy shrubs.	warm		
882 Habrothamnus aurantiacus, orange-yellow, 8 ft., from Mexico		0	4
882 Habrothamnus aurantiaeus, orange-yellow, 8 ft., from Mexico  883 , Bondouxii, red, 5 ft., from Mexico  884 elegans compine 6 ft from Mexico		0	4 3
fascicularis, bright crimson, 5 ft., from Mexico		0	3
886 "Hügeli, rich claret, handsome, 5 ft., from Mexico	c 64	0	6
888 Zephyrinus, shaded red, 5 ft., from Mexico		0	4
HAWKWEED, Nat, Ord. Compositæ.			
Very useful, free-flowering plants, exceedingly showy in beds or borders. Hardy and			
889 Hawkweed, red, 1 ft., from Italy.		0	2
890 ,, silvery, 1½ ft., from France		0	2
HEDYCHICUM, Nat. Ord. Scitamineæ.			
A highly-prized free-flowering plant for conservatory decoration, requiring light rich			
892 Hedychium Gardnerianum, red and yellow, half-hardy perennial, 3 ft., from the E. I	Indies	0	4
HELIANTHUS (Sun-Flower), Nat. Ord. Compositæ.			
A splendid genus of the most showy plants, remarkable for their stately growth, as brillancy and size of their noble flowers; they are eminently adapted for dispersing in	large		
shrubbery borders, or round the margin of lakes or ponds, where they prove most effe Hardy annuals.	ective.		
893 Helianthus argenteus grandiflorus, yellow, immense flowers, with silvery foliage, 5		1	0
argophyllus, yellow, double, leaves silky white, 5 ft., from S. America		0	3
896 , grandiflorus, orange, extra large and double, 5 ft., from Cali	fornia	0	4
897 ,, new, orange, exceedingly large and handsome, 5 ft.,	from	0	4
California	ers 12	. 0	4
inches in diameter, 10 to 12 ft		0	3
HELICHRYSUM (Everlasting Flower), Nat. Ord. Compositæ.			
A genus of very beautiful Everlastings, exceedingly effective in mixed flower both			
the flowers, if cut when young, are valuable for winter bouquets; succeed in any rich g soil. Hardy annuals.	arden		
900 Helichrysum brachyrinchum, yellow, very pretty little plant for edgings, 1 ft., fr	om N.		
Holland		0	3 2
902 , album, white, 2 ft., from N. Holland		0	2
903 , compositum maximum, fl. pl. various colours, very handsome, 2 ft.	, from	0	3
N. Holland		U	0
The second secon		_	





	HELICHRYSUM—continued.	er I	kt.
904 905	Helichrysum compositum maximum nanum, fl. pl. various colours, very beautiful, 1 ft. macranthum, pink, 2 ft., from Swan River	0	3
906	nanum, pink, 1 ft., from Swan River	0	3
	HELIOPHILA, Nat. Ord. Cruciferæ.		
	A very useful pretty little plant for small beds or edgings, flowering very profusely, and aining in beauty for a long time; thrives in any light rich soil.		
	Heliophila araboides, bright blue, half hardy annual, & ft., from Cape of Good Hope	0	3
	HELIOTROPIUM (Cherry Pie), Nat. Ord. Boraginaceæ.		
	A well-known genus of profuse flowering and deliciously fragrant plants, splendid for		
for s	ling or ribboning, and for baskets or pot culture; seeds sown in spring make fine plants ummer and autumn decoration; succeed best in light rich soil.		
908	Heliotropium Eugénie, dark purple, white centre, beautiful	1	0
909 910	,, Gloire de Menpenti, rich dark violet, fine trusses	1	0
911	Madame Lansezeur, mauve and purple, with striking foliage	0	6
912 913	, Feruvianum, oright purple, file	0	4 0
914	Reveil de l'Empire, dark violet with light centre	1	0
915 916	" Stella la Bohemienne, delicate mauve, in large bunches Voltaireanum nanum, purple and lavender, beautiful	0	6
917	" choice mixed	0	6
	HELIPTERUM, Nat. Ord. Compositæ.		
	A very pretty greenhouse shrub of the Aphelexis family.		
918	Helipterum anthemoides, 2 ft	2	6
	HELLEBORUS (Christmas Rose), Nat. Ord. Ranunculaceæ.		
010	Handsome herbaceous plants, growing best in the shade; thrive in any common soil.		
919	Helleborus atrorubens, purple, from Hungary, 1 ft.	0	9
	HEMEROCALLIS (Day Lily), Nat. Ord. Liliaceæ.		
920	A beautiful, free flowering, hardy bulb, thriving best in light loamy soil. <b>Hemerocallis</b> flava, yellow, flowers more durable than any other Hemerocallis 2 ft., from		
0.00	Siberia	0	6
	HERACLEUM, Nat. Ord. Umbelliferæ.		
grot	A large, strong growing plant, having a very handsome and effective appearance when vn in shrubberies, or planted round the margin of lakes or ponds.		
921	Heracleum giganteum (Cow Parsnip), hardy biennial, 10 ft., from Siberia	0	3
	HIBISCUS, Nat. Ord. Malvaceæ.		
hard	One of the most ornamental, beautiful, and showy tribe of plants cultivated; whether the ly sorts be planted in mixed or shrubbery borders, or the more tender varieties be grown		
colo	in-door decoration, they are all alike characterised by the size, and varied and beautiful urs of their flowers.		
922		0	2
923 924	, calisurus, white, rich brown centre, 1½ ft. , superbus, white, hardy annual, 1½ ft.	0	2 6
925 926	, Cameronii, striped rose, greenhouse shrub, 4 ft., from Madagascar	0	6
926	giganteus, violet and white, greenhouse shrub, 6 ft., from the Cape	0	6
928	,, grandiflorus hybridus roseus, gorgeous rose-coloured flowers, 7 inches in dia- meter, blooms freely the first year, 2 ft., from Virginia.	1	0
929 930	Harrisonii, yellow, splendid, hardy perennial, 3 ft., from Virginia	0	3
	Wales	0	6
931 932	Wales , immutabilis, pink, 3 ft., from East Indies , Lliiforus, scarlet, lily-flowered, beautiful, 10 ft., from the Mauritius	0	6
933	, Manihot, yellow, handsome, 8 ft., from East Indies ochrolencus grandiflorus, yellow shaded rose, 2 ft., from Africa	0	3
934 935	ochroleucus grandiflorus, yellow shaded rose, 2 ft., from Africa, pedunculatus, rosy pink, beautiful, 3 ft., from the Cape	0	6
936	municona deselia		
937		1	0
938	Syriacus, from the finest varieties, hardy shrub, 3 ft., from Syria	0	3
939	<ul> <li>roseus oenlatus, rose, with purple centre, 4 ft</li> <li>Syriacus, from the finest varieties, hardy shrub, 3 ft., from Syria</li> <li>Thunbergii excelsus, nankeen, flowers the first season, half-hardy perennial,</li> <li>2 ft., from Syria</li> </ul>	0	4
940	" Virginicus, red, hardy perennial, 3 ft., from Virginia	0	3


HOLLYHOCK, Nat. Ord. Malvaceæ.	Per I	
This splendid plant now ranks with the Dahlia for autumn decoration, and, from its stately growth and the varied colours of its magnificent spikes of flowers, may justly demand a place in every large garden or pleasure ground. If sown early in heat the plants may be had in bloom the first year. Hardy perennials.		
941 Hollyhocks, the choicest double mixed, from the collections of Chater, Paul, Downie, Laird and Laing, and other eminent growers, 6 ft.  942 fine mixed, 6 ft.  943 Chinese, crimson, double, very showy, hardy annual, 2\frac{1}{2} ft.  944 mixed, hardy annual, 2\frac{1}{2} ft.	1 0 0 0	0 6 3 3
HONESTY, Nat Ord. Cruciferæ.		
Showy, early summer free-flowering plants, suitable for shrubberies or woodland walks.  45 Honesty, purple, very showy, hardy biennial, 2 ft., from Germany  **white, 2 ft., from Germany**	0	2 2
HUGELIA, Nat. Ord. Polemoniaceæ.  An exceedingly pretty, free-flowering plant, succeeding in any common garden soil.  947 Hugelia cerulea, pale blue, half-hardy annual, 13 ft., from N. Holland	0	4
HUMEA, Nat. Ord. Compositæ.	U	7
A remarkably handsome plant, invaluable for decorative purposes, whether in the hall, the conservatory, or dispersed in pots about the lawn, pleasure grounds, terraces, planted the centres of beds or mixed borders; its majestic and graceful appearance renders it a most effective and striking object; in long-mixed borders, if placed at intervals in irregular positions, it breaks the monotony which is by some persons very much disliked. Indeed, mi any position this plant stands unrivalled as a garden ornament. Besides, the leaves are remarkably fragrant when slightly rubbed. When well grown we have seen it 8 ft. high and 4 ft. in diameter; succeeds best in light, rich soil.		
948 Humea elegans, red, 8 ft., half-hardy biennial, from N. S. Wales	0	4
HUNNEMANNIA, Nat. Ord. Papaveraceæ.		
An exceedingly beautiful herbaceous plant, with very pretty tulip-shaped flowers; grows best in a light rich soil.  949 Hunnemannia fumariæfolia, fine yellow, tulip-shaped, from Mexico, 2 ft	0	6
HYDROLEA, Nat. Ord. Hydrolaceæ.		
An exceedingly handsome greenhouse herbaceous plant, producing its pretty flowers in bunches; succeeding well in loam and peat.  950 Hydrolea azurea, dark blue, from S. America, 1 ft.	1	0
HYMENANTHERUM, Nat. Ord. Polygalaceæ.		
A very ornamental evergreen shrub, with striking foliage and pretty composite flowers; grows freely in peat and loam.  951 Hymenantherum tenuifolium, yellow, greenhouse shrub, 6 ft., from N. Holland	1	0
HYMENOXIS, Nat. Ord. Compositæ.		
A very showy, free-flowering little annual, suitable for beds, mixed borders, or edgings.  952 Hymenoxis Californica, bright yellow with orange centre, hardy annual, 13 ft., from California.	0	2
HYPOCALYPTUS, Nat, Ord. Leguminosæ.		
Half hardy shrub of great beauty, succeeding well in sandy loam and peat.  953 Hypocalyptus obcordatus, from Cape of Good Hope	0	6
IBERIS, Nat. Ord. Cruciferæ.		
Profuse blooming pretty little plants, especially adapted for rockeries, old stumps, or rustic baskets; they come into flower amongst the earliest spring plants, and for a long time continue a dense mass of beauty. Succeed in any garden soil. Hardy perennials.		
954 Iberis semperflorens, white, \( \frac{1}{2} \) ft., from Sicily	0	6
ICE PLANT, Nat. Ord. Mesembryaceæ.		
A pretty little trailing plant, much used for garnishing, the leaves of which are covered with crystalline globules, thus giving it the appearance of being coated with ice; very effective for rockwork, or mixing with other plants in the conservatory or flower garden.  956 Ice Plant, half-hardy annual, from Greece, trailer	0	3
	-	
IMPATIENS, Nat. Ord. Balsaminaceæ.  Handsome showy border plants, thriving well in rich loamy soil.		
957 Impatiens tricornis, yellow and crimson, half-hardy annual, 2½ ft., from E. Indies	0	4





		INDIGOFERA, Nat. Ord. Leguminosæ.	er l	
loan	A genus of	elegant free flowering greenhouse shrubs of easy culture, thriving in sandy		
0an 158		Australis, pinh, 3 ft., from N. S. Wales	0	
59		coccinea, red, 3 ft., from N. S. Wales	ŏ	
60	"	decora alba rosea, delicate pink, 3 ft., from China	1	
61	"	, rosea, rose, 3 ft., from Nepaul	1	
62	79	" purpurea, dark purple, 3 ft., from Nepaul	1	
63	99	Dosua, bright rose, 3 ft., from Nepaul	0	
64	"	Eugénie, brilliant red, 3 ft	2	
65 66	99	macrocarae, beautiful rose, 3 ft., from Nepaul macrostachya, rose purple, 3 ft., from China	0	
67	. 99	Napoleoneana, rose, very fine, 3 ft.	2	
68	99	Royleii, red, very large, 3 ft.	2	
69	99	speciosa, red purple, 3 ft., from Arabia	õ	
70	"	violacea grandiflora, violet, 3 ft, from E. Indies	0	
	**			
	4 . 1	INOPSIDIUM, Nat. Ord. Cruciferæ.		
	y side of r	s little profuse blooming plant, growing freely in any damp rich soil, or the ock-work, it makes a remarkably neat edging in shady situations, and is		
		s, vases, and rustic-work.		
71	Inopsidiun	a acaule, sky blue, hardy annual, \(\frac{1}{4}\) ft., from S. Europe	0	
		IPOMOPSIS, Nat. Ord. Polemoniaceæ.		
earl	let flowers, v	r handsome free-flowering plants, with long spikes of dazzling orange and erry effective for conservatory and out-door decoration; succeed in rich light y biennial.		
72		aurantiaca, orange, 3 ft., from Carolina	0	
73		Bevrichii, scarlet, 3 ft.	0	
74	"	elegans, scarlet, 3 ft., from Carolina	ŏ	
75	"	elegans, scarlet, 3 ft., from Carolina, superba, orange scarlet, 3 ft., from Carolina	ő	
	"			
		IRIS, Nat. Ord. Iridaceæ.		
	Exceedingly	y handsome, showy, free-flowering plants of easy culture, very useful for the		
		f mixed or shrubbery borders; thrive in rich garden soil.		
76 77	" scorp	d, from the choicest varieties, hardy bulb, 1 ft	$\frac{0}{2}$	
		ISOLOMA, Nat. Ord. Generaceæ.		
	A very eleg	ant and beautiful free-flowering plant, valuable for hanging baskets.		
78	Isoloma De	ecaisneana, velvety blue, stove perennial, 2 ft	1	
		ISOTOMA, Nat. Ord. Lobeliacece.		
	A . 1			
e j	produced in	tribe of neat dwarf Lobelia-like plants, with pretty star-shaped flowers, which great profusion, and continue for a long period in beauty; succeed in light hardy annual.		
		ngiflora, white, 1 ft., from N. Holland	0	
79	, pe	træa, cream coloured, 1 ft., from N. Holland	o	
		" cærulea, blue, 1 ft., from N. Holland		
30	39		0	
30	"		0	
30		IXIA, Nat. Ord. Iridaceæ.	0	
30	One of the n	IXIA, Nat. Ord. Iridaceæ.  nost beautiful and elegant Cape flowering bulbs, producing its graceful flowers	0	
10	One of the n	IXIA, Nat. Ord. Iridaceæ.  nost beautiful and elegant Cape flowering bulbs, producing its graceful flowers	0	
lo lo a	One of the nong slender mixture of s	IXIA, Nat. Ord. Iridaceæ.  nost beautiful and elegant Cape flowering bulbs, producing its graceful flowers spikes, and in the greatest profusion; succeeds well on a warm south border, andy loam and leaf mould, or peat.		
1 lo	One of the nong slender mixture of s	IXIA, Nat. Ord. Iridacee.  nost beautiful and elegant Cape flowering bulbs, producing its graceful flowers spikes, and in the greatest profusion; succeeds well on a warm south border, andy loam and leaf mould, or peat.  The mixed, half hardy bulb, various heights, from Cape of Good Hope	0	
1 lo	One of the nong slender mixture of s	IXIA, Nat. Ord. Iridaceæ.  nost beautiful and elegant Cape flowering bulbs, producing its graceful flowers spikes, and in the greatest profusion; succeeds well on a warm south border, andy loam and leaf mould, or peat.		
1 lo a :	One of the nong slender mixture of s  Ixia, choice  A magnifice	IXIA, Nat. Ord. Iridaceæ.  nost beautiful and elegant Cape flowering bulbs, producing its graceful flowers spikes, and in the greatest profusion; succeeds well on a warm south border, andy loam and leaf mould, or peat.  te mixed, half hardy bulb, various heights, from Cape of Good Hope  IXORA, Nat. Ord. Cinchonaceæ.  ant genus of handsome stove shrubs, with large corymbs of flowers of the		
1 lo a :	One of the nong slender mixture of s  Ixia, choice  A magnifice gorgeous a	IXIA, Nat. Ord. Iridaceæ.  nost beautiful and elegant Cape flowering bulbs, producing its graceful flowers spikes, and in the greatest profusion; succeeds well on a warm south border, andy loam and leaf mould, or peat.  te mixed, half hardy bulb, various heights, from Cape of Good Hope  IXORA, Nat. Ord. Cinchonaceæ.  unt genus of handsome stove shrubs, with large corymbs of flowers of the ppearance and colours; succeeds best in sandy peat and loam.		
30 31 31 32 ost	One of the nong slender mixture of s  Ixia, choice  A magnifice gorgeous a	IXIA, Nat. Ord. Iridaceæ.  nost beautiful and elegant Cape flowering bulbs, producing its graceful flowers spikes, and in the greatest profusion; succeeds well on a warm south border, andy loam and leaf mould, or peat.  te mixed, half hardy bulb, various heights, from Cape of Good Hope  IXORA, Nat. Ord. Cinchonaceæ.  unt genus of handsome stove shrubs, with large corymbs of flowers of the ppearance and colours; succeeds best in sandy peat and loam.		
30 31 31 32 33 33	One of the nong slender mixture of s  Ixia, choice  A magnifice gorgeous a  Ixora Ban  Barbarb	IXIA, Nat. Ord. Iridaceæ.  nost beautiful and elegant Cape flowering bulbs, producing its graceful flowers spikes, and in the greatest profusion; succeeds well on a warm south border, andy loam and leaf mould, or peat.  te mixed, half hardy bulb, various heights, from Cape of Good Hope  IXORA, Nat. Ord. Cinchonaceæ.  ent genus of handsome stove shrubs, with large corymbs of flowers of the ppearance and colours; succeeds best in sandy peat and loam.  thuca, flesh colour, 3 ft., from E. Indies		
30 31 31 32 33 34 33	One of the nong slender mixture of s Ixia, choice A magnifice gorgeous a Ixora Ban, barb	IXIA, Nat. Ord. Iridaceæ.  nost beautiful and elegant Cape flowering bulbs, producing its graceful flowers spikes, and in the greatest profusion; succeeds well on a warm south border, andy loam and leaf mould, or peat.  te mixed, half hardy bulb, various heights, from Cape of Good Hope  IXORA, Nat. Ord. Cinchonaceæ.  INGRA, Nat. Ord. Cinchonaceæ.		
30 31 31 32 32 33 34 35	One of the nong slender mixture of s Ixia, choice  A magnifice gorgeous a Ixora Ban, barb, cocc, party pary	IXIA, Nat. Ord. Iridaceæ.  nost beautiful and elegant Cape flowering bulbs, producing its graceful flowers spikes, and in the greatest profusion; succeeds well on a warm south border, andy loam and leaf mould, or peat.  te mixed, half hardy bulb, various heights, from Cape of Good Hope  IXORA, Nat. Ord. Cinchonaceæ.  ent genus of handsome stove shrubs, with large corymbs of flowers of the ppearance and colours; succeeds best in sandy peat and loam. Induca, flesh colour, 3 ft., from E. Indies  ata, white, 3 ft., from E. Indies.  inea, scarlet, 4 ft., from E. Indies.  inea, scarlet, 6 ft., from E. Indies.		
30 31 31 32 32 33 34 35	One of the nong slender mixture of s Ixia, choice  A magnifice gorgeous a Ixora Ban, barb, cocc, party pary	IXIA, Nat. Ord. Iridaceæ.  nost beautiful and elegant Cape flowering bulbs, producing its graceful flowers spikes, and in the greatest profusion; succeeds well on a warm south border, andy loam and leaf mould, or peat.  te mixed, half hardy bulb, various heights, from Cape of Good Hope  IXORA, Nat. Ord. Cinchonaceæ.  INGRA, Nat. Ord. Cinchonaceæ.		
30 31 31 32 32 33 34 35	One of the nong slender mixture of s Ixia, choice  A magnifice gorgeous a Ixora Ban, barb, cocc, party pary	IXIA, Nat. Ord. Iridaceæ.  nost beautiful and elegant Cape flowering bulbs, producing its graceful flowers spikes, and in the greatest profusion; succeeds well on a warm south border, andy loam and leaf mould, or peat.  te mixed, half hardy bulb, various heights, from Cape of Good Hope  IXORA, Nat. Ord. Cinchonaceæ.  ent genus of handsome stove shrubs, with large corymbs of flowers of the ppearance and colours; succeeds best in sandy peat and loam.  thuca, flesh colour, 3 ft., from E. Indies  inea, searlet, 4 ft., from E. Indies  inea, searlet, 4 ft., from E. Indies  ildroa, white, 6 ft., from E. Indies  ulata, white, 4 ft., from E. Indies		
080 081 1 lo 1 a 1 1 a 1	One of the nong slender mixture of s Ixia, choice  A magnifice gorgeous a Ixora Ban barb barb cocc p parv under	IXIA, Nat. Ord. Iridaceæ.  IXIA, Nat. Ord. Iridaceæ.  spikes, and in the greatest profasion; succeeds well on a warm south border, andy loam and leaf mould, or peat.  te mixed, half hardy bulb, various heights, from Cape of Good Hope  IXORA, Nat. Ord. Cinchonaceæ.  II genus of handsome stove shrubs, with large corymbs of flowers of the prearance and colours; succeeds best in sandy peat and loam. dhuca, fiesh colour, 3 ft., from E. Indies  tata, white, 3 ft., from E. Indies  ilidora, white, 6 ft., from E. Indies  lata, white, 4 ft., from E. Indies  JACOBÆA (Senecio), Nat. Ord. Compositæ.		
n lo 1 a 1 32 33 34 35 36 37	One of the nong slender mixture of s Ixia, choice A magnifice gorgeous a Ixora Banno barb cocc parv parv nudda useful, and useful, and	IXIA, Nat. Ord. Iridaceæ.  nost beautiful and elegant Cape flowering bulbs, producing its graceful flowers spikes, and in the greatest profusion; succeeds well on a warm south border, andy loam and leaf mould, or peat.  te mixed, half hardy bulb, various heights, from Cape of Good Hope  IXORA, Nat. Ord. Cinchonaceæ.  Int genus of handsome stove shrubs, with large corymbs of flowers of the ppearance and colours; succeeds best in sandy peat and loam. dhuca, flesh colours, 3 ft., from E. Indies  ata, white, 3 ft., from E. Indies  inca, scarlet, 4 ft., from E. Indies  illota, white, 6 ft., from E. Indies  llata, white, 4 ft., from E. Indies  data, white, 4 ft., from E. Indies		
30 31 31 32 32 33 34 35 36 37	One of the more slender mixture of s Ixia, choice A magnifice gorgeous a Ixora Ban, barb, cooce more party, under the cook of	IXIA, Nat. Ord. Iridaceæ.  nost beautiful and elegant Cape flowering bulbs, producing its graceful flowers spikes, and in the greatest profusion; succeeds well on a warm south border, andy loam and leaf mould, or peat.  te mixed, half hardy bulb, various heights, from Cape of Good Hope  IXORA, Nat. Ord. Cinchonaceæ.  Int genus of handsome stove shrubs, with large corymbs of flowers of the ppearance and colours; succeeds best in sandy peat and loam. thuca, flesh colour, 3 ft., from E. Indies	0	
30 31 31 32 32 33 34 35 36 37	One of the nong slender mixture of s Ixia, choice A magnifice gorgeous a Ixora Ban barb cocc nong parv under A useful, an effective in Jacobæa, c	IXIA, Nat. Ord. Iridaceæ.  nost beautiful and elegant Cape flowering bulbs, producing its graceful flowers spikes, and in the greatest profusion; succeeds well on a warm south border, andy loam and leaf mould, or peat.  te mixed, half hardy bulb, various heights, from Cape of Good Hope  IXORA, Nat. Ord. Cinchonaceæ.  IXORA, Nat. Ord. Cinchonaceæ.  Int genus of handsome stove shrubs, with large corymbs of flowers of the ppearance and colours; succeeds best in sandy peat and loam. dhuca, flesh colour, 3 ft., from E. Indies.  Interpretation of the colours, and the colours and the colours, and the colours and the colours and the colours, and the colours and the	0 1 1 1 1 1 1 0	
30 31 31 31 32 32 33 34 35 36 37	One of the more selected with the control of the more selected with the control of the control o	IXIA, Nat. Ord. Iridaceæ.  nost beautiful and elegant Cape flowering bulbs, producing its graceful flowers spikes, and in the greatest profusion; succeeds well on a warm south border, andy loam and leaf mould, or peat.  te mixed, half hardy bulb, various heights, from Cape of Good Hope  IXORA, Nat. Ord. Cinchonaceæ.  Int genus of handsome stove shrubs, with large corymbs of flowers of the ppearance and colours; succeeds best in sandy peat and loam. thuca, flesh colour, 3 ft., from E. Indies	0	

992 Jacobea, magenta colour, double, 1 ft
994 violet, 1 ft. 0 3 995 white 1 ft. 0 3 JASMINUM, Nat. Ord. Jasminaceæ.
995 ", while ", 1 ft
JASMINUM, Nat. Ord. Jasminaceæ.
succeed best in a rich loam. (See also Climbers.)
996 Jasminum azoricum novum, yellow, beautiful, with thick green leaves, 2 ft 1 0
997       "fruticans, yellow, 5 ft., from S. Europe       0 3         998       "Nepalense, cream colour, 5 ft. from Nepaul       1 0
JUNIPERUS, Nat. Ord. Coniferæ.
Very beautiful and elegant evergreen trees, exceedingly ornamental in their style of growth; succeed in almost any garden soil. Hardy trees.
999 Juniperus excelsa, 20 ft., from Siberia 0 4
1000 ,, Hispanica, 10 ft., from Spain
1002 mecrocarpa 10 ft from Naples
1003 , thurifera, 10 ft., from Spain 0 6
JUSTICIA, Nat. Ord. Acanthaceæ.
Handsome free-flowering greenhouse shrubs, of very easy cultivation; thriving best in a mixture of loam and peat.
1005 Justicia Adhatoda nova, white, beautiful pale green foliage, 2 ft
1006 furcata, violet, 2 ft., from Peru
1007       " multiflora, bright scarlet, pretty dark green leaves, 2 ft
, 1
KAULFUSSIA, Nat. Ord. Compositæ.
Pretty little free flowering plants, of a neat, compact growth, when well grown exceedingly effective in beds or mixed borders; grow freely in any good soil. Hardy annuals.
1009 Kaulfussia amelloides, bright blue, ½ ft., from Cape of Good Hope
1010 , rosea, rose, with mauve centre, \frac{1}{2} ft 0 2
KOLREUTERIA, Nat. Ord. Sapindaceæ.
A handsome plant, with graceful Acacia-like foliage, requiring a rather sheltered situa-
tion to produce its flowers freely and in perfection; succeeds in any common garden soil.
1011 Kolreuteria paniculata, yellow, a hardy tree, 10 ft., from China
LAGERSTREMIA, Nat. Ord. Lythraceæ.
A splendid greenhouse shrub, with exceedingly handsome flowers; succeeding in peat and loam.
1012 Lagerstræmia Indica, lilac, greenhouse shrub, 5 ft., from East Indies 0 6
LANTANA, Nat. Ord. Verbenaceæ.
A remarkably handsome, free flowering genus of plants, with brilliantly coloured flowers
constantly changing in huc, very effective either for pot culture or for bedding purposes; when
planted out, except in dry soil, the plants will bloom more profusely if retained in their pots and plunged where intended to flower. The following are new and beautiful:—
1013 Lantana Amæna 0 6
1014 ,, Coccinea 0 6
1015 , delicatissima
1017 , fulgens mutabilis
1018 "Fulvia 1 0
1019 "Impératrice Eugénie
1021 Lucretia
1022     ", lutea kermesina     0 6       1023     ", Superba     1 0
1024 Youngii 1 0
1025 , finest mixed 0 4
LARKSPUR (Delphinium), Nat. Ord. Ranunculaceæ.
One of the most generally cultivated and ornamental genus of plants, combining unusual
richness with an endless variety of colours, all of which are extremely beautiful and pleasing; the flowers are produced in the greatest profusion, and the plants in beds, masses, or ribbons
are strikingly effective; indeed, few plants are so generally useful and valuable for their decorative qualities either in the garden or, when cut, for vases. The great difficulty has hitherto
rative qualities either in the garden or, when cut, for vases. The great difficulty has hitherto






LARKSPIR—continued.  Per Pric.  LARKSPIR—continued.  A continued of seed switch would yield double flowers; to this object we have given a special attention, and now offer seed savet only from such varieties as are really to be special attention, and now offer seed savet only from such varieties as are really to be special attention, and now offer seed savet only from such varieties as are really to be seed and the seed of the same habit as the old Dwarf Rocket, but has longer spikes and much larger and more double flowers. The tall stock-flowered Larkspur is of the same style as the branching, but with more compact spikes and larger and more double flowers. The tall growing varieties scattered in shrubbery borders produce a charming effect when backed by the green foliage of the shrubs. Hardy annuals. 1028 Larkspur, stock-flowered dwarf, mixed, including the richest and most splendid colours, with long spikes of bloom, and very double, 1½ ft.  1027 Dwarf Rocket, German, finest mixed, extra double, 1½ ft.  1029 " " " rose, 1 ft.  1030 " " " rose, 1 ft.  1031 " " " rose, 1 ft.  1032 " " " rose, 1 ft.  1033 " " " rose, 1 ft.  1034 " " " " " rose, 1 ft.  1035 " " " " rose, 1 ft.  1036 " " " " rose, 1 ft.  1037 " " blue, double, 2½ ft.  1038 " " " " rose, double, 2½ ft.  1039 " " " blue, double, 2½ ft.  1040 " " " " rose, double, 2½ ft.  1051 " " " " rose, double, 2½ ft.  1052 " " " " rose, double, 2½ ft.  1053 " " " " rose, double, 2½ ft.  1054 " " " " " rose, double, 2½ ft.  1055 " " " " " rose, double, 2½ ft.  1056 " " " " " " " " " " " " " " " " " " "				_
special attention, and now offer seed saved only from such varieties as are really to be depended upon and are worthy of a place in every garden. For the guidance of annateurs we may simply notice, that the stock-flowered Larkspur is of the same habit as the old Dwarf Rocket, but has longer spikes and much larger and more double flowers. The tall stock-flowered variety is of the same style as the branching, but with more compact spikes and larger and more double flowers. The tall growing varieties scattered in shrubbery borders produce a charming effect when backed by the green foliage of the shrubs. Hardy annuals. 1026 Larkspur, stock-flowered dwarf, mixed including the richest and most splendid colours, with long spikes of bloom, and very double, 1½ ft		LARKSPUR—continued.		
depended upon and are worthy of a place in every garden. For the guidance of amateurs we may simply notice, that the stock-flowered Larkspur is of the same shale as the old Dwarf Rocket, but has longer spikes and much larger and more double flowers. The tall stock-flowered variety is of the same style as the branching, but with more compact spikes and larger and more double flowers. The tall growing varieties scattered in shrubbery borders produce a charming effect when backed by the green foliage of the shrubs. *Hardy amands*. 1026 Larkspur, stock-flowered dwarf, mixed; including the richest and most splendid colours, with long spikes of bloom, and very double, 1 h., from Switzerland. 9 and 1029 " " " electatal blue, 1 h 10 and 1029 " " " electatal blue, 1 h 10 and 1029 " " " electatal blue, 1 h 10 and 1029 " " " electatal blue, 1 h 10 and 1031 " " " white, 1 h 10 and 1032 " " " " white, 1 h 10 and 1033 " " " " " " white, 1 h 10 and 1033 " " " " " " " " " " " " " " " " " "	been	the procuring of seed which would yield double flowers; to this object we have given		
stock-nowered variety is of the same style as the branching, but with more complace spaces and larger and more double flowers. The tall growing varieties scattered in shrubbery borders produce a charming effect when backed by the green foliage of the shrubs. Hardy annuals.  1026 Larkspur, stock-flowered dwarf, mixed, including the richest and most splendid colours, with long spikes of bloom, and very double, 14 ft. 0 3 1028 m of the strength	deper	al attention, and now offer seed saved only from such varieties as are really to be		
stock-nowered variety is of the same style as the branching, but with more complace spaces and larger and more double flowers. The tall growing varieties scattered in shrubbery borders produce a charming effect when backed by the green foliage of the shrubs. Hardy annuals.  1026 Larkspur, stock-flowered dwarf, mixed, including the richest and most splendid colours, with long spikes of bloom, and very double, 14 ft. 0 3 1028 m of the strength	we m	ay simply notice, that the stock-flowered Larkspur is of the same habit as the old		
stock-nowered variety is of the same style as the branching, but with more complace spaces and larger and more double flowers. The tall growing varieties scattered in shrubbery borders produce a charming effect when backed by the green foliage of the shrubs. Hardy annuals.  1026 Larkspur, stock-flowered dwarf, mixed, including the richest and most splendid colours, with long spikes of bloom, and very double, 14 ft. 0 3 1028 m of the strength	Dwar	f Rocket, but has longer spikes and much larger and more double flowers. The tall		
1028 Larkspur, stock-flowered dwarf, mixed, including the richest and most splendid colours, with long spikes of bloom, and very double, 1 ft	stock-	-flowered variety is of the same style as the branching, but with more compact spikes		
1028 Larkspur, stock-flowered dwarf, mixed, including the richest and most splendid colours, with long spikes of bloom, and very double, 1 ft	produ	ice a charming effect when backed by the green foliage of the shrubs. Hardy annuals.		
1027	1026	Larkspur, stock-flowered dwarf, mixed, including the richest and most splendid colours,		
1028		with long spikes of bloom, and very double, 11 ft.		
1029		" Dwarf Rocket, German, finest mixed, very double, 1 ft., from Switzerland		
1030   "   " widet, 1 ft.		" " " " " " " " " " " " " " " " " " "		
1032		" violet, 1 ft		
1033		", white, 1 ft		
1036 , stock-flowered tall, embracing the richest and most beautiful colours, 2½ ft. 0 3 1037 , blue, double, 2½ ft. 0 3 1038 , rose, double, 2½ ft. 0 3 1039 , white, double, 2½ ft. 0 3 1039 , white, double, 2½ ft. 0 3 1040 , ricelor elegans, exceedingly beautiful, 2½ ft. 0 3 1040 , p. tricelor elegans, exceedingly beautiful, 2½ ft. 0 3 1041 , Pyramidal Rocket, finest double mixed, 1½ ft., from the Pyrenees 0 3 1041 , Pyramidal Rocket, finest double mixed, 1½ ft., from the Pyrenees 0 3 1041 , Pyramidal Rocket, finest double mixed, 1½ ft., from the Pyrenees 0 3 1041 , Pyramidal Rocket, finest double mixed, 1½ ft., from the Pyrenees 0 3 1041 , Pyramidal Rocket, finest double mixed, 1½ ft., from the Pyrenees 0 3 1042 Lasiopetalum Solanaceum, cream coloured, greenhouse shrub, 2 ft., from N. Holland 0 4 1042 Lasiopetalum Solanaceum, cream coloured, greenhouse shrub, 2 ft., from N. Holland 0 4 1042 Lasiopetalum Solanaceum, cream coloured, greenhouse shrub, 2 ft., from N. Holland 0 4 1043 Latania Bourbonica, white, very handsome, 10 ft., from Bourbon 0 4 1043 Latania Bourbonica, white, very handsome, 10 ft., from Bourbon 0 4 1044 Lathyrus latifolius, purple, 5 ft. 10 10 10 10 10 10 10 10 10 10 10 10 10		, Hyacinth-nowered, finest mixed, extra double, 1 ft		
1036 , stock-flowered tall, embracing the richest and most beautiful colours, 2½ ft. 0 3 1037 , blue, double, 2½ ft. 0 3 1038 , rose, double, 2½ ft. 0 3 1039 , white, double, 2½ ft. 0 3 1039 , white, double, 2½ ft. 0 3 1040 , ricelor elegans, exceedingly beautiful, 2½ ft. 0 3 1040 , p. tricelor elegans, exceedingly beautiful, 2½ ft. 0 3 1041 , Pyramidal Rocket, finest double mixed, 1½ ft., from the Pyrenees 0 3 1041 , Pyramidal Rocket, finest double mixed, 1½ ft., from the Pyrenees 0 3 1041 , Pyramidal Rocket, finest double mixed, 1½ ft., from the Pyrenees 0 3 1041 , Pyramidal Rocket, finest double mixed, 1½ ft., from the Pyrenees 0 3 1041 , Pyramidal Rocket, finest double mixed, 1½ ft., from the Pyrenees 0 3 1042 Lasiopetalum Solanaceum, cream coloured, greenhouse shrub, 2 ft., from N. Holland 0 4 1042 Lasiopetalum Solanaceum, cream coloured, greenhouse shrub, 2 ft., from N. Holland 0 4 1042 Lasiopetalum Solanaceum, cream coloured, greenhouse shrub, 2 ft., from N. Holland 0 4 1043 Latania Bourbonica, white, very handsome, 10 ft., from Bourbon 0 4 1043 Latania Bourbonica, white, very handsome, 10 ft., from Bourbon 0 4 1044 Lathyrus latifolius, purple, 5 ft. 10 10 10 10 10 10 10 10 10 10 10 10 10	1034	, new maune, 1 ft	0	
1038		" stock-flowered tall, embracing the richest and most beautiful colours, 2½ ft		
A very curious greenhouse shrub, with ferrugineous leaves and woolly plaited flowers; thrives in loam and peat.  1042 Lasiopetalum Solanaceum, cream coloured, greenhouse shrub, 2 ft., from N. Holland. 0 4  LATANIA (Fan Palm), Nat. Ord. Palmaceæ.  A fine middle-sized palm, with handsome plaited fan-like leaves; exceedingly effective for conservatory decoration. Specimen plants are of considerable value.  1043 Latania Bourbonica, white, very handsome, 10 ft., from Bourbon 0 4  LATHYRUS (Everlasting Pea), Nat. Ord. Leguminosæ.  Showy free flowering plants, growing in any common soil; very ornamental on trellis work, old stumps, or for covering fences or walls. Hardy perennials.  1044 Lathyrus latifolius, purple, 5 ft., England 0 4  1045 , albus, white, 5 ft 0 3  LAURUS, Nat. Ord. Lauraceæ.  Handsome, tall-growing shrubs of a very ornamental appearance. L. Indica succeeds be at in sandy loam and peat, while L. Carolinensis grows well in any common soil.  1046 Laurus Carolinensis, yellow, 15 ft., from Madeira 0 3  1047 , Indica, yellow, 15 ft., from Madeira 0 3  1048 , tomentosa, fine large broad leaves, 15 ft 1 0  LAVANDULA, Nat. Ord. Labiatæ.  A genus of evergreen shrubs, chiefly cultivated on account of the delicious fragrance of their flowers; they succeed in any common soil.  1049 Lavandula spica (Lavender), lilae, 2 ft., from S. Europe 0 4  1050 , steehas, lilae, 1 ft., from S. Europe 0 4  1050 , steehas, lilae, 1 ft., from S. Europe 0 4  1051 Lavatera trimestris, rose and pink striped, 3 ft., from Armenia 0 2  1052 , alba, white, 3 ft., from Armenia 0 2  1053 Lebeckia cytisoides, yellow, from C. of Good Hope 1 0  LEPECKIA, Nat. Ord. Polemoniaceæ.  A charming tribe of the most beautiful of our hardy annuals. L. densifiorus, with its pretty rose lilae flowers, and L. densifiorus albus, with its pure white blossoms, are exceedingly		" branching, finest mixed, extra double, 2½ it		
A very curious greenhouse shrub, with ferrugineous leaves and woolly plaited flowers; thrives in loam and peat.  1042 Lasiopetalum Solanaceum, cream coloured, greenhouse shrub, 2 ft., from N. Holland. 0 4  LATANIA (Fan Palm), Nat. Ord. Palmaceæ.  A fine middle-sized palm, with handsome plaited fan-like leaves; exceedingly effective for conservatory decoration. Specimen plants are of considerable value.  1043 Latania Bourbonica, white, very handsome, 10 ft., from Bourbon 0 4  LATHYRUS (Everlasting Pea), Nat. Ord. Leguminosæ.  Showy free flowering plants, growing in any common soil; very ornamental on trellis work, old stumps, or for covering fences or walls. Hardy perennials.  1044 Lathyrus latifolius, purple, 5 ft., England 0 4  1045 , albus, white, 5 ft 0 3  LAURUS, Nat. Ord. Lauraceæ.  Handsome, tall-growing shrubs of a very ornamental appearance. L. Indica succeeds be at in sandy loam and peat, while L. Carolinensis grows well in any common soil.  1046 Laurus Carolinensis, yellow, 15 ft., from Madeira 0 3  1047 , Indica, yellow, 15 ft., from Madeira 0 3  1048 , tomentosa, fine large broad leaves, 15 ft 1 0  LAVANDULA, Nat. Ord. Labiatæ.  A genus of evergreen shrubs, chiefly cultivated on account of the delicious fragrance of their flowers; they succeed in any common soil.  1049 Lavandula spica (Lavender), lilae, 2 ft., from S. Europe 0 4  1050 , steehas, lilae, 1 ft., from S. Europe 0 4  1050 , steehas, lilae, 1 ft., from S. Europe 0 4  1051 Lavatera trimestris, rose and pink striped, 3 ft., from Armenia 0 2  1052 , alba, white, 3 ft., from Armenia 0 2  1053 Lebeckia cytisoides, yellow, from C. of Good Hope 1 0  LEPECKIA, Nat. Ord. Polemoniaceæ.  A charming tribe of the most beautiful of our hardy annuals. L. densifiorus, with its pretty rose lilae flowers, and L. densifiorus albus, with its pure white blossoms, are exceedingly	1038	, rose, double, 2½ ft	0	3
A very curious greenhouse shrub, with ferrugineous leaves and woolly plaited flowers; thrives in loam and peat.  1042 Lasiopetalum Solanaceum, cream coloured, greenhouse shrub, 2 ft., from N. Holland. 0 4  LATANIA (Fan Palm), Nat. Ord. Palmaceæ.  A fine middle-sized palm, with handsome plaited fan-like leaves; exceedingly effective for conservatory decoration. Specimen plants are of considerable value.  1043 Latania Bourbonica, white, very handsome, 10 ft., from Bourbon 0 4  LATHYRUS (Everlasting Pea), Nat. Ord. Leguminosæ.  Showy free flowering plants, growing in any common soil; very ornamental on trellis work, old stumps, or for covering fences or walls. Hardy perennials.  1044 Lathyrus latifolius, purple, 5 ft., England 0 4  1045 , albus, white, 5 ft 0 3  LAURUS, Nat. Ord. Lauraceæ.  Handsome, tall-growing shrubs of a very ornamental appearance. L. Indica succeeds be at in sandy loam and peat, while L. Carolinensis grows well in any common soil.  1046 Laurus Carolinensis, yellow, 15 ft., from Madeira 0 3  1047 , Indica, yellow, 15 ft., from Madeira 0 3  1048 , tomentosa, fine large broad leaves, 15 ft 1 0  LAVANDULA, Nat. Ord. Labiatæ.  A genus of evergreen shrubs, chiefly cultivated on account of the delicious fragrance of their flowers; they succeed in any common soil.  1049 Lavandula spica (Lavender), lilae, 2 ft., from S. Europe 0 4  1050 , steehas, lilae, 1 ft., from S. Europe 0 4  1050 , steehas, lilae, 1 ft., from S. Europe 0 4  1051 Lavatera trimestris, rose and pink striped, 3 ft., from Armenia 0 2  1052 , alba, white, 3 ft., from Armenia 0 2  1053 Lebeckia cytisoides, yellow, from C. of Good Hope 1 0  LEPECKIA, Nat. Ord. Polemoniaceæ.  A charming tribe of the most beautiful of our hardy annuals. L. densifiorus, with its pretty rose lilae flowers, and L. densifiorus albus, with its pure white blossoms, are exceedingly		" white, double, 2½ ft		
A very curious greenhouse shrub, with ferrugineous leaves and woolly plaited flowers; thrives in loam and peat.  1042 Lasiopetalum Solanaceum, cream coloured, greenhouse shrub, 2 ft., from N. Holland. 0 4  LATANIA (Fan Palm), Nat. Ord. Palmaceæ.  A fine middle-sized palm, with handsome plaited fan-like leaves; exceedingly effective for conservatory decoration. Specimen plants are of considerable value.  1043 Latania Bourbonica, white, very handsome, 10 ft., from Bourbon 0 4  LATHYRUS (Everlasting Pea), Nat. Ord. Leguminosæ.  Showy free flowering plants, growing in any common soil; very ornamental on trellis work, old stumps, or for covering fences or walls. Hardy perennials.  1044 Lathyrus latifolius, purple, 5 ft., England 0 4  1045 , albus, white, 5 ft 0 3  LAURUS, Nat. Ord. Lauraceæ.  Handsome, tall-growing shrubs of a very ornamental appearance. L. Indica succeeds be at in sandy loam and peat, while L. Carolinensis grows well in any common soil.  1046 Laurus Carolinensis, yellow, 15 ft., from Madeira 0 3  1047 , Indica, yellow, 15 ft., from Madeira 0 3  1048 , tomentosa, fine large broad leaves, 15 ft 1 0  LAVANDULA, Nat. Ord. Labiatæ.  A genus of evergreen shrubs, chiefly cultivated on account of the delicious fragrance of their flowers; they succeed in any common soil.  1049 Lavandula spica (Lavender), lilae, 2 ft., from S. Europe 0 4  1050 , steehas, lilae, 1 ft., from S. Europe 0 4  1050 , steehas, lilae, 1 ft., from S. Europe 0 4  1051 Lavatera trimestris, rose and pink striped, 3 ft., from Armenia 0 2  1052 , alba, white, 3 ft., from Armenia 0 2  1053 Lebeckia cytisoides, yellow, from C. of Good Hope 1 0  LEPECKIA, Nat. Ord. Polemoniaceæ.  A charming tribe of the most beautiful of our hardy annuals. L. densifiorus, with its pretty rose lilae flowers, and L. densifiorus albus, with its pure white blossoms, are exceedingly		,, tricolor elegans, exceedingly beautiful, 2½ ft		
A very curious greenhouse shrub, with ferrugineous leaves and woolly plaited flowers; thrives in loam and peat.  1042 Lasiopetalum Solanaceum, cream coloured, greenhouse shrub, 2 ft., from N. Holland. 0 4  LATANIA (Fan Palm), Nat. Ord. Palmaceæ.  A fine middle-sized palm, with handsome plaited fan-like leaves; exceedingly effective for conservatory decoration. Specimen plants are of considerable value.  1043 Latania Bourbonica, white, very handsome, 10 ft., from Bourbon. 0 4  LATHYRUS (Everlasting Pea), Nat. Ord. Leguminosæ.  Showy free flowering plants, growing in any common soil; very ornamental on trellis work, old stumps, or for covering fences or walls. Hardy perennials.  1044 Lathyrus latifolius, purple, 5 ft., England. 0 4  1045 , abus, white, 5 ft. 6 3  LAURUS, Nat. Ord. Lauraceæ.  Handsome, tall-growing shrubs of a very ornamental appearance. L. Indica succeeds be t in sandy loam and peat, while L. Carolinensis grows well in any common soil.  1046 Laurus Carolinensis, yellow, 15 ft., from N. America. 0 4  1047 , Indica, yellow, 15 ft., from Madeira. 0 3  1048 , tomentosa, fine large broad leaves, 15 ft. 1 0  LAYADULA, Nat. Ord. Labiatæ.  A genus of evergreen shrubs, chiefly cultivated on account of the delicious fragrance of their flowers; they succeed in any common soil.  1049 Lavandula spica (Lavender), lilac, 2 ft., from S. Europe 0 4  1050 , stocchas, lilac, 1 ft., from S. Europe 0 4  1050 , stocchas, lilac, 1 ft., from S. Europe 0 4  1050 , stocchas, lilac, 1 ft., from S. Europe 0 4  LEBECKIA, Nat. Ord. Leguminosæ.  Interesting evergreen shrubs, with silvery foliage of considerable beauty, thriving in sandy loam and peat.  A charming tribe of the most beautiful of our hardy annuals. L. densifiorus, with its pretty rose lilac flowers, and L. densifiorus albus, with its pure white blossoms, are exceedingly	1011		v	U
thrives in loam and peat.  1042 Lasiopetalum Solanaceum, cream coloured, greenhouse shrub, 2 ft., from N. Holland . 0 4  LATANIA (Fan Palm), Nat. Ord. Palmaceæ.  A fine middle-sized palm, with handsome plaited fan-like leaves; exceedingly effective for conservatory decoration. Specimen plants are of considerable value.  1043 Latania Bourbonica, white, very handsome, 10 ft., from Bourbon . 0 4  LATHYRUS (Everlasting Pea), Nat. Ord. Leguminosæ.  Showy free flowering plants, growing in any common soil; very ornamental on trellis work, old stumps, or for covering fences or walls. Hardy perennials.  1044 Lathyrus latifolius, purple, 5 ft., England . 0 4  1045 , albus, white, 5 ft 6 3  LAURUS, Nat. Ord. Lauraceæ.  Handsome, tall-growing shrubs of a very ornamental appearance. L. Indica succeeds be t in sandy loam and peat, while L. Carolinensis grows well in any common soil.  1046 Laurus Carolinensis, yellow, 15 ft., from N. America . 0 4  1047 , Indica, yellow, 15 ft., from Madeira . 0 3  1048 , tomentosa, fine large broad leaves, 15 ft 1 0  LAVANDULA, Nat. Ord. Labiatæ.  A genus of evergreen shrubs, chiefly cultivated on account of the delicious fragrance of their flowers; they succeed in any common soil.  1049 Lavandula spica (Lavender), lidec, 2 ft., from S. Europe . 0 4  1050 , steechas, lilac, 1 ft., from S. Europe . 0 4  1050 , steechas, lilac, 1 ft., from S. Europe . 0 4  1050 , steechas, lilac, 1 ft., from S. Europe . 0 4  1052 , albus, white, 3 ft., from Armenia . 0 2  1052 , albus, white, 3 ft., from Armenia . 0 2  1052 , albus, white, 3 ft., from Armenia . 0 2  1053 Lebeckia cytisoides, yellow, from C. of Good Hope . 1 0  LEPTOSIPHON, Nat. Ord. Polemoniaceæ.  A charming tribe of the most beautiful of our hardy annuals. L. densifiorus, with its pretty rose lilac flowers, and L. densifiorus albus, with its pure white blossoms, are exceedingly				
LATANIA (Fan Palm), Nat. Ord. Palmaceæ.				
A fine middle-sized palm, with handsome plaited fan-like leaves; exceedingly effective for conservatory decoration. Specimen plants are of considerable value.  1043 Latania Bourbonica, white, very handsome, 10 ft., from Bourbon 0 4  LATHYRUS (Everlasting Pea), Nat. Ord. Leguminosæ.  Showy free flowering plants, growing in any common soil; very ornamental on trellis work, old stamps, or for covering fences or walls. Hardy perennials.  1044 Lathyrus latifolius, purple, 5 ft., England 0 4  1045 " albus, white, 5 ft 6 3  LAURUS, Nat. Ord. Lauraceæ.  Handsome, tall-growing shrubs of a very ornamental appearance. L. Indica succeeds be t in sandy loam and peat, while L. Carolinensis grows well in any common soil.  1046 Lauras Carolinensis, yellow, 15 ft., from N. America 0 4  1047 " Indica, yellow, 15 ft., from Madeira 0 3  1048 " tomentosa, fine large broad leaves, 15 ft 1 0  LAVANDULA, Nat. Ord. Labiatæ.  A genus of evergreen shrubs, chiefly cultivated on account of the delicious fragrance of their flowers; they succeed in any common soil.  1049 Lavandula spica (Lavender), lilac, 2 ft., from S. Europe 0 4  1050 " stocchas, lilac, 1 ft., from S. Europe 0 4  1050 LAVATERA, Nat. Ord. Malvaceæ.  Very showy, profuse-blooming, handsome plants, exceedingly effective when used as a back-ground to other plants; growing freely in any light soil.  1051 Lavatera trimestris, rose and pink striped, 3 ft., from Armenia 0 2  LEBECKIA, Nat. Ord. Leguminosæ.  Interesting evergreen shrubs, with silvery foliage of considerable beauty, thriving in sandy loam and peat.  A charming tribe of the most beautiful of our hardy annuals. L. densifiorus, with its pretty rose lilac flowers, and L. densifiorus albus, with its pure white blossoms, are exceedingly			0	4
A fine middle-sized palm, with handsome platted fan-like leaves; exceedingly effective for conservatory decoration. Specimen plants are of considerable value.  1043 Latania Bourbonica, white, very handsome, 10 ft., from Bourbon 0 4  LATHYRUS (Everlasting Pea), Nat. Ord. Leguminosæ.  Showy free flowering plants, growing in any common soil; very ornamental on trellis work, old stumps, or for covering fences or walls. Hardy perennials.  1044 Lathyrus latifolius, purple, 5 ft., England 0 4  1045 " albus, white, 5 ft 0 5  LAURUS, Nat. Ord. Lauraceæ.  Handsome, tall-growing shrubs of a very ornamental appearance. L. Indica succeeds be st in sandy loam and peat, xhile L. Carolinensis grows well in any common soil.  1046 Laurus Carolinensis, yellow, 15 ft., from N. America 0 4  1047 " Indica, yellow, 15 ft., from Madeira 0 3  1048 " tomentosa, fine large broad leaves, 15 ft 1 0  LAVANDULA, Nat. Ord. Labiatæ.  A genus of evergreen shrubs, chiefly cultivated on account of the delicious fragrance of their flowers; they succeed in any common soil.  1049 Lavandula spica (Lavender), lilac, 2 ft., from S. Europe 0 4  1050 " stoechas, lilac, 1 ft., from S. Europe 0 4  1050 " stoechas, lilac, 1 ft., from S. Europe 0 4  1051 Lavatera trimestris, rose and pink striped, 3 ft., from Armenia 0 2  1052 " alba, white, 3 ft., from Armenia 0 2  1053 Lebeckia cytisoides, yellow, from C. of Good Hope 1 0  LEPTOSIPHON, Nat. Ord. Polemoniaceæ.  A charming tribe of the most beautiful of our hardy annuals. L. densifiorus, with its pretty rose lilac flowers, and L. densifiorus albus, with its pure white blossoms, are exceedingly		•		
for conservatory decoration. Specimen plants are of considerable value.  1043 Latania Bourbonica, white, very handsome, 10 ft., from Bourbon				
LATHYRUS (Everlasting Pea), Nat. Ord. Leguminosæ. Showy free flowering plants, growing in any common soil; very ornamental on trellis work, old stumps, or for covering fences or walls. Hardy perennials.   1044   Lathyrus latifolius, purple, 5 ft., England   0   4   1045   3   abus, white, 5 ft.   6   3	for c	onservatory decoration. Specimen plants are of considerable value.		
LATHYRUS (Everlasting Pea), Nat. Ord. Leguminosæ.  Showy free flowering plants, growing in any common soil; very ornamental on trellis work, old stumps, or for covering fences or walls. Hardy perennials.  1044 Lathyrus latifolius, purple, 5 ft., England			0	4
Showy free flowering plants, growing in any common soil; very ornamental on trellis work, old stumps, or for covering fences or walls.   Hardy perennials.   1044				
work, old stumps, or for covering fences or walls. **Hardy perennials.**  1044 **Lathyrus latifolius, purple, 5, fe, England				
1045	work	old stumps, or for covering fences or walls. Hardy perennials.		
1045 , albus, white, 5 ft			0	4
Handsome, tall-growing shrubs of a very ornamental appearance. L. Indica succeeds be stin sandy loam and peat, while L. Carolinensis grows well in any common soil.	1045	,, albus, white, 5 ft	6	3
in sandy loam and peat, while L. Carolinensis grows well in any common soil.  1046 Laurus Carolinensis, yellow, 15 ft., from M. America		LAURUS, Nat. Ord. Lauraceæ.		
1046	. 1	Handsome, tall-growing shrubs of a very ornamental appearance. L. Indica succeeds be t		
1043				
LAYATOULA, Nat. Ord. Labiatæ.   1 0		Laurus Carolinensis, yellow, 15 ft., from N. America	-	4
LAVANDULA, Nat. Ord. Labiatæ.  A genus of evergreen shrubs, chiefly cultivated on account of the delicious fragrance of their flowers; they succeed in any common soil.  1049 Lavandula spica (Lavender), lilac, 2 ft., from S. Europe		tomentosa, fine large broad leaves, 15 ft.		0
A genus of evergreen shrubs, chiefly cultivated on account of the delicious fragrance of their flowers; they succeed in any common soil.  1049 Lavandula spica (Lavender), lilac, 2 ft., from S. Europe				
their flowers; they succeed in any common soil.  1049 Lavandula spice (Lavender), lidec, 2 ft., from S. Europe 0 4  1050 , steechas, lidec, 1½ ft., from S. Europe 0 4  LAVATERA, Nat. Ord. Malvaceæ.  Very showy, profuse-blooming, handsome plants, exceedingly effective when used as a back-ground to other plants; growing freely in any light soil.  1051 Lavatera trimestris, rose and pink striped, 3 ft., from Armenia 0 2  1052 , alba, white, 3 ft., from Armenia 0 2  LEBECKIA, Nat. Ord. Leguminosæ.  Interesting evergreen shrubs, with silvery foliage of considerable beauty, thriving in sandy loam and peat.  1053 Lebeckia cytisoides, yellow, from C. of Good Hope 1 0  LEPTOSIPHON, Nat. Ord. Polemoniaceæ.  A charming tribe of the most beautiful of our hardy annuals. L. densifiorus, with its pretty rose lilac flowers, and L. densifiorus albus, with its pretty white blossoms, are exceedingly				
1049	their	flowers; they succeed in any common soil.		
LAVATERA, Nat. Ord. Malvaceæ.  Very showy, profuse-blooming, handsome plants, exceedingly effective when used as a back-ground to other plants; growing freely in any light soil.  1051 Lavatera trimestris, rose and pink striped, 3 ft., from Armenia 0 2 1052 , alba, white, 3 ft., from Armenia 0 2  LEBECKIA, Nat. Ord. Leguminosæ.  Interesting evergreen shrubs, with silvery foliage of considerable beauty, thriving in sandy loam and peat.  1053 Lebeckia cytisoides, yellow, from C. of Good Hope. 1 0  LEPTOSIPHON, Nat. Ord. Polemoniaceæ.  A charming tribe of the most beautiful of our hardy annuals. L. densifiorus, with its pretty rose lilac flowers, and L. densifiorus albus, with its pretty rose lilac flowers, and L. densification albus, with its pretty rose albus albu			0	4
Very showy, profuse-blooming, handsome plants, exceedingly effective when used as a back-ground to other plants; growing freely in any light soil.  1051 Lavatera trimestris, rose and pink striped, 3 ft., from Armenia 0 2 1052 "alba, white, 3 ft., from Armenia 0 2  LEBECKIA, Nat. Ord. Leguminosæ.  Interesting evergreen shrubs, with silvery foliage of considerable beauty, thriving in sandy loam and peat.  1053 Lebeckia cytisoides, yellow, from C. of Good Hope. 1 0  LEPTOSIPHON, Nat. Ord. Polemoniaceæ.  A charming tribe of the most beautiful of our hardy annuals. L. densifiorus, with its pretty rose lilac flowers, and L. densifiorus albus, with its pretty rose lilac flowers, and L. densification albus, with its pretty rose lilac flowers, and L. densification albus, with its pretty rose lilac flowers, and L. densification albus, and the densification albus, an	1050	" steechas, lilac, 1½ ft., from S. Europe	0	4
1051   Lavatera trimestris, rose and pink striped, 3 ft., from Armenia		LAVATERA, Nat. Ord. Malvaceæ.		
1051         Lavatera trimestris, rose and pink striped, 3 ft., from Armenia         0         2           1052         " alba, white, 3 ft., from Armenia         0         2           LEBECKIA, Nat. Ord. Leguminosæ.           Interesting evergreen shrubs, with silvery foliage of considerable beauty, thriving in sandy loam and peat.           1053         Lebeckia cytisoides, yellow, from C. of Good Hope.         1         0           LEPTOSIPHON, Nat. Ord. Polemoniaceæ.         1         0           A charming tribe of the most beautiful of our hardy annuals. L. densifiorus, with its pretty rose lilac flowers, and L. densifiorus albus, with its pure white blossoms, are exceedingly	, ,	Very showy, profuse-blooming, handsome plants, exceedingly effective when used as a		
1052 ,, alba, white, 3 ft., from Armenia 0 2  LEBECKIA, Nat. Ord. Leguminosæ.  Interesting evergreen shrubs, with silvery foliage of considerable beauty, thriving in sandy loam and peat.  1053 Lebeckia cytisoides, yellow, from C. of Good Hope. 1 0  LEPTOSIPHON, Nat. Ord. Polemoniaceæ.  A charming tribe of the most beautiful of our hardy annuals. L densifiorus, with its pretty rose lilac flowers, and L. densifiorus albus, with its pure white blossoms, are exceedingly	Dack 1051		0	0
LEBECKIA, Nat. Ord. Leguminosæ.  Interesting evergreen shrubs, with silvery foliage of considerable beauty, thriving in sandy loam and peat.  1053 Lebeckia cytisoides, yellow, from C. of Good Hope			0	2
Interesting evergreen shrubs, with silvery foliage of considerable beauty, thriving in sandy loam and peat.  1053 Lebeckia cytisoides, yellow, from C. of Good Hope				-
loam and peat.  1053 Lebeckia cytisoides, yellow, from C. of Good Hope				
1053 Lebeckia cytisoides, yellow, from C. of Good Hope				
LEPTOSIPHON, Nat. Ord. Polemoniaceæ.  A charming tribe of the most beautiful of our hardy annuals. L. densifiorus, with its pretty rose lilac flowers, and L. densifiorus albus, with its pure white blossoms, are exceedingly			1	0
A charming tribe of the most beautiful of our hardy annuals. L. densifiorus, with its pretty rose lilac flowers, and L. densifiorus albus, with its pure white blossoms, are exceedingly				
pretty rose filac flowers, and L. densifiorus albus, with its pure white blossoms, are exceedingly		A charming tribe of the most beautiful of our hardy annuals. L. densiflorus, with its		
attractive in beus or ribbons, while L. hybridus, L. aureus, and L. luteus make pretty low	prett	y rose blac flowers, and L. densifiorus albus, with its pure white blossoms, are exceedingly		
	attfa	or ribbons, while L. hybridus, L. aureus, and L. inteus make pretty low		

	LEPTOSIPHON—continued.	Per :	Pkt.
edging	gs, and are very suitable for rockwork; they all make nice pot plants, and succeed in ght, rich soil.		
1054	Leptosiphon androsaccus albus, pure white, anthers wellow 4 ft from California	0	2
1055 1056	,, lilacinus, lilac, \(\frac{1}{2}\) fi., from California ,, aureus, golden yellow, \(\frac{1}{2}\) fi., from California , densifiorus, rose illac, 1 fi., from California	0	
1056	aureus, golden yellow, $\frac{1}{3}$ ft., from California	0	3
1058	albus, pure white, 1 ft., from California	0	3
1059	" hybridus, new miniature variety of various shades and colours, \frac{1}{2} ft	1	0
1060		0	3
	LEYCESTERIA, Nat. Ord. Caprifoliaceæ.		
	most elegant and beautiful hardy shrub, the deep green hue of its leaves and stem con- ig beautifully with the purple of the large bracteas and berries; thrives best in a light		
1061	Leycesteria formosa, purple and white, 4 ft., from Nepaul	0	6
	LIGUSTRUM (Privet), Nat. Ord. Oleaceæ.		
	landsome hardy evergreen shrubs, with pretty spikes of white flowers; L. Nepalensis is nt; succeed in any common soil.		
1062	Ligustrum Nepalense, white, 6 ft., from Naples	0	9
1063	" ovalifolium, white, 6 ft., from Italy	0	6
	LILIUM, Nat. Ord. Liliaceæ.		
descrip	his most magnificent genus of hardy bulbs is too well known and appreciated to need ution; the seeds we offer have been carefully hybridised and saved from the choicest and seautiful varieties.		
1064	Lilium giganteum, white, a noble plant of stately growth, 6 ft	0	6
1065 1066	n lancifolium punctatum, white, spotted with red, 2 ft	1	0
1000		1	U
37.	LIMNANTHES, Nat. Ord. Tropwolacee,		
larly e	ery beautiful showy profuse blooming dwarf growing plants, slightly fragrant, particu- ffective and valuable as edgings, succeeding in any soil or situation, but delighting most		
in a m	oist soil; we believe they may be grown as aquatics; they also grow in shady places.		
1067	Limnanthes Douglasii, pale yellow, bordered with white, 1 ft., from California	0	2
1068 1069	", alba, white, ½ ft., from California	0	2 3
1070	,, rosea, blush rose, ½ ft., from California	0	2
	LINARIA, Nat. Ord. Scrophulariaceæ.		
A	handsome free-flowering genus of snap-dragon like plants, remarkable for the beauty		
and va	riety of their colours; well adapted for and very effective in beds or ribbons, rockwork, and walks, &c. grows freely in common garden soil.		
	Linaria bipartita alba, pure white, very fine, hardy annual, ½ ft., from Barbary	0	0
1072	enlandida (how) vich deen nurule heautiful hardy annual 1/6	0	6
1073	,, Hendersonii, purple, hardy perennial, 2 ft	0	4
1074 1075	macroura, purple of shades, orange eye, hardy annual, 1 ft., from the Crimea reflexa, various, fine rock plant, hardy annual, ½ ft., from S. Europe	0	3
1076	speciosa (true), purple, white, and yellow, hardy annual, 1 ft.	0	2
1077 1078	triornithophora, yellow and purple, half-hardy annual, 1 ft., from Portugal triphylla, white, yellow, and purple, hardy annual, 1 ft., from Sicily	0	4
1010		U	2
	LINUM, Nat. Ord. Linaceæ.		
for its	genus of the most beautiful free-flowering plants, amongst which stands distinguished brilliant coloured flowers L. grandiflorum coccineum, being one of the handsomest,		
most ef	ffective, and showy bedding plants we have; for, whilst its habit of growth is slender		
and del	licate, it produces a profusion of beautiful saucer-shaped flowers of a rich searlet crimson		
florum	imson black centre. L. flavum is a well-known favourite, while L. luteum corymbi- is distinguished for its bunches of beautiful straw coloured blossoms, and contrasts		
beautifu	ally with L. g. coccineum; the whole genus deserves general cultivation; most of the		
	s make nice pot plants.		
1079	Linum campanulatum, yellow, beautiful, 1½ ft., from S. Europe	0	6
1081	flavum, yellow, 1 ft., from Crimea	0	0
1000	Algiers	0	3
1082 1083	" juniperinifolium, deep yellow, 1 ft., from Siberia. " Leonii, 1½ ft., from S. Europe	0	6
1084	Lewisii, blue, with white stripes, 2 ft., from N. America	0	4
1085 1086	", variegatum, striped, lilac and white (new), 2 ft	0	4
1086	Narbonense, bright blue, distinct and beautiful, 1 ft.	0	0
	, , , , , , , , , , , , , , , , , , , ,		






	AND GUIDE TO THE FLOWER GARDEN.	4	± 6
	**************************************	Per P	kt.
	LINUM—continuea.	8.	d
1088	Linum Sibericum, intense blue, 11 ft., from Siberia	0	6
1089	album, fine white, 11 ft., from Siberia	0	6
1090	", suffruticosum, purple and white, slender habit, adapted for rockwork and dry situations	0	6
			0
	LISIANTHUS, Nat. Ord. Gentianaceæ.		
1	When well grown this is a splendid plant for greenhouse or conservatory decoration; its		
flower	rs are extremely handsome, and of a rich dark blue, which few greenhouse plants possess;		
	eds best in sandy peat with a very little loam. Winter in a warm greenhouse, and re-		
	spring.		
1091	Lisianthus Russellianus, rich blue, shaded with purple, 2 ft., from Mexico	1	0
	LOBELIA, Nat. Ord. Lobeliaceæ.		
1	Exceedingly pretty profuse blooming plants of great value and importance to the flower		
garde	m; the low growing kinds make the most beautiful edgings; L. speciosa forms a delight-		
ful co	ontrast to Cerastium tomentosum and the variegated Alyssum, while L. gracilis erecta		
comp	acta, from its bush-like habit and profusion of celestial blue flowers, is equally beautiful		
in pot	acta, from its bush-like habit and profusion of celestial blue flowers, is equally beautiful is, beds, or used as an edging; all the varieties of L erinus are valuable for hanging		
baske	ts, rustic-work, or vases, over the edges of which they droop in the most graceful and		
elegal	nt manner. The perennial varieties, with their handsome spikes of flowers, are exceed- ornamental, and are valuable from their blooming in autumn, along with the Gladioli,		
Liliar	n lancifolium, Tritomas, &c. succeed best in light rich soil.		
1092	Tohelia Cardinalis ecarlet 9 ft half-hardy perannial	0	6
1093	Lobelia Cardinalis, scarlet, 2 ft., half-hardy perennial  " fulgens, scarlet, 2 ft., half-hardy perennial	0	6
1094	Erinus alba grandiflora, white, ½ ft., half-hardy annual, ½ ft.	1	0
1095	" compacta, deep blue, ½ ft., half-hardy annual	ô	4
1096	erecta nova, deep blue, magnificent variety, half-hardy annual, \frac{1}{2} ft	0	6
1097	,, lilacina, blue lilac, ½ ft., half-hardy annual	0	4
1098	" Lindleyana, red, ½ ft., half-hardy annual	0	6
1099	" marmorata, marbled blue and while, ½ ft., half-hardy annual	0	4
1100	" oculata, blue white eye, half-hardy annual ½ ft.	0	6
1101	", speciosa, Crystal Palace var., deep blue, extremely beautiful, ½ ft., half-		0
1102	hardy annual superba, blue, beautiful, half-hardy annual, ½ ft	0	6
1103	formore deen blue white eye erect and branching helf-hardy annual from	0	6
1200	N. S. Wales, \(\frac{3}{4}\) ft	0	6
1104	" gracilis erecta compacta, celestial blue, extremely compact, fine, half-hardy		
	annuals, ½ ft.	0	4
1105	" ramosa, purple blue, white eye, flowers large and handsome, 3 ft., half-hardy		
1100	annual, from S River	0	4 .
1106	" alba, white, flowers large and exceedingly beautiful, \(\frac{3}{4}\) ft., half-hardy		
1107	none dear blue flowers large and handsome 1 ft, half hands annual	0	4
1108	,, nana, deep blue, flowers large and handsome, ½ ft., half-hardy annual, rosea, rose lilac, flowers large and beautiful, ¾ ft., half-hardy annual	0	4
1109		0	6
1110	" syphintica, otac, very pretty, 3 to, nan-nardy annual	o	4
	LOPEZIA, Nat. Ord. Onagraceæ.		
£	A very elegant plant, flowering in beautiful bunches during the winter.		
1111	Lopezia miniata, deep peach, 2 ft., from Mexico	0	4
	LOTUS, Nat. Ord. Leguminosæ.		
ornen	An exceedingly ornamental genus of plants; the hardy varieties are well suited for nenting rockwork or dry banks. L. Australis, with its splendid spikes of rose-coloured		
flower	rs and dwarf habit, grows freely in light soil.		
1112		7	0
1113	Lotus Australis, (new), rose, 1 ft., from N. Holland, corniculatus multiflorus, trailer, from Levant	1	0
1114	Jacobæus, dark brown, 2 ft., from C. Verd Islands	0	6
1115	", luteus, yellow, 2 ft., from C. Verd Islands	0	3
	LOVE LIES BLEEDING, Nat. Ord. Amarantaceæ.		
, 1	Exceedingly graceful, free-flowering, highly ornamental plants, very effective in mixed		
borde	ers. Where cut flowers are in demand for filling vases, they are very useful; succeed		
	y common soil.		
1116	Love lies bleeding, red, 2 ft., from E. Indies	0	2
1117	,, straw coloured, 2 ft., from E. Indies	0	2
	LUPINUS, Nat. Ord. Leguminosæ.		
	A splendid genus of the most ornamental, beautiful, and free-flowering of garden plants,		
with	long graceful spikes of bloom, colours rich and varied. Many of the varieties are of a		

stately, robust growth, which makes them exceedingly valuable for mixed flower and shrubbery



			_
	MARIGOLD, Nat. Ord. Compositæ.	er P	kt.
of ric	A tribe of well known, magnificent, free-flowering plants, with handsome double flowers, h and beautiful colours, producing a splendid effect, whether planted in beds, borders, or so. The African, the tallest, is also the most striking in large beds, mixed flower and	•	
shrub	bery borders. The dwarf French, in beds, or used as a foreground to taller plants, is		
	nable, while the new brown and new orange miniature French varieties, make splendid		
comp	act edgings to beds or borders. The seed we offer has been saved only from the most double flowers, and therefore cannot fail		
	e general satisfaction. Half hardy annuals.		
1158	Marigold, African, lemon, 2 ft	0	3
1159	,, ,, orange, 2 ft	0	3
1160	French, dwarf, beautifully striped, 1 ft	0	3
1161	" brown, 1 ft	0	3
1162 1163	", ", ", yellow, 1 ft	0	3
1164	,, tall, striped, 1½ ft	0	3
1165	", ", orange, (new), 1½ ft	0	4
1166	" " " " " " " " " " " " " " " " " " "	0	3
1167 1168	Pennagha argaga yang daphla 1 ft	0	2
7100			~
7.	MARTYNIA, Nat. Ord. Pedaliaceæ.		
ducin	Exceedingly handsome free-flowering plants, with large flowers of great beauty, and pro- ga fine effect, whether planted in the open border, or used for conservatory decoration, uting in a light rich soil and warm situation.		
1169	Martynia fragrans formosa, purple, 2 ft., from Mexico	0	3
1170	,, lutea, yellow, 2 ft., from Brazil	0	3
	MARVEL OF PERU (Mirabilis), Nat. Ord. Nyctaginaceæ.		
. 1	A remarkably handsome and showy class of profuse blooming plants, with rich bright		
	red flowers, and beautiful green foliage; exceedingly effective and ornamental planted in		
rich s	l flower and shrubbery borders; also useful for in-door decoration, delighting in a light		
1171	Marvel of Peru, gold striped, 2 ft., from Mexico	0	3
1172	long tubed, fragrant as grange blossom, 2 ft, from Mexico	0	3
1173	, red, 2 ft., from Mexico , silver, 2 ft., from Mexico , white, 2 ft., from Mexico	0	3
1174 1175	silver, 2 ft., from Mexico	0	3
1176		0	3
1177	fine mixed, 2 ft., from Mexico	0	3
	MELALEUCA, Nat. Ord. Myrtacea.		
1	A genus of very desirable greenhouse or conservatory plants, remarkable for the neatness		
branc			
1178 1178	" squamœa, purple, flowering in tufts, very elegant, from Van Diemen's Land.	1	6
	MELIA, Nat. Ord. Melaceæ.		
or "I	M. Azederach is a very ornamental tree, whilst M. semperflorens, called the "Indian lilac," ride of India," is very handsome, and continues in bloom the whole summer; thrive a peat, loam, and sand.		
1179 1180	Melia Azederach, blue, 30 ft., from Syria	0	3
1100	,, semperforens, blue, 3 ft., from E. Indies	U	0
	MELIANTHUS (Honey Plant), Nat. Ord. Zygophyllaceæ.  Ornamental shrubs with pretty grey foliage, the flowers of which are much sought after by		
bees o	on account of the honey they contain, thriving in any light rich soil.		
1181	Melianthus major, 8 ft., from C. of Good Hope	0	4
1182	minor, 6 ft., from C. of Good Hope	0	4
	MESEMBRYANTHEMUM, Nat. Ord. Mesembryaceæ.		
	brilliant and profuse flowering tribe of extremely pretty dwarf-growing plants, strikingly		
effecti for in	ve in beds, edgings, rockwork, rustic baskets, or vases in warm sunny situations; also		
1183	door decoration, if grown in pots, pans, or boxes; succeed best in a dry loamy soil.		
1100	Mesembryanthemum acinaciforme, rose and white, flowers large, \(\frac{3}{4}\) ft., from C. of Good Hope	0	4
1184	capitatum, vellow, * ft., from C, of Good Hope	0	3
1185	glabrum, light yellow, ½ ft., from C. of Good Hope pomeridianum, brilliant yellow, ½ ft., from C. of Good Hope	0	3
1186 1187	pomeridianum, brilliant yellow, & ft., from C. of Good Hope	0	3 3
1188	tricolor, rose pink, with purple centre, \frac{1}{2} ft., from C. of Good Hope album, silvery white, purple centre, \frac{1}{2} ft., from C. G. Hope	0	3
	" " " " " " " " " " " " " " " " " " "		


METHONICA (Gloriosa), Nat. Ord. Liliaceæ.	er Pk	t.
A handsome plant with brilliantly coloured flowers of great beauty; succeeds in sandy		
peat and loam.	0	C
1189 Methonica Plantii, rosy orange, 6 ft., from Malabar	0	6
METROSIDEROS, Nat. Ord. Myrtaceæ.		
This is a splendid genus of greenhouse shrubs with beautiful bottle brush-like flowers;		
succeeds in peat or loam.  1190 Metrosideros angustifolia, yellow, 10 ft., from C. of Good Hope	0	9
1191 buxifolia, yellow, 10 ft., from N. Zealand	0	9
1192 "floribunda, white, 10 ft., from N. S. Wales	0	9
1194 , robusta, scarlet, 20 ft., from N. Zealand	0	9
1195 , semperflorens, red, 10 ft., from N. Holland	0	9
MIGNONETTE, Nat. Ord. Resedaceæ.		
A well-known fragrant favourite, which produces a pleasing contrast to the more showy		
occupants of the parterre; if well thinned out immediately the plants are large enough they will grow stronger, and produce larger spikes of bleom; the seed should be scattered about		
shrubbery and mixed hower borders, where it grows readily.		
1196 Mignonette (Reseda Odorata), ½ ft., from Barbary	0	2
Wery curious and interesting plants, their leaves closing if touched or violently shaken;		
may be grown out of doors in a warm situation; succeed in peat and loam. Half-hardy		
annuals.		
1198 Mimosa horrida, golden yellow, with dark green foliage, and stems garnished with long white spines, producing a charming effect, 3 ft	1	0
1199 , pudica (the true Sensitive Plant), pinkish white, 2 ft., from Brazil	0	3
MIMULUS (Monkey Flower), Nat. Ord. Scrophulariaceæ.		
A genus of extremely handsome profuse flowering plants, with singularly shaped and		
brilliantly coloured flowers, which are distinguished by their rich and strikingly beautiful		
markings. Seed sown in spring makes fine bedding plants for summer blooming, while seed sown in autumn produces very effective early flowering greenhouse plants.		
1200 Mimulus cardinalis, scarlet, 1 ft., from California	0	4
1201 ,, atro-sanguineus, dark red, 1 ft	0	6
1203 , Napoleon Third, rich purple, 1 ft	0	6
1204 ,, Prince Imperial, rose, 1 ft	0	6
1205 ", longifolius, orange and scarlet, new and handsome, 1 ft	0	6
1207 " fine, choice mixed, I ft	0	4
MORÆA, Nat. Ord. Iridaceæ.		
A very beautiful half-hardy bulb, with curious and pretty flowers; succeeds best in sandy		
loam and leaf mould or peat.  1208 Moræa iridioides, white and brown, 1½ ft., from Cape of Good Hope	0	4
		×
MORINA, Nat. Ord. Dipsaceæ.		
An exceedingly ornamental and elegant greenhouse plant with long white flowers; succeeds in light rich soil.		
1209 Morina longifolia, white, 2 ft., from Persia	0	4
MUSCARI, Nat. Ord. Liliaceæ.		
Handsome genus of hardy spring flowering bulbs, growing freely in any light rich soil.		
1210 Muscari comosum, blue, 1 ft., from S. Europe	0	6
1211 ,, racemosum, blue, 1 ft., Britain	0	6
MUSK (Mimulus), Nat. Ord. Scrophulariaceæ.		
This fragrant and universally favourite little plant is so well known, we need only remark that it is equally at home in the sitting-room, greenhouse, or flower garden; it thrives in any		
light soil.		
1212 Musk (Mimulus moschatus), 3 ft., from Columbia	0	4
MYOPORUM, Nat. Ord. Myoporaceæ.		
A class of pretty evergreen shrubs, delighting in a mixture of peat and loam.		
1213 Myoporum parvifolium, white, 3 ft, from N. Holland.	0	4
1214 , pictum, white, leaves prettily spotted, 6 ft., from N. Holland	0	4




Africa shiple young try offing 12!

		MYOSO	TIS, (	Forge	t-me-ne	ot), N	at. Ord	a. Bo	raginae	ceæ.		Per F	
rocker mence habit,	Charming litt profusion; the ries, are best as blooming is is equally so	le favou hey gro- suited to n April.	w freel them M. a:	opular p ly in ar ; invalu zorica,	plants, property soil; be able for with its 1	roducing out a m spring rich pur	oist situs garden ple shad	beauti ation, i decorated led flow	ful star- near four tion. M vers, and	like flo ntains, o L palust compac	or damp ris com- et bushy		
	nn months.	71	, ,	7 7	. 7		c #					0	0
1216 1217					h purple it blue, y							0	6
1218	" pa	lustris,	bright i	blue, 1 1	t., Brita	in						0	3
1219	29	99 8	alba, u	hite, 1	ft., Brita	in		• • • • • •		• • • • • • •		0	3
			M	YRTUS	, Nat.	Ord.	Myrta	ıceæ.					
	handsome,			evergree	en shrub	; requi	res a sli	ght pr	otection	in the	winter;		
	Myrtus Tare			l ft., fro	om S. Et	urope .						0	4
					M, Na								
of gar bena, with v The se crimse Corri	The dwarf in rden favourite and Calceola which they blocarlet, yellow Carlet, "Neutronian Carter,"	es, for bouria; the com, all , and sp brystal F Purple	edding eir clos combin otted Talace ( Gem.	, massir se, com ne to pl Tom Th Gem, an	ng, or ril pact gro ace them numb are nd the gr	bboning owth, range in the re distinguishment no	g; and in ich color categor guished velty, in	rank woured flay of fir favour troduce	ith the ( owers, a st-class rites, as a ed by ou	deranium de the dedding are also ar "SAI	m, Ver- freedom plants. the old		
1221	Nasturtium	Dwari	Tom .	Lhumo,	maro	or 1 ft.	e Gem (	(new),	sulphur	colour,	spottea	1	0
1222	91	39	55	99	Beauty	, yellou	and ver	rmilion	l ft			0	4
1223	,,	59	"	"	Purple	Gem	(new),	beautif	ul purp	e, exce	edingly	2	6
1224	tr	99	39 .	99								0	4
1225	"	39	"	"	bright u	yellow.	1 ft					0	6
1226 1227	1 27	99	22	99	bright y	jelloro, s	spotted c	rimson,	1 ft			0	3
1~~1	>9	>>	93	59								v	U
1000	97 1 11	27			Nat. O								
1228	Neja gracilis	s, yettow,	chang	ing to 1	red, very	gracer	ul pretty	foliag	e, 1 ft., 1	rom Me	exico	0	6
					Vat. Or								
compa or pot	ne of the pred cta varieties culture, the	are the	most is comp	beauti pact, an	ful and d the bl	best ac	lapted f	for bed	s, edgin	gs, roel	k-work,		
	Nemesia ver					nre & f						0	3
1230	n chiesia vei	99	опарас	alba	, pure w	hite, 3	lt		<b></b>			0	4
1231	"	"		insi	gnis (ner	w), sky	blue, 3 f	ft				1	0
1232	99	93		la s	aperbe (	new), a	lelieate r	08e, 4 t	b	******	• • • • • •	1	0
					Nat. O								
annua	his is perhap ls; all the va	s the m	ost cha have a	rming a	and gene impact a	erally u	seful ger form hab	nus of	dwarf g	growing ith shad	hardy les and		
colour	s the most str	ikingly l	beautif	ul, so th	at ribbo	ned, so	wn in ci	ircles, o	r arrang	ed in ar	ny style		
phaceli	the fancy ma ioides are dis wth, and has	stinct;	the latt	ter is a	beautiful	l hardy	perenn	ial, the	former	is more	robust		
1233	Nemophila a	_						aliforni	a			0	2
1234	27	29	ocula	ita, celes	stial blue	, blotch	ed with b	lack, n	ew and v	ery pret	ty, 1 ft.	1	0
1235 1236		nscordal	ns, rich	morate	black, ed marbled	oged wi	th white	, ½ ft., å	rom Ca	niornia		0	2
1237	", i	nsignis ;	grandif	flora, br	ight blue	e with a	chite cen	tre, 1 f	t., from	Californ	ia	0	3
1238				0	na mure	anhito	1 ft					0	3
1239 1240	72	59 (	rambo margin	ata, cele	estial blu	ue, § It	l white	I ft.				0	2 3
1241	39	27 5	striata,	blue an	lestial bluestial blue estial blue ed white, ed with	1 ft	• • • • • • •	2				0	3
1242	,, n	naculata	, whit	e, veine	d with	lilac, p	etals blo	otched	with vio	let, 3 ft	., from	0	2
1243		Califor	THIS		ew), who							0	2
	"	"		í	oliage be	eautifu.	ly varie	gated i	n the fir	st stage	s of its		
1044				1	lants for	r edgin	gs, 3 ft					1	0
1244	» I	phacelio	ides, lil	ac, whi	te centre,	, ½ ft., í	rom N.	Americ	ca	*****		0	3

NERIUM, Nat. Ord. Apocynaceæ.	er P	
A class of splendid double-flowering evergreen shrubs of a highly ornamental character,	ä,	d.
fine for conservatory decoration, or placing on lawns and terraces during summer, growing		
well in any light rich soil. Half hardy shrubs.  1245 Nerium carneum grandiflorum, flesh coloured, 6 ft	0	4
1246 ,, Mabirii, white, 6 ft	0	9
1246       Mabirii, iohite, 6 ft.         1247       Oleander, rose pink, 6 ft., from Italy         1248       , striped, scarlet and white, 6 ft., from Italy	0	6
NICOTIANA (Tobacco Plant), Nat. Ord. Solanacea.		
These are strong growing, fine foliaged, hardy plants; they are very effective for large		
shrubbery borders, and the leaves of some of the varieties are valuable for fumigating purposes. Hardy annuals.		
1249 Nicotiana glauca, nellow, 3 ft., from America	0	3
1250 , glutinosa, scarlet, 3 ft., from Peru	0	6
1250   glutinosa, scarlet, 3 ft, from Peru   1251   vrincæflora, white, very pretty, 2 ft., from S. America   Virginica, pink, 3 ft., from America   Virginica, pink, 3 ft., from America   1252   vrincæflora, pink, 3 ft., from America   vrincæflora   vr	0	3
NIEREMBERGIA, Nat. Ord. Solanaceæ.		
Profuse blooming, elegant, and graceful, charming little plants, exceedingly valuable for small beds, edgings, and rustic baskets or vases. Half-hardy perennials.		
1253 Nierembergia gracilis, white veined with lilac, ½ ft., from Uruguay	0	6
NIGELLA (Love in a Mist; or, Devil in the Bush), Nat. Ord. Ranunculacea	?.	
A genus of very interesting, compact growing, free-flowering plants, with curious looking flowers and seed pods. From the extraordinary motions manifested by the stamens, this genus		
has received the above singular names. N. Hispanica alba and N. Hispanica atropurpurea		
make handsome bedding plants for large beds, while N. Damascena nana is useful as an edging to large borders; grows freely in any common garden soil.		
1255 Nigella Hispanica alba, pure white, 1½ ft., from Spain	0	4
1255 Nigella Hispanica alba, pure white, 1½ ft., from Spain	0	3
NOLANA, Nat. Ord. Nolanaceæ.		
An extremely beautiful free-flowering genus of trailing plants, the flowers resembling		
the Convolvulus minor, but softer in colour, while some are beautifully pencilled; fine for rock-work, hanging baskets, old stumps, &c. Delighting in light rich soil.		
1258 Nolana atriplicifolia blue violet white and nellow trailer from Peru	0	2
1259 , alba, pure white, with yellow centre, trailer, from Peru	0	2 3
1261 ,, prostrata, celestial blue, beautifully violet pencilled, trailer, from Peru	0	2
NYCTERINIA, Nat. Ord. Scrophulariaceæ.		
Neat, compact little plants, covered with pretty sweet-scented, star-shaped flowers, valuable for edgings, rockeries, stumps, or small beds; succeed in light rich soil.		
1262 Nycterinia capensis, white yellow centre, \( \frac{1}{3} \) ft., from Cape of Good Hope	0	6
NYMPHÆA, Nat. Ord. Nymphaceæ.		
Beautiful hardy aquatics, thriving in rich loamy soil at the bottom of ponds or lakes.  1264 Nymphæa alba (Water Lily) a magnificent variety 3 ft. from England.	0	0
1264 Nymphæa alba (Water Lily), a magnificent variety, 3 ft., from England	0	6
OBELISCARIA, Nat. Ord. Compositæ.		
Bold showy plants, with rich coloured flowers and curious acorn-like centres; succeed in		
any ordinary garden soil.  1266 Obeliscaria pulcherrima rich velvetu crimson edged and tipped with pellow 2 ft from		
Texas	0	3
	0	4
ENOTHERA, Nat. Ord. Onagracee.  A magnificent genus, one of the most useful and beautiful either for beds, borders, edgings,		
or rockwork. All the varieties are free-flowering, and most of them perennials. The most		
remarkable of the perennial kinds are CE. grandiflora Lamarckiana, with superb spikes of large flowers; CE. macrocarpa, splendid for beds or edging, flowers, six inches in diameter; CE.		
Acaulis, flowers, silvery white; and Œ. Missouriensis. Of the annual varieties, Œ. Drum-		
mondii nana and Œ. bistorta Veitchi, succeed in any good rich soil.  1268 Œnothera biennis hirsutissima (new), crimson vrange, half-hardy annual, 2 ft., from		
California	0	4
bistorta Veitchii grandiflora, pure yellow, crimson spotted, half-hardy annual, 1 ft., from California	0	4






					-	
		9		er I	kt.	
			EMTHERA—continued.	8.	d.	
	1270	<b>Enothera</b>	campylocarpa grandiflora (new), red orange, hardy perennial, 11ft., from Peru	0	4	
	1271	33	concinna, pink and white, beautifully striped, hardy annual, 4 ft., from Florida	0	3	
	1272	,,	consolida, deep primrose, handsome, hardy perennial, 11 ft., from N. America	0	3	
	1273	99	Cuprea, hardy perennial, 11 ft	0	6	
	1274	99	Drummondii nana nova, bright yellow, half-hardy annual, 1 ft., from Texas	0	4	1
	1275	,,	grandiflora Lamarckiana, bright yellow, the most effective and strikingly			
			beautiful of this splendid genus, flowers 3 to 4 inches in diameter, and			
			produced in the greatest profusion; an exceedingly ornamental plant			
			for mixed flower borders, 3 ft	1	0	1
	1276	22	Jamesii, bright yellow, flowers large, and produced in great profusion, 2 ft	0	4	
	1277	,,	longiflora, yellow, hardy perennial, 2 ft., from Buenos Ayres	0	4	
	1278	"	macrantha grandiflora, yellow, very handsome, hardy perennial, 11 ft	0	4	
	1279	11	macrocarpa, rich yellow, hardy perennial, & ft., from N. America	0	6	
	1280	22	macrocarpa, rich yellow, hardy perennial, ½ ft., from N. America	0	6	
	1281	29	prostrata, pure vellow, hardy perennial, 1 ft., from N. America	0	4	
	1282	,,	Sellowiana grandiflora, yellow, hardy perennial, 11 ft., from M. Video	0	3	
	1283	27	tarraxacifolia, pure white, hardy perennial, 3 ft., from Peru	0	6	
i	1284	"	tarraxacifolia, pure white, hardy perennial, \$ ft., from Peru	0	4	
K	1285	,,,	tetraptera, silvery white, very handsome, half hardy annual, 3 ft	ő	3	1
1	1286	99	undulata, primrose, hardy perennial, 12 ft., from Peru	0	3	
	1,000	29		0	0	
			ONOBRYCHIS, Nat. Ord. Leguminosæ.			
		TOPT SWALL	ty spike-flowering plant of an ornamental character, suitable for rockwork or			
			thrives best in sand and loam.			
۱						1
	1287	Unobrychi	is supina, pale red, from Switzerland	1	0	1
			ONONIS, Nat. Ord. Leguminosa.			
		Inndaama l	andy plants of easy culture producing their beautiful Hamer in laws to a			1
		randsome h	ardy plants of easy culture, producing their beautiful flowers in large bunches.	4.		1
ı	1288	Ononis pu	bescens, shaded violet, 1 ft	0	3	1
	1289	,, rot	bescens, shaded violet, 1 ft	0	6	1
ı		- 1	ONOPORDON, Nat. Ord. Compositæ.			
i						
			tle-like plant of a very ornamental character; thrives in any common soil.			1
H	1290	Onopordon	Tauricum, purple, hardy perennial, 6 ft., from Tauria	0	4	1
ı						
			OPUNTIA, Nat. Ord. Cactaceæ.			
	T	he Prickly	Pear of S. America; an ornamental and interesting greenhouse shrub with			
	edible	fruit; succ	ceeds best in sandy peat.			
ì			icus Indica, Prickly Pear, reddish orange, 3 ft., from S. America	0	3	
1	INVI			U	U	1
1		0	ORNITHOGALUM (Star of Bethlehem), Nat. Ord. Liliaceæ.			1
	A		bous plant, producing its beautiful white star-like blossoms in great profusion;			
		ds in sandy				
	1292	Urnithoga	lum Arabicum, white, 3/4 ft., from Egypt	0	6	
1	-		OSTEOSPERMUM, Nat. Ord. Compositæ.			1
		n ornores	ntal evergreen greenhouse shrub, with pretty yellow flowers; thrives in any			
			har evergreen greenhouse surub, with pretty yellow howers; thrives in any			1
		rich soil.	. 7 -0 0 0 00 177			
1	1293	Usteospern	num niveum, yellow, 5 ft., from C. of Good Hope	0	6	1
1			OXALIS, Nat. Ord. Oxalidacea.			
		ah amai a				-
			and beautiful class of plants for rockwork, old stumps, &c., in sunny situa-			1
	tions,	also for bas	skets, vases, or pots, for indoor decoration; their brilliant and richly coloured			1
1	nowers	s and dark	green foliage give them a strikingly attractive appearance; they delight in			
1			Half hardy perennial.			
1	1294	Oxalis arb	orea rosea, 11 ft., from C. of Good Hope	0	4	
	1295	" flor	ibunda alba, white, ½ ft., from S. America	0	4	
1	1296	2)	rosea, rose, ½ ft., from S. America	0	4	
1	1297	" inte	ea, yellow, ½ It., from C. of Good Hope	0	4	1
I	1298	" rose	ea, bright rose, ½ ft., from Chili	0	4	
I	1299	,, trop	pæoloides, deep yellow, brown leaves, 1 ft., from C. of Good Hope	ŏ	4	
ı		,,		•		1
ı			OXYLOBIUM, Nat. Ord. Leguminosæ.			1
1	A	handsome	free-flowering greenhouse evergreen shrub, of a very graceful habit; thrives			
1	in peat	t and loam.				
I	1300	Oxylobium	a lanceolatum, yellow spotted red, 4 ft., from N. Holland	1	0	
I						
I			OXYURA, Nat. Ord. Compositæ.			
ı	A	showy ha	ardy annual with beautifully fringed flowers, which are produced in great			
-	abunda	ance.	- January In Brown			
ı			rysanthemoides, golden yellow, edged with pure white, 11 ft., from California .	0	3	
п		- January	James general general, eagen with pure white, 13 is, from Cantornia .	U	0	1

PALAFOXIA, Nat. Ord. Compositæ.	er I	Pkt.
An ornamental plant with pretty fragrant flowers; flourishes in any common soil.		
1302 Palafoxia Texana, brown and red, 2 ft., hardy annual, from Texas	0	
PANCRATIUM, Nat Ord. Amaryllidaceæ.		
An exceedingly ornamental genus of hardy bulbs, producing splendid spikes of handsome		
flowers; succeeds best in light sandy loam mixed with vegetable mould.  1303 Faneratium illyricum, white, 1 ft., S. Europe.  "maritimum, white, deliciously iragrant, 2 ft., from S. Europe.  "Barritimum, white, deliciously iragrant, 2 ft., from S. Europe.	0	6
maritimum, white, deliciously fragrant, 2 ft., from S. Europe  PAPAVER, Nat. Ord. Papaveraceæ.	0	6
A highly ornamental and strikingly effective genus of plants, with brilliant coloured		
flowers of an immense size, which in select plantations and shrubbery borders are unusually effective. P. nudicaule is a dwarf growing variety, and is especially adapted for rockwork. Hardy perennials.		
1305 Papaver involucratum maximum, brilliant orange scarlet, 3 ft., from the Levant	0 0	3 3
PARKINSONIA, Nat. Ord. Leguminosæ.		
A handsome greenhouse evergreen shrub, succeeds in peat and loam.		
1308 Parkinsonia aculeata, yellow, 6 ft., from W. Indies	1	0
PAULOWNIA, Nat. Ord. Scrophulariaceæ.		
A noble hardy tree bearing panicles of dark lilac flowers, resembling those of the Gloxinia;		
thrives in any good soil.		
1309 Paulownia imperialis, blue, very handsome, 20 ft., from Japan	0	4
PAVONIA, Nat. Ord. Malvaceæ.		
A half hardy evergreen shrub, with strikingly beautiful flowers,.		
1310 Pavonia hastata, pure white, rich crimson spots, 3 ft., from W. Indies	0	4
PEAS, Nat. Ord. Leguminosæ.		
Exceedingly useful, well-known, free-flowering, and highly ornamental plants, flourishing		
in any open situation, and when sown on rich soil, and mulched during dry hot weather, will		
attain a considerable height; if not allowed to ripen seed they will continue blooming till		
destroyed by frost; they are invaluable as screens for protecting more tender plants, or		
excluding unsightly objects, also for training on trellis work, covering rough wooden fences, &c., and when intermixed with Tropeolum Canariense in such situations the effect produced		
is splendid. Hardy annuals		
1311 Peas, Sweet, painted lady, 6 ft., from Ceylon	0	3
1312 ,, black, 6 ft., from Sieily	0	3
1313 ,, Captain Clarke's Hybrid, blue edged, 6 ft., from Sicily	0	4
1314 " purple, 6 ft., from Sicily 1315 ", purple, striped, 6 ft., from Sicily. 1316 ", scarlet, 6 ft., from Ceylon.	0	3
1316 ", " purple, striped, 6 lb., from Geylon	0	3
1317 , scarlet, striped, 6 it., from Ceylon	0	3
1318 ", "white, 6 ft., from Ceylon	0	20 51 51 61 61
1990 Tand Angents shubber 11 ft from Cone Hom	0	2
1321 , Painted lady, Tangier, 4 ft., from Barbary	0	2
1322 ,, searlet Tangier, 4 ft., from Barbary	0	2
PELARGONIUM, Nat. Ord. Geraniaceæ.		
A genus of indispensable and beautiful greenhouse plants; whether for the adornment		
of the conservatory or drawing-room they stand unrivalled; their culture from seed is very		
simple, and as that we offer has been saved from the unrivalled collection of our "Sardinian Correspondent," we have no hesitation in saying that amateurs sowing it will raise novelties		
of considerable merit.		
1323 Pelargonium fancy, saved from the choicest varieties, 2 ft.	1	0
1324 " large flowered, saved from the choicest varieties, 2 ft	1	0
1325 ,, Odiers, saved from the choicest spotted varieties, 2 ft	1	0
1326 Pelargonium capitatum, rose, trailer, from Cape of Good Hope	1	0
PENTAPETES, Nat. Ord. Byttnericeæ.		
A beautiful free-flowering half-hardy herbaceous plant, succeeding in any light rich soil.		
1327 Pentapetes phœnicea, bright scarlet, & ft., from India	0	4
PENTSTEMON, Nat. Ord. Scrophulariaceæ.		
A genus of well known and highly ornamental hardy herbaccous plants, with long graceful		
spikes of fine-shaped and richly coloured flowers, one of the most effective and free-flowering		


A genus of well known and highly ornamental hardy herbaceous plants, with long graceful spikes of fine-shaped and richly coloured flowers, one of the most effective and free-flowering of border and bedding plants; succeed in any light rich soil.





			_
	PENTSTEMON—continued.	Per P	kt.
1328 P	entstemon campanulatum, lilac purple, 2 ft., from Mexico	0	4
1329	,, cordifolium, fine scarlet, 2 ft., from California	0	6
1330	", elegans roseum, rose, 2 ft., from Mexico ", gentianoides, fine mixed, 1½ ft., from Mexico	0	4
1331 1332		0	6
1333	", Liabaud, scarlet spotted, magnificent, 1½ ft	1	0
1334		0	6
1335	", pulchellum roseum, rose, 1½ ft., from Mexico	0	3
1336	Richardsonii, puce, 2 ft., from Columbia	0	4
1337 .	" roseum magnificum, rose, 1 1 ft., from Mexico	1	0
1338	" violaceum, violet, tinged with crimson, 2 ft., from Mexico	. 0	3
1339 1340	Wrightii, violet, 2 ftr, from Mexico	0	. 6
1040	" choice mixed, 2 ft., from Mexico	0	6
	PERILLA, Nat. Ord. Labiatæ.		
Am	ongst the recent introductions of ornamental foliaged plants for flower garden decora-		
tion, the	Perilla claims a more than ordinary share of attention; its habit of growth is neat		
and shr	abby, whilst its foliage is of a deep mulberry or blackish purple, and forms a fine to the silvery foliage of Cineraria Maritima, or the lively green of other plants, in		
contrast	to the silvery foliage of Cineraria Maritima, or the lively green of other plants, in		
	centres of beds, or mixed flower borders; grows freely in any rich soil. Half-hardy		
annual.			
041 P	erilla Nankinensis, leaves deep mulberry or purplish black, 11 ft., from China	0	3
	PETUNIA, Nat. Ord. Solanaceæ.		
Al	nighly ornamental and profuse flowering, easily cultivated, garden favourite, equally		
effective	and beautiful whether grown in pots, for the decoration of the greenhouse and sitting-		
coom wi	ndow, or planted out in beds or mixed borders. The brilliancy and variety of its		
colours,	combined with the duration of its blooming period, and the capability of the flowers		
	the atmosphere of London, render it invaluable. Seed sown in March or April, makes		
	ding plants for a summer and autumn display; succeeds in any rich soil. Half-hardy		
perennia 1342 I			
1343	etunia grandiflora hybrida, finest mixed, 1½ ft	0	4
1344	", ", marginata, bordered with green, 1½ ft", alba, white, 1½ ft	0	6
1345	about minimum of the total of t	0	4
1346	" crimson, very beautiful, 1½ ft	0	4
1347	", purpurea, purple, 1½ ft	0	4
1348	" satin-rose, 1½ ft	0	4
1349	" striatiflora, beautifully striped, 1½ ft	0	4
	PHACELIA, Nat. Ord. Hydrophyllaceæ.		
Fre	re-flowering, curious, and interesting-looking border plants. Hardy annuals.		
	Phacelia congesta, azure blue, 1 ft., from California	0	3
1351	Texana, blue, shaded purple, 1 ft., from Texas	0	3
			U
	PHALACRÆA, Nat. Ord. Compositæ.		
Aı	very beautiful, free-flowering, Ageratum-like plant; succeeds in any soil.		
1352 F	Phalacræa cœlestina, blue, half hardy annual, 1½ ft., from Peru	0	3
	PHLOMIS, Nat. Ord, Lubiatæ.		
Her	ndsome, free-flowering plants, with very pretty showy flowers; succeed in any light		
rich soil	. Half-hardy shrubs.		
	Phlomis fruticosa, yellow, 3 ft., from Spain	0	6
354	" Leonurus, scarlet, 1 ft., from Cape of Good Hope	0	6
			U
021	PHLOX, Nat. Ord. Polemoniaceæ.		
Thi	s magnificent genus of plants is unrivalled for richness and brilliancy of colours, pro-		
nlente	ad duration of blooming. The P. Drummondii varieties make splendid bedding or pot		
hould b	while the P. Decussata varieties produce a fine effect in mixed borders; no garden		
	without these beautiful plants; succeed best in light rich soil. Half-hardy annuals.	0	,
1356	hlox Drummondii, saved from the choicest varieties, 1 ft., from Texas	0	6
1357	, alba, pure white, 1 ft	0	4
1358	" ", oculata, satin white, crimson eye, 1 ft. " atro-purpurea, deep purple shades, 1 ft.	0	4
1359	" acro-purpurea, deep purple shades, 1 tt	0	4
1360	Leopoldiana, pink, white eye, 1 ft		4
1361	" lilacea, lilac, with white eye, 1 ft	0	4
1362	" Louis Napoleon, dark crimson, 1 ft	-0	6
1363	,, marmorata (new), marbled, 1 ft	0	6
1364 1365	" Mars, carmine and scarlet, with dark eye, 1 ft	0	6
1000	" , Queen Victoria, violet, eye white, 1 ft	0	6

PHLOX—continued.	Per F	kt.
1366 Phlox Drummondii Radowitzkii, rose purple, striped with white, 1 ft	. 0	6
1367 , rosea, fine rose, 1 ft.  1368 , Decussata (Fontaine's finest varieties), hardy perennial, 2 ft	0	6
PHENIX, Nat. Ord. Palmacea.		
This ornamental and beautiful tree is the Date Palm of the Levant, and is exceedingly effective when grown for conservatory decoration; succeeds best in a strong rich soil.		
1369 Phœnix dactylifera, Date Palm, 30 ft., from the Levant	1	0
PHORMIUM, Nat. Ord. Liliacea.		
An exceedingly beautiful and ornamental plant, growing freely in strong rich loam,  1370 Phormium tenax, green and white, 6 ft., hardy perennial, from N. Zealand	0	6
PHOTINIA, Nat. Ord. Pomaceæ.		
A handsome tree, with bright glossy leaves and corymbs of beautiful white flowers; suc-		
ceeds well against a south wall, if planted in loam and peat. Half-hardy tree.  1371 Photinia glauca, white, 1 ft., from Nepaul	0	6
PHYGELIUS, Nat. Ord. Scrophulariaceæ.		
A handsome, free-flowering plant, with large, richly marked, tubular blossoms; succeeds in light rich soil. Half-hardy perennial.	,	
1372 Phygelius capensis, large carmine tubular flower, inside golden yellow, 11 ft., from Caffraria	0	6
PHYSOSTEGIA, Nat. Ord. Labiatæ.		
A very ornamental plant, with splendid flowers, succeeding well in any common soil. I sown early, flowers the first year, Hardy perennial.		
1373 Physostegia speciosa, blush-rose and white, 1½ ft., from Siberia	0	4
PHYTOLACCA, Nat. Ord. Phytolacea.		
An ornamental tree of rapid growth; in Italy it adorns the public gardens, often making shoots twenty feet long in one year; thrives in any rich soil. Half-hardy tree.		
1374 Phytolacca dioica, greenish white, 10 ft., from S. America	0	4
PICOTEE, Nat. Ord. Caryophyllaceæ.		
Favourite and well-known plants of great beauty, combining with the most perfect form the richest and most beautiful colours. They have a delicate perfume, are easily cultivated and bloom profusely, growing freely in any light rich soil. The seed we offer has been saved by our "Sardinana Comessionders" from flowers possessing all the requisite characteristics which constitute a first-class flower. Hardy perennials.	,	
1375 Picotee, saved from the most choice varieties, 1½ ft	- 1	0
PIMELEA, Nat. Ord. Thymelaceæ.		
A beautiful compact little greenhouse shrub, with charming heads of blossom; delights in sandy peat.	ı	
1377 Pimelea Lawrenciana, rose, beautiful, from Australia, 3 ft	. 0	9
PINK, Nat. Ord. Caryophyllaceæ.		
A well-known and highly valued plant, remarkable as well for its great beauty and delightfu fragrance, as for its easy culture and accommodating habit, growing freely, and flowering profusely either in pots, in the greenhouse, or in the open borders, succeeding best in a rici loamy soil. Hardy perennials.	r	
1878 Pink, Bragg's choicest mixed, 1 ft	1	0
PINUS, Nat. Ord. Coniferæ.		
A highly ornamental and magnificent genus, of noble and stately growth, invaluable for planting on lawn or pleasure grounds. Hardy trees.	£	
1380 Pinus Canariensis, 20 ft., from Canaries	0	6
1381 monticola, from California Pinsapo, 10 ft., from Spain	2	6
1383 pinea fragilis, 10 ft., from Naples	1	0
1384 , taxifolia, 20 ft., from N. America	1	0
PITTOSPORUM, Nat. Ord. Pittosporaceæ.		
A handsome genus of exceedingly ornamental shrubs. P. japonicum has rich glossy leaves and deliciously perfumed flowers; thrive well in peat and loam. Greenhouse shrubs. 1385 Pittosporum Blackwellii. 3 ft.	0	6
1386 japonicum, white, deliciously orange scented, 3 ft.	0	6
1387 ,, revolutum, yellow, 3 ft., from N. Holland	0	6





	PLATYSTEMON, Nat. Ord. Papaveraceæ.	r P	kt.
Α	charming free-flowering, dwarf-growing plant, very effective in small beds, rustic	8.	d.
baskets 1389	s, and edgings; succeeds best in light rich soil. Hardy annual.  Platystemon Californicum, cream, spotted with orange, 1 ft., from California	0	3
	PLUMBAGO, Nat. Ord. Plumbaginacea.		
H	andsome free-flowering plants, with bunches of showy and beautiful flowers; succeed in		
ordinar	ry soil. Half-hardy perennials.		
1390 1391	Plumbago alba, white, 4 ft., from Mexico	0	6
1392	", Europæa, blue, 3 ft., from S. Europe	0	6
	PODOLEPIS, Nat. Ord. Compositæ.		
and pro	genus of very pretty, graceful, free-flowering plants, succeeding best in light rich soil, oducing a fine effect in beds or mixed borders. <i>Half-hardy annuals</i> .		
1393	Podolepis alba, white, 1\(\frac{1}{2}\) ft., from N. S. Wales, auricultat, \(\rho_{ij}\) fty \(\text{ellow}\), \(\frac{1}{2}\) ft., from N. S. Wales, chrysantha, \(\text{gellow}\), \(\frac{1}{2}\) ft., from N. S. Wales	0	3
1394 1395	" auriculata, bright yellow, 1½ ft., from N. S. Wales	0	3
1396	gracilis, pink, 1 ft., from N. S. Wales	0	3
	POINCIANA, Nat. Ord. Leguminosa.		
	very elegant and ornamental genus of greenhouse shrubs, requiring a good rich soil.		
1397 1398	Poinciana Gilliesii, yellow, 10 ft., from S. America	0	9
1399	" regia, crimson, 10 ft., from Madagascar	ŏ	9
	POLYANTHUS, Nat. Ord. Primulaceæ.		
	nis gay and profuse flowering hardy plant is too well known to need description; the		
	fered is guaranteed to produce the richest and most varied colours.	٥	в
1401	Folyanthus, Webb's new giant, ½ ft	ĭ	0
	POLYCOLYMNA, Nat. Ord. Compositæ.		
A	very pretty everlasting; useful for making winter bouquets. Succeeds in any soil.		
1402	Polycolymna Stuartii, white and yellow, 1½ ft., from Australia	0	3
	POLYGALA, Nat. Ord. Polygalaceæ.		
A	very handsome genus of greenhouse evergreen shrubs, which may be grown out of		
	n summer; thrive best in peat and loam.  Polygala bracteolata, red and green outside, inside of flower scarlet and purple, 3 ft.,		
	from Cape of Good Hope	0	6
1404 1405	, Dalmasiana, handsome, purple, 3 ft., from Cape of Good Hope	0	4 6
1406	grandiflora superba, purple, 3 ft	0	4
1407	superba, purple, 3 ft., from Cape of Good Hope	0	6
1408 1409	macrophylia, purple, with handsome foliage, 3 ft., from Nepaul	0	6
1410	" Pourtalesii, dark crimson, very fine, 3 ft	0	Ĝ
1411	" rosea superba, rose, 3 tt	0	6
	PONTEDERIA, Nat. Ord. Pontederaceæ.		
	handsome hardy aquatic, of easy culture; loamy soil at the bottom of a cistern or pond suitable to it.		
	Pontederia cordata, 1 ft., from N. America	1	0
	POPPY, Nat. Ord. Papaveraceæ.		
A	tribe of remarkably showy, free-flowering plants, producing a rich and effective display		
in large	e mixed borders, in shrubberies, or select plantations. Grow freely in any common soil.	0	0
1413 : 1414	Poppy, carnation, double, mixed, 2 ft, " French, double, mixed, 1 ft	0	2
1419	"French, double, mixed, 1 ft. """"""""""""""""""""""""""""""""""""	0	2
1416 1417	,, German, striped, double, 2 ft	0	2 2 2
1418	", ", white, 2 ft	0	
1419 1420	", fine mixed, 2 ft	0	2
1421	,, splendens, 2 ft.	0	2
1422 1423	, Pæony flowered, double, 2 ft	0	2
1 220	Ranunculus, double, 2 ft.	0	-22

	PORTULACA, Nat. Ord. Portulaceæ.	Per P	
TC.	· · · · · · · · · · · · · · · · · · ·	s.	d.
	or brilliant, beautiful, and delicate colours, this charming genus stands unrivalled, and er in baskets, small beds, edgings, or rockwork, its large splendid flowers, which are		
	ed in the greatest profusion, are extremely effective; succeeds best in light gravelly		
	r soil incorporated with lime rubbish.		
1424	Portulaca aurea striata (new), sulphur yellow, gold striped, 1 ft	0	4
1425	Blensonii (new), light scarlet, & ft.	0	4
1426	,, caryophylloides, rose, striped with deep carmine, 1 ft.	0	4
1427 1428	grandiflora, crimson purple, \(\frac{1}{2}\) ft., from Chili  lutea, yellow, \(\frac{1}{2}\) ft. from Chili	0	4
1429	", Thellusonii, crimson, ½ ft., from Mendoza	0	4
1430	, rosea, rose, ½ ft	0	4
1431	pallida, pale rose (new), very pretty, 4 ft	0	4
1432	"Thorburnii, orange, \(\frac{1}{2}\) ft. "splendid, mixed, \(\frac{1}{2}\) ft.	0	4
1433	" splendid, mixed, ½ ft	0	4
	POTENTILLA, Nat. Ord. Rosaceæ.		
A	splendid tribe of profuse-flowering, beautiful herbaceous plants, producing a fine effect		
	ed flower and shrubbery borders, and the dwarf varieties in rockwork; succeed in any		
	ich soil.		_
1434 1435	Potentilla aurea, golden, ½ ft., from the Alps	0	3
1436	matrosanguinea, crimson, 1½ ft., from Nepaul	0	3
1437	"Fintelmannii, dark red, shaded yellow, 1½ ft	0	6
1438	Hobowothiana, rose, 14 ft., from Nepaul	0	6
1439	insignis, vellow, orange centre, 11 ft.	0	3
1440	, Mackeyana, primrose, 2 ft. , McNabiana, orange and red, 2 ft.	0	3
1441 1442		0	3
1443	macrantha, white, 1½ ft., from Switzerland	0	6
1444	, Missourica, yellow, 1 ft., from N. America	0	4
1445	Plantii, yellow, 1 ft., from E. Indies	0	6
1446	" pulcherrima, pale yellow, 1 ft., from N. America	0	3
1447	" choice mixed, 1½ ft., various	0	3
	PRINCE'S FEATHER, Nat. Ord. Amarantaceæ.		
0	rnamental plants, with elegant plumes of rich coloured flowers; succeed in any rich soil,		
1448	Prince's Feather, crimson, 2 ft., from Virginia.	0	2
1449	,, large flowered, crimson, 2 ft., from Nepaul	0	3
	PRINULA, Nat. Ord. Primulaceæ.		
Α	charming profuse flowering plant, indispensable for winter and spring decoration; the		
seed w	e offer has been saved from flowers remarkable for their size, colour, and perfect form;		
they we	ere awarded a first-class medal; succeeds best in sandy loam and leaf mould.		
Ρ.	cortusoides is a pretty little hardy plant, suitable for rock-work, edgings, &c.		
1450	Primula sinensis fimbriata, mixed, ex, ex, ex, <sup>3</sup> / <sub>4</sub> ft.         """, alba, while, ex, ex, ex, <sup>3</sup> / <sub>4</sub> ft.         """, """, rosea, rose, ex, ex, ex, ex, <sup>3</sup> / <sub>4</sub> ft.         """, """, """, """, """, """, "", """, """, "	1	0
1451	,, alba, white, ex, ex, ex, 3 h	1	0
1452 1453	" roses, rose ex, ex, ex, dit.	1	0
1454	rubro, quite new, rich deep riolet rose, ex, ex, ex, <sup>3</sup> / <sub>4</sub> ft	1	0
1455	" cortusoides, rose lilac, hardy perennial, \$ ft., from Siberia	ō	6
T	PSIDIUM, OR GUAVA, Nat. Ord. Alyrtaceae.  his species is exceedingly ornamental, the rich coloured delicious fruit contrasting finely		
with it	s beautiful camellia-like foliage; thrives best in peat and loam. Half hardy shrubs.		
1456	Psidium aromaticum, bluish white, flavour of the pine apple, 10 ft., from S. America	0	6
1457	" Cattleyanum, white, strawberry flavour, 10 ft., from S. America	0	6
1458	" pyriferum, white, 10 ft., from W. Indies	0	G
	PSORALEA, Nat. Ord. Leguminosæ.		
Λ	handsome greenhouse shrub, with showy flowers; succeeds best in loam and peat.		
1459	Psoralea spicata, white and blue, 10 ft., from Cape of Good Hope	0	6
1460	strobulina, brown, 6 ft., from Cape of Good Hope	0	6
PUNICA, Nat. Ord. Myrtacee.			
profis	ertainly amongst the handsomest of shrubs; under the shelter of a south wall, they flower ely throughout the summer; succeed best in strong rich loam.		
1461	Punica flavum, yellow, 3 ft., from S. Europe	0	4
1462	granatum nanum, waxy scarlet, ½ ft., from S. Europe	0	6
	PYRETHRUM, Nat. Ord. Compositæ.		
11	andsome, free-flowering, highly ornamental plants, producing a fine effect in the mixed		
flower	and shrubbery borders; succeed in any rich soil. Hardy perennials.		
	7		





			_
	PYRETHRUM—continued.	Per F	kt.
	m Brilliant, mixed, 3 ft	0	6
1464 " 1465 "	carneum, flesh colour, 3 ft., from Barbary	0	6
1466 ,,	Delhayi, 3 ft. abant, 3 ft. Parthenium, ft. pl., 1½ ft.	1	0
1467 ,,	Parthenium, fl. pl., 1½ ft	0	3
1468 "	finest mixed	0	6
	RAPHIOLEPIS, Nat. Ord. Pomaceæ.		
Hawthorn; grov	greenhouse evergreen shrubs, with white flowers, sometimes called the Indian v freely in a mixture of sandy peat and loam.		
1469 Raphioley	pis Indica, white, 4 ft., from Indiasalicifolia (willow-leaved), white, 3 ft., from India	1	0
	RHAMNUS, Nat. Ord. Rhamnaceæ.		
common soil.	rub, valuable on account of its varied and beautiful foliage; grows in any The timber of R. Alaternus makes highly ornamental articles of furniture.		
	Alaternus, valuable evergreen, 10 ft., from S. Europe	0	3
1472 ,, 1473 ,,	Californicus, fine carmine fruit, 10 ft., from California	1	0
	RHODANTHE, Nat. Ord. Compositæ.		
servatory and floor ribboning, where the render it an obvaluable winter	c overlasting of great beauty, equally valuable for the decoration of the con- wer garden; its neat compact growth makes it a suitable plant for bedding ile its bright coloured flowers, elegant style of growth, and profuse blooming, ject of universal admiration; the flowers, if gathered when young, make bouquets. Succeeds best in a light rich soil and a warm sheltered situation.		
1474 Rhodanth	e Manglesii, bright rose, with silvery calyx, 1 ft., from Swan River	0	4
	RHODODENDRON, Nat. Ord. Ericaceæ.		
A well kno	wn and magnificent genus of free-flowering evergreen shrubs; should occupy		
	ce in every garden; thrives best in peaty soil.	,	0
1476	dron arboreum splendid mixed splendi	1	0
,,	RICINUS, Nat. Ord. Euphorbiaceæ.		
combined with shrubbery and a they form one of specimens on of form a new and and beautiful co	ent and highly ornamental genus; the picturesque foliage, and stately growth, brilliant coloured fruit of the GLANT varieties, impart to select plantations, nixed flower borders, quite an oriental aspect. In the gardens round Paris t the principal features of attraction, and if planted out and grown as single ur lawns and pleasure grounds, as an ornamental foliage plant, they would striking feature. The DWARF varieties are of a compact growth, with rich loured foliage, stems, and fruit; they are very effective, and particularly valuations, and exposed situations.		
1477 Ricinus	albidus (novus), white fruited, stems and leaves silvery, 6 ft., from Africa	0	4
1478 " I 1479 " I	Braziliensis, dark green fruit, magnificent, 6 ft., from Brazil  ucocarpus, white fruit, 6 ft., from Africa  vidus, green fruit, red stems, 6 ft. nacrocarpus, whitish foliage, 6 ft., from Africa	0	6
1479 ,, 1	ividus, green fruit, red stems, 6 ft.	0	6
481 ", r	nacrocarpus, whitish foliage, 6 ft., from Africa	0	- (
1482 ,, 1	norus superbus, mulberry coloured fruit, stems and foliage, 6 it	U	(
	Dermannii (sanguineus), red, beautiful scarlet fruit, splendid, 6 ft., from Africa surpureus major, purple, magnificent (new), 6 ft.		- 6
1485 ,, r	oseus, rose, very fine, 6 ft., from Africa	0	- (
1486 " s 1487 " s	pectabilis, dark green fruit, 6 ft., from Africa	0	- (
1488 ,, 1	ulphureus, yellow fruit and very handsome foliage, 6 ft	0	(
1489 , 7	iridis ruber, bright green fruit, red stems, 6 ft	0	(
	DWARF VARIETIES.		
	nanus aurantiacus ruber, fruit tinted yellow, 4 ft	0	6
1492	n niger, black fruit and yellow spines, 4 ft.	0	6
1493 ,,	,, sulphureus roseus, yellow fruit, shaded red, stems green, 4 ft.	0	(
1494 " 1495 "	", viridis, green fruit, stems red, 4 ft. ", pallidus, light green fruit and stems, 4 ft.	0	6
	" spinosus, green spiny fruit, magnificent, 4 ft	0	6
1496 "	RIVINA, Nat. Ord. Phytolaceæ.		
1496 "			
A greenho	use evergreen shrub, exceedingly ornamental when fruiting. The berries of		
this genus form	the principal portion of the food of the American nightingale. Grows freely		
A greenho this genus form in any light soil 1497 Rivina h	the principal portion of the food of the American nightingale. Grows freely	1 1	

		-
ROCKET, Nat. Ord. Brassiceæ.	Per I	Pkt.
Very pleasing early spring flowering profuse blooming plants, with deliciously fragrant		
flowers; grow freely in any soil.  1499 Rucket, sweet, purple, 1\frac{1}{2} ft., from Europe	0	2
1500 , white, 1 to from Europe	0	2
1501 " " mixed, 1½ ft., from Europe	0	2
ROMERIA, Nat. Ord. Papaveraceæ.		
A dwarf showy free-flowering plant, very effective in beds or mixed borders; succeeds in		
any common soil.  1502 Romeria hybrida, deep mauve, 1 ft., from S. Europe	0	3
ROSE, Nat. Ord. Rosaceæ.	U	U
Seed from the following well known classes has been saved for us in the sunny climate of		
Italy by our "Sanniaran Correspondent" and from variation of the highest marit therefore		
cannot fail to afford the amateur the greatest satisfaction. We may remark that the culture of the		
Rose from seed is very simple, generally rewarding the amateur with flowers the first or second year; such flowers as give promise of superior merit, if budded on strong standards, will soon		
develope their true character,		
1503 Rose Bengal, from the choicest varieties	1	0
1504 , Bourbon, from the choicest varieties	1	0
1506 Etendard de Marengo, crimson cupped	1	0
1507 ", ", General Jacqueminot, velvety crimson scarlet	1	0
1509 " " Lord Magish, deep crimson	1	0
1510 ,, moss, various	1	0
1511 , Noisette, various	1	0
1513 ,, choice mixed, various	î	0
ROSE CAMPION, Nat. Ord. Caryophyllaceæ.		
Exceedingly handsome showy free-flowering plants, strikingly effective in mixed or shrub-		
bery borders; succeed in any garden soil.		
1514 Rose campion, rose, 1½ ft., from Italy  1515 , white, with rose centre, 1½ ft., from Italy	0	2
	U	2
RUDBECKIA, Nat. Ord. Compositæ. / Handsome ornamental border plants of a very showy character, flowers having a protrud-		
ing or acorn-like disc; suitable for mixed borders; succeed in any common garden soil.		
1516 Rudbeckia amplexicaulis, yellow, long black acorn-like disc, 21 ft., from N. America	0	4
1516 Rudbeckia amplexicaulis, yellow, long black acorn-like disc, 2\frac{1}{2} ft., from N. America 1517 "fulgida, yellow, 2\frac{1}{2} ft., from North America 1518 "Newmannii, yellow, 2\frac{1}{2} ft., from N. America	0	6
	0	
SABBATIA, Nat. Ord. Gentianaceæ.  A remarkably beautiful, flowering, neat, low growing plant, very effective and exceedingly		
useful for small beds, edgings, or pot culture; thrives best in a peaty soil.		
1519 Sabbatia campestris, rose and yellow, ½ ft., from Texas	0	6
SALPIGLOSSIS, Nat. Ord. Scrophulariaceæ.		
Highly ornamental and extremely useful Alstræmeria-like plants for autumn decoration; their curiously pencilled and marbled funnel-shaped flowers produce a fine effect in beds,		
their curiously pencilled and marbled funnel-shaped flowers produce a fine effect in beds, borders, edgings, and ribbons; they are of the easiest culture, succeeding in any light rich soil.		
Half hardy annuals.		
1520 Salpiglossis alba lutea 11 ft.	0	3
1521 , atrococcinea, dark scarlet, beautifully spotted, 1½ ft	0	3
1500	0	3
1524 ,, coccinea, scarlet, 1½ it	0	3
1525 , sulphurea, pale yellow, 1½ ft	0	3
1527 ,, dwarf, scarlet, 1 ft	0	3
	0	3
SALVIA, Nat. Ord. Labiatæ.		
Strikingly ornamental plants, for conservatory and out-door decoration, growing freely in any light rich soil, and producing a magnificent effect in beds, ribbons, or edgings, where		
their beautiful spikes of scarlet bloom are produced in the greatest profusion. Half hardy		
annuals.	0	
1529 Salvia coccinea, 1 ft., from S. America	0	6
1531 ", splendens, 1 ft., from S. America	0	6





	Per I	Pkt.
SALVIA—continued.	8.	d.
1532 Salvia coccinea, splendens, excelsa, scarlet, handsome, 1 ft	0	6
1534 ", Rœmeriana, scarlet, beautiful, 1 ft., from S. America	0	4
The varieties of the following section of Salvias are remarkable for their handsome spikes		
of rich coloured flowers and decorative qualities for the conservatory and autumn flower gar-		
den; S. argentea has a beautiful silvery foliage. Half-hardy perennials.  1535 Salvia amabilis, lavender blue, 2 ft., from S. America	0	4
1536 salvia amaonis, tabender due, 2 lt., from S. America	0	4
1537 , aurea, yellow, 2 ft., from Cape of G. Hope	0	6
1538 , azurea, blue, 2 ft., from Cape of G. Hope	0	4
1539 ", bicolor, blue and white, 3 ft. from S. America cardinalis, scarlet, 3 ft., from S. America	ő	6
1541 Lilleans large white and blue 2 ft	0	6
1542 ", patens, splendid, deep blue, 3 ft., from Mexico	1	0
1542     "     patens, splendiid, deep blue, 3 ft., from Mexico       1543     "     pendula, light blue, 3 ft.       1544     "     splendens, bright scarlet, 2 ft.	Ô	6
SANVITALIA, Nat. Ord. Compositæ.		
Pretty, dwarf-growing, free-flowering plants, suitable for small beds, rockwork, or edgings.		
continuing in bloom during the summer and autumn months; thriving best in a light rich soil.		0,
1545 Sanvitalia procumbens, rich brown and yellow, hardy annual, ½ ft., from Mexico	0 1	0
SAPONARIA, Nat. Ord. Caryophyllaceæ.		
Of these charming little plants it is impossible to speak too highly; they carpet the ground		
with their pretty little star-shaped flowers during the summer and autumn months; for edgings they are unequalled, bearing cutting back if necessary for a late autumn bloom; in		
beds they produce a fine effect, while in ribbons, the pink, rose, and white make a striking		
combination.		
1547 Saponaria calabrica, rich deep pink, ½ ft., from Calabria	0	4 G
1549 ,, rosea (new), very pretty, ½ ft	1	0
1549 ", ", alba, very pretty, ½ ft	0	4
SATUREJA, Nat. Ord. Labiatæ.		
A pretty sweet-scented little plant, growing freely in any light soil.		
1551 Satureja Thymbra alba, white, 6 inches	. 1	0
SCABIOSA, Nat. Ord. Dipsaceæ.		
A showy class of free-flowering border plants, producing a fine effect in shrubberies or mixed borders and in select plantations; if sown in spring, they produce a fine autumn display,		
and sown in autumn, bloom during the early summer months; succeed in any common soil.	0	3
1552 Scabiosa, new dwarf, scarlet, 1½ ft.,	0	3
1554 ", German, carmine, 2 ft	0	3
1555 ,, purple, 2 ft	0	3
1552       Scabiosa, new dwarf, scarlet, 1½ ft.         1553       , fine mixed, ½ ft.         1554       , German, carmine, 2 ft.         1555       , purple, 2 ft.         1556       , purple, 2 ft.         1557       , fine mixed, 2 ft.	0	3
SCHINUS, Nat. Ord. Anacardiaceæ.		
An elegant, ornamental, and highly fragrant greenhouse shrub, with beautiful bunches of		
waxy, currant-like fruit; the plant forms a desirable drawing-room ornament, and is easily cultivated; seeds sown in spring make handsome autumn plants; it succeeds out of doors in		
summer.		
1558 Schinus molle (Pepper Shrub), 6 ft., from Peru	0	3
SCHIZANTHUS, Nat. Ord. Scrophulariacea.		
A genus of extremely beautiful and strikingly effective plants if well grown, combining with elegance of growth a rich profusion of beautiful flowers. For beds or mixed borders all		
the varieties are beautiful, but for single specimens, either for conservatory decoration or the		
centre of beds and vases, S. Carneus, Grahami, Retusus, and retusus albus, are the most important, producing in such situations, for winter and spring in-door decoration, a splendid		
effect; succeed best in a rich free soil.		
1559 Schizanthus carneus, flesh coloured, 2 ft., from Chili	0	3
1560 , Grahamii, red and orange, 2 ft., from Chili	0	3
1562 , albus, white and yellow, 2 ft., from Chili	0	3
1563 ,, gracilis lilacinus, delicate lilac, blotched and spotted purple, 1 ft., from Chili	0	4
1564 ,, humilis, lilac, white, and yellow spotted crimson, \(\frac{3}{4}\) ft., from Valparaiso obtusifolius, lilac, white, and yellow, crimson spots, 1 ft., from Valparaiso	0	2
,, obsustionus, maie, white, and yeards, crimson spots, 1 it., from valparaiso	U	2

				_
ı	SCHIZANTHUS—continued.   Per Pkt. s. d.			
	1566	Schizanthus oculatus grandiflorus (new), various shades, centre blue, 1 ft., from Valparaiso	0	4
	1567 1568	", pinnatus, purple, white, and yellow, spotted crimson, 1 ft., from Chili ", Priestii, white, lilac, and primrose, purple spotted, 1 ft., from Chili	0	2 2
		SCHIZOPETALON, Nat. Ord. Cruciferæ.		
	day a	An interesting little plant, with prettily fringed flowers, emitting, in the after-part of the and evening, a delicious perfume; should be grown in masses in mixed flower and bery borders; succeeds best in rich loamy soil.		
	1569	Schizopetalon Walkerii, white, ½ ft., from Chili	0	3
		SCILLA, Nat. Ord. Liliaceæ.		
	beds, light:	Λ charming little hardy bulb, with very pretty showy flowers; exceedingly useful for edgings, or for in-door decoration; will flower the second year, and thrives best in a soil.		
	1570 1571 1572 1573 1574	Seilla cernua, pink, 1 ft., from Spain  Imperatrice Engeine, splendid porcelain blue, an exquisite winter flower, 6 inches maritima, blue, 1 ft., from Spain  Peruvinaa, bright blue, 1 ft., from Peru  , alba, white, 1 ft., from Peru	0 0 0	6 6 6
		SEDUM (Stonecross), Nat. Ord. Crassulaceæ.		
	or rus	A useful and exceedingly interesting genus of pretty little plants, growing freely on rock stic-work, also on ornamental mounds, old walls, &c., where, during summer, they id their brilliant star-shaped flowers in the greatest profusion.		
	1575 1576 1577	Sedum ceruleum, blue, $\frac{1}{2}$ ft., from Africa  " Kamtschatkense, orange, $\frac{1}{2}$ ft., from Kamtschatka.  " rupestre, tohite, $\frac{1}{2}$ ft., from N. America	0 0	3 3
	6	SIDA, Nat. Ord. Malvaceæ.		
		fandsome, free-flowering, easily cultivated greenhouse plants; succeed well in any rich		
	soil.	Side enquestifelia sullan A & from Powers	0	3
	1579	Sida angustifolia, yellow, 4 ft., from Bourbon	0	6
	1580 1581	" Behriana, 4 ft., from India " graveolens, yellow, 4 ft., from E. Indies	0	4
	1582	"Indica, yellow, centre dark red, 4 ft. from India. "mollis, yellow, showy, 4 ft., from Peru	0	3
		SILENE, OR CATCHFLY, Nat. Ord. Caryophyllaceæ.		
	A	A beautiful genus of free-flowering plants, with bright rich-coloured flowers, producing a		
	very f	ine effect in beds, borders, and ribbons, Hardy annuals.		
	1583 1584	Silene alpestris, rosy pink, rockwork, ¼ ft., from M. Carmel, atro-rosea, dark rose, 2 ft., from M. Carmel	0	6
	1585	pendula, bright pink, & ft., from Sicily	0	
	1586 1587	alba, pure white, ½ ft.	0	2 2 3 3 2
	1588	pseuto-atocion, rosp pink, centre unite; 1 tt., from the Levant pregia, crimson, 1 ft., from N. America prubella, bright red, ½ ft., from Portugal alba, pure uchite; ½ ft., Schafta, pink lilae, ½ ft., from Russia	0	3
	1589	" rubella, bright red, ½ ft., from Portugal	0	2
	1590 1591	,, alba, pure white, it	0	2
		SIPHOCAMPYLUS, Nat. Ord. Lobeliaceæ.		
	1	A beautiful free-flowering greenhouse perennial, with handsome tubular flowers.		
		Siphocampylus betulæfolius, 3 ft., from Brazil	0	6
		SISYRINCHIUM, Nat. Ord. Iridaceæ.		
	Į.	A genus of very pretty free-flowering bulbous plants, growing freely in any light soil.		
	1593		0	6
	1594	reticulatum, blue, \$ ft., from Cumana	0	6
		SOLANUM, Nat. Ord. Solanaceæ.		
	amon	A magnificent genus of the most beautiful ornamental fruit-bearing plants, some of them		
	and S	gst the most interesting of greenhouse shrubs; S. cabiliense argenteum, S. capsicastrum, S. laciniatum elegans, are extremely beautiful and easily cultivated; others are the most		
	valua	ble of ornamental climbers (see Climbers), while the Egg Plant (see Egg Plant), and		
	Aube:	rgine (see Aubergine), are also included in this family.	1	6
	1596	Solanum Amazonicum atropurpureum, rich purple violet, 2 ft., from Mexico	1	6
	1597	auriculatum, violet, 4 ft., from Madagascar, 3 ft.	0	4
	1598 1599	, Balbisi, white fruit, fine vermilion colour, 4 ft., from S. America	0	3 4
	1600	cabiliense argenteum, 4 ft., from S. America	0	9





1601	SOLANUM—continued.	er I	kt
	Solanum capsicastrum (miniature orange tree), 1½ ft., from Persia	0	4
602	citrullifolium, purple, 4 ft., from S. America	0	4
604	", giganteum, superb plant with scarlet berries, 5 ft., from Cape of Good Hope .	0	(
605	", 610, fine scarlet fruit, the size of a large cherry, magnificent variety, 2 ft., heteroganum, large black fruited, 1½ ft., from E. Indies.  Jacquinii (new), yellon, 1½ ft., from E. Indies.	0	4
606	Jacquinii (new), yellow, 1½ ft., from E. Indies	0	4
607 608	japonicum, 1½ ft., from E. Indies	0	í
609	, laurifolium, white, 1½ ft., from S. America	1	-
610	"marginatum, purple with white border, 2 ft. "pseudo-capsicum, orange, scarlet berries, 2 ft., from N. Holland	1	B
311 312	pseudo-capsicum, orange, scarlet berries, 2 ft., from N. Holland	0	4
613	, pyracanthum, purple, 2 ft., from N. Holland	0	
314	", Sodomæum, violet, 1½ ft., from Africa ", species nova, blue, 1½ ft., from Guadaloupe. ", superb large violet fruited (egg plant), 1½ ft., from Guadaloupe	0	-
615 616	,, superb large violet fruited (egg plant), 11 ft., from Guadaloupe	0	
617	", texanum, waxy scarlet fruit of great beauty, 2 ft., from Texas	0	
	SOPHORA, Nat. Ord. Leguminosæ.		
oliag	An exceedingly handsome hardy tree, with extremely elegant and graceful pendulous ze, especially adapted for prominent positions on lawns, or in pleasure grounds, where it		
	very striking effect.	0	
010	Sophora Japonica, cream coloured, 20 ft., from Japan	0	
	A genus of very pretty little Cape bulbs, suited either for pot culture, or for warm situa-		
ons	out of doors; succeed best in a light sandy soil.		
319	Sparaxis grandiflora, 1 ft., from Cape of Good Hope	0	
	SPARTIUM, Nat. Ord. Leguminosæ.		
	Exceedingly ornamental, free-flowering shrubs, producing a striking effect in shrubbery ers. Hardy shrubs.		
320		0	
321		0	
322	ilinifolium, yellow, 3 ft., from Barbaryradiatum, 4 ft., from S. Europe	0	
	SPARMANNIA, Nat. Ord. Tiliaceæ.		
	A beautiful early flowering greenhouse shrub, extremely decorative in its appearance,		
	eds best in peat and loam.		
323	Sparmannia Africana, white, 10 ft., from C. of Good Hope	0	
	SPHERALCEA, Nat. Ord. Malvaceæ.		
	An ornamental greenhouse shrub, of a very handsome character, thrives in rich soil.		
24	Sphæralcea umbellata, violet, 3 ft., from Mexico	1	
	SPERGULA, Nat. Ord. Caryophyllaceæ.		
1	Extremely neat moss-like plants, of a beautiful lively green, largely used as a substitute		
r gr	cass on lawns, which they quickly cover, and require no further attention than rolling and ng free from weeds; are found to thrive best on a stiff soil.		
		0	
160	Spergula pilifera, ½ ft., from Corsica	0	
	SPHENOGYNE, Nat. Ord. Compositæ.		
	A very showy free flowering plant, very effective for beds, mixed borders, edgings, or		
hha		0	
bbo		_	
bbo			
bbo 3 <b>26</b>	SPRAGUEA, Nat. Ord. Portulaceæ.		
bbo <b>326</b>	A charming plant, resembling the Calandrinia, with Amaranthus-like flowers, extremely		
bbo 326	A charming plant, resembling the Calandrinia, with Amaranthus-like flowers, extremely ful and beautiful; very effective as an edging, and valuable for rockwork, delighting in loamy soil.		
bbo 626 race	A charming plant, resembling the Calandrinia, with Amaranthus-like flowers, extremely full and beautiful; very effective as an edging, and valuable for rockwork, delighting in loamy soil.	1	
bbo 626 race	A charming plant, resembling the Calandrinia, with Amaranthus-like flowers, extremely ful and beautiful; very effective as an edging, and valuable for rockwork, delighting in loamy soil.  Spraguea umbellata (new), white, shaded and spotted purple, \(\frac{3}{4}\) ft., from California	1	,
race rich	A charming plant, resembling the Calandrinia, with Amaranthus-like flowers, extremely full and beautiful; very effective as an edging, and valuable for rockwork, delighting in loamy soil.  Spraguea umbellata (new), white, shaded and spotted purple, \( \frac{3}{4} \) ft., from California  STACHYTARPHETA, Nat. Ord. Verbenaceæ.	1	
race rich 627	A charming plant, resembling the Calandrinia, with Amaranthus-like flowers, extremely ful and beautiful; very effective as an edging, and valuable for rockwork, delighting in loamy soil.  Spraguea umbellata (new), white, shaded and spotted purple, \(\frac{3}{4}\) ft., from California	1	
race rich 627	A charming plant, resembling the Calandrinia, with Amaranthus-like flowers, extremely full and beautiful; very effective as an edging, and valuable for rockwork, delighting in a loamy soil.  Spraguea umbellata (new), white, shaded and spotted purple, \(\frac{3}{4}\) ft., from California  STACHYTARPHETA, Nat. Ord. Verbenaceæ.  An exceedingly pretty little plant, growing freely in any light rich soil.  Stachytarpheta Arabica, rich violet, half-hardy annual, from Africa	1	
race rich 627	A charming plant, resembling the Calandrinia, with Amaranthus-like flowers, extremely ful and beautiful; very effective as an edging, and valuable for rockwork, delighting in a loamy soil.  Spraguea umbellata (new), white, shaded and spotted purple, \( \frac{3}{4} \) ft., from California  STACHYTARPHETA, Nat. Ord. Verbenaceæ.  An exceedingly pretty little plant, growing freely in any light rich soil.	1	(

servatory plants.


				STATICE—continued.	Per I	Pkt.
1629 1630 1631 1632 1633 1634 1635 1636 1637 1638 1639 1640 1641 1642	27 27 29 29 29 29 29 29 29 29 29 29 29 29 29	Caspica, formosa, formosa, Fortunii, frutescem Halfordii imbricate incana, pi macrophy pseudo-ai puberula sinuata, f Texana, j tormentill Welwitsc	pale b rose, white s, blue, h, blue, h, blue, h, blue ink, 1 ylla, u rmeria hybri purple pink, 1 hii, pi	p golden yellow, 1\frac{1}{1} ft., from the Levant.  lue, 2\text{R., from Caspian Sea}  very beautiful, 1\text{ft.}  and yellow, 1\frac{1}{1} ft., from China  1, 1\text{ft.}  1, 1\text{ft.}	0 0 0 0 0 0 1 1 1 0 0 0 0 0 0 0	6. 4 6 6 6 0 0 0 6 3 4 4 4 4
				plant, producing a striking effect in mixed or shrubbery borders;		
		n any gar tis specios		c, 2 ft., from California	0	3
				CENOCHILUS, Nat. Ord. Myaporaceæ.		
				ng greenhouse shrub, of a very gay appearance; thrives best in		
	peat an		nlatne	, scarlet, 3 ft., from N. Holland	1	0
1010	Беспосл	ALLEGO IIIACI	шасиз		1	0
7	The Stor	k Gilly A	ower	STOCKS, Nat. Ord. Cruciferæ. is one of the most popular, beautiful, and important of our		
garde either bloom grown quant indeed	n favour	ites; and iancy and veek Stoe 12 weeks soil and cteral spike y difficult	whatl	ner for bodding, massing, edging, or ribboning, it is unsurpassed sity of colour, or profusion and duration of bloom. It is the most universally cultivated, and usually being sown; they grow from 6 to 15 inches high, and when onally watered with weak guano water, throw out an immense bloom, so that each plant forms a perfect bouquet, and it would trpass the grand effect produced in beds or ribbons by these		
1646			dwarf	, 10-week, mixed from 16 splendid varieties, 14 ft	1	0
1647 1648	"	"	3°	crimson, 1¼ ftviolet, 1¼ ft	1	0
1649	23	22	22	rose, 14 ftsearlet, 14ft	1	0
1650 1651	2)	29	22	White 11 ft	1	0
1652 1653	29	29	29	large flowered, mixed from 12 splendid varieties 14 ft Wallflower leaved, "12" 14 ft Tom Thumb (new), the most suitable for edging, mixed from 6	1	0
1654	99 99	22	"	Tom Thumb (new), the most suitable for edging, mixed from 6		
				splendid varieties, ½ it	1	0
perper growi they r summ Christ	tual rose ng eighte nake sple er flower mas. S	e, two or sen inches endid "A ring variet own in Ju	three s high. urum ties; a	r, sometimes called Perpetual Stocks, from their flowering like a times during the season; these are hybrids of the Brompton, and of robust and branching habit. Sown in March or April is FLOWERING STOCKS," and are invaluable as a succession to the and should the winter prove mild, they will continue blooming to July, they are in bloom the following June, and continue flower-datumm months.		
1655 1656				all or Emperor, mixed from 10 splendid varieties, 1½ ft	1	0
not fle	owering	the first	year ;	nt Cape, are generally called Winter Stocks, on account of their the former is robust and branching, the latter possesses the aed by some, viz., an immense pyramidal spike of bloom.		
1657		German, I	Bromp	ton, mixed from 10 splendid varieties, 2 ft	1	0
1658	"	,, (	Giant	Cape (Cocardean), mixed from 10 splendid varieties, 2½ ft  ENGLISH SAVED SEED.	1	0
1659	. 23	10-week, s	scarlet	. 14 ft	0	3
1660 1661	33	,, I	vurple, white.	14 ft	0	3
1662	33	,, 1	New g	iant scarlet, 2 ft.	0	6
1663 1664	33 33	" "	nixed,	iant scarlet, 2 ft.  purple, 2 ft.  fine, 2 ft.  Yrue Covent Garden variety), beautiful scarlet, 1st quality, 11 ft.	0	3
1665	" ]	Intermedia	ate (T	rue Covent Garden variety), beautiful scarlet, 1st quality, 11 ft.	1	0

mo sal



		_
STOCKS—continued.	Per P	kt. ď.
1666 Stock, Intermediate, 2nd quality, 1 tft	0	6
1667 , Brompton, scarlet, 2 ft. 1668 , purple, 2 ft.	0	3
1668 ", " purple, 2 ft	0	3
1669 ", ", white, 2 ft	0	3
STYRAX, Nat. Ord. Ebenaceæ.		
A handsome flowering hardy shrub, of a very ornamental and effective character for shrubberies, &c. succeeds in any light soil.		
1871 Styrax officinalis, white, 12 ft., from the Levant	0	4
		-
SULTAN, Nat. Ord. (Centaurea moschata) Compositæ.		
Sweet scented, profuse-flowering plants, very effective in mixed or shrubbery borders; they produce a very showy and striking effect; grow freely in rich soil. Hardy annuals.		
1672 Sultan, sweet, purple, 13 ft. from Persia	0	2
1673 white, 1\(\frac{1}{2}\) ft., from Persia	0	2
	ő	2
SUTHERLANDIA, Nat. Ord. Leguminosæ,		
An exceedingly beautiful little greenhouse shrub, with handsome Clianthus-like flowers; succeeds best in loam and peat.		
675 Sutherlandia Australis, brilliant red, large, 3 ft., from Australia	0	6
frutescens, scarlet, 3 ft., from C. of Good Hope	0	6
SWAINSONIA, Nat. Ord. Leguminosæ.		
A genus of very elegant and beautiful free-flowering plants, producing a very beautiful		
ffect grown against pillars, &c., in a greenhouse or conservatory; grow best in peat and loam		
677 Swainsonia alba, white, 4 ft., from N. S. Wales	0	4
677         Swainsonia alba, white, 4 ft., from N. S. Wales           ,         coronillatefolia, purple, 4 ft., from N. S. Wales           679         ,           ,         Greyana, superba, purple, 4 ft., from N. S. Wales	0	4
679 ,, Greyana, superba, purple, 4 ft., from N. S. Wales	0	6
680 ,, lessertiæfolia, shaded purple, magnificent, 3 ft., from N. Holland	0	6
681 , nova superba, 3 ft	0	- (
689 number of the same of the	0	4
684 ,, purpurea grandiflora, purple and shaded, 4 ft	0	(
984 , purpure grandiform, purple and skaded, 4 ft. 985 , rose, rose purple, 4 ft. 986 , violated, which to the control of the	0	4
of the state of th	0	4
SWEET WILLIAM, Nat. Ord. Caryophyllaceæ.		
A well-known, free-flowering, popular favourite, producing a splendid effect in beds	,	
nixed flower and shrubbery borders; Hunt's auricula-flowered, produces immense heads of		
he richest and most beautiful coloured flowers, far surpassing in effect the handsomest of the perennial Phloxes. Hardy perennials.	•	
687 Sweet William, Hunt's magnificent auricula-flowered, choice mixed, 1 ft	1	(
688 choice mixed 1 ft	0	É
689 , mixed, double, 1 ft. 690 ,, dark (Dunnett's), 1 ft.	0	-
690 ,, dark (Dunnett's), 1 ft	0	6
691 " fine mixed, 1 ft	0	2
TAGETES, Nat. Ord. Compositæ.		
Elegant free-flowering plants, with pretty foliage, very effective in mixed borders; succeed		
pest in a light rich soil. Half-hardy annuals.		
692 Tagetes lucida, deep yellow, 1 ft., from S. America	0	- 6
, signata, orange, streaked with brown, 2 ft., from Peru	0	60.60
, tenuifolia, pretty miniature variety, 1 ft	0	
TEMPLETONIA, Nat Ord. Leguminosæ.		
Pretty interesting greenhouse evergreen shrubs, growing freely in a mixture of peat and		
oam, 1695 Templetonia glauca, scarlet with silvery foliage, 3 ft.	0	6
	0	- 6
	0	
THALIA, Nat. Ord. Marantaceæ.		
A curious and interesting aquatic plant, which should be planted in light rich soil, about	;	
wo feet beneath the surface of the water.	-	
697 Thalia dealbata, flower black and white, 3 ft., from S. Carolina	0	(
THUJA, Nat. Ord. Coniferæ.		
A splendid genus of hardy ornamental shrubs; the beautiful colour of their foliage		
combined with their symmetrical growth, render them desirable objects for lawns or shrub-		
beries; succeed in any garden soil.		
1698 Thuja articulata, 15 ft., from Barbary	0	(

THUJA—continued.   Per Pit.			—
TITHOUL, Nat. Ord. Compositæ.  A prentry greenhouse shrub with gar handsome flowers, grows freely in any soil.  TITIOU markably showy plant with large handsome flowers and shrubbery borders, artificial islands, or large reckeries; culture very simple, and saffactory from each glighting in a light loamy soil.  TITHOUL, Nat. Ord. Tropæolacæ.  A majestic plant for beds on large lawns, mixed flower and autumn months.  TRIBIOLE, Nat. Ord. Tropæolacæ.  A majestic plant for beds on large lawns, mixed flower and autumn months.  TRIBIOLE, Nat. Ord. Tropæolacæ.  A majestic plant for beds on large lawns, mixed flower and months.  TRIBIOLE, Nat. Ord. Tropæolacæ.  A majestic plant for beds on large lawns, mixed flower and shrubbery borders, which are produced in great abundange throughout the summan and months.  TRIPOLIUM, Nat. Ord. Tropæolacæ.  Trailing plants remarkable for the richness and profusion of their showy flowers, which are produced in great abundange throughout the summer and autumn months.  TRIPOLIUM, Nat. Ord. Compositæ.  A handsome and beautiful plant, product the summan and profusion of their showy flowers, which are produced in great abundange throughout the summer and autumn months.  TRIPOLIUM, Nat. Ord. Compositæ.  A handsome and beautiful plant, product the summer and autumn months.  TRIPOLIUM, Nat. Ord. Compositæ.  A handsome and beautiful plant, product the summer cand autumn months.  TREAL Trydæa Duchesse de Brabant, a store plant of great beauty.  2 6  TROPECHEM, Nat. Ord. Compositæ.  A handsome and beautiful plant producing its showy flowers in great profusion, and growing freely in any common soil. Hurdy perennial.  1718 Vendidum calendulaceum, dep orange, rich trown carder, 1 ft, from O. of G. Hope of the produce of mixed borders, thrives beat in tury loam. Halphardy annual.  1719 Vendidum calendulaceum, dep orange, rich frown carder, 1 ft, from O. of G. Hope of Sexport of the plant, is useful for ribbons, and forms a neat edging to shrubbery borders, grows freely in any soil. Hardy annual.  1720			d.
1702 grassfolia 0.0 g	1699 Thuja articulata macrocarpa, 15 ft., from Mount Atlas	. 0	6
1702 "crassifola" 0 6 1 1704 "glauca 0 9 1 1705   hybrida 0 0 9 1 1706   mana, 4 ft. 1 0 0 4 1706 "mana, 4 ft. 1 0 0 4 1707 "A logilauca 1 0 0 4 1708 "Tartiarica, from Tartary 0 0 4 1709 "Variegata auros, £1, from Nepaul 0 0 6 1710 "Warreana, from N. Seund 0 0 6 1710 "Warreana, from N. Seund 0 0 6 1710 "Warreana, from N. Seund 0 0 6 1711 Tithonia tagetifora, orange, 1 ft, from Vera Cruz 0 0 4 1712 Turnefortia heliotropioides, 3 ft, from Wera Cruz 0 0 4 1712 Turnefortia heliotropioides, 3 ft, from Beneos Ayres 0 0 4 1713 Trifolium artopurpureum, dark purple, hardy annual, 1 ft. 0 0 4 1714 Tritoma uvaria, bright orange-scarlet, 3 to 5 ft., from Cape of Good Hope. 0 6 1714 Tritoma uvaria, bright orange-scarlet, 3 to 5 ft., from Cape of Good Hope. 0 6 1715 Tropolum minus coerdeem, scarlet, statis 1 115 Tropolum minus	1700 ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,	. 0	
1704 glauca	1702 crassifolia	. 0	9
1706 hybrida	1703 filiformis	. 0	
1706 mana, 4 ft. 0 4 1708 mara, 4 ft. 1707 Nepalenis, 15 ft., from Nepaul 0 4 1708 maratica, from Tartary 0 4 1708 maratica, from Tartary 0 6 1710 maratica, from Tartary 0 6 1710 maratica, from Tartary 0 6 1710 maratica, from Nepaul 0 6 1711 maratica, from Nera Cruz 0 6 1711 Tithonia tagetiflora, orange, 1 ft., from Vera Cruz 0 4 1712 Tournefortia heliotropioides, 3 ft., from Buenos Ayres 0 4 1712 Tournefortia heliotropioides, 3 ft., from Buenos Ayres 0 4 1713 Trifolium atropurpureum, dark purple, hardy annual, 1 ft. 0 4 1713 Trifolium atropurpureum, dark purple, hardy annual, 1 ft. 0 4 1714 Tritoma purple, hardy annual, 1 ft. 0 4 1715 Trigolium atropurpureum, dark purple, hardy annual, 1 ft. 0 4 1714 Tritoma uvaria, bright orange-scarlet, 3 to 5 ft., from Cape of Good Hope. 0 6 1714 Tritoma uvaria, bright orange-scarlet, 3 to 5 ft., from Cape of Good Hope. 0 6 1715 Tropesolum minus coecinemin, scarlet, settles 1 ft. from Cape of Good Hope. 0 6 1716 maratical plants remarkable for the richness and profusion of their showy flowers, which are produced in great abundange throughout the summer and autumn months. 1715 Tropesolum minus coecinemin, scarlet, settles 1 ft. from Cape of Good Hope. 0 6 1716 maratical plants remarkable for the richness and profusion of their showy flowers, which are produced in great abundange throughout the summer and autumn months. 1715 Tropesolum minus coecinemin, scarlet, settles 1 ft. from Cape spotted sellace, trailer 1 ft. from Cape spotted sellace, trailer 1 ft. ft. from Cape spotted sellace, trailer 1 ft.	1705 lyshvida	0	
A pretty greenhouse shrub with gay marigold-like flowers, thrives best in light rich soil.  1711 Tithonia tagetifora, orange, 1 ft., from Vera Cruz	1706 , nana, 4 ft	. 0	4
A pretty greenhouse shrub with gay marigold-like flowers, thrives best in light rich soil.  1711 Tithonia tagetifora, orange, 1 ft., from Vera Cruz	1707 ,, Nepalensis, 15 ft., from Nepaul	. 0	
A pretty greenhouse shrub with gay marigold-like flowers, thrives best in light rich soil.  1711 Tithonia tagetifora, orange, 1 ft., from Vera Cruz	1709 , variegata aurea, 5 ft., from Nepaul	. 0	
A pretty greenhouse shrub with gay marigold-like flowers, thrives best in light rich soil.  1711 Tithonia tagetiflora, orange, 1 ft., from Vera Cruz		. 0	6
TOURNEFORTIA, Nat. Ord. Ehretiaceæ.  A splendid hot-house shrub, succeeds well in peat and loam.  1712 Tournefortia heliotropioides, 3 ft., from Buenos Ayres			
A splendid hot-house shrub, succeeds well in peat and loam.  1712 Tournefortia heliotropioides, 3 ft., from Buenos Ayres			4
A splendid hot-house shrub, succeeds well in peat and loam.  1712 Tournefortia heliotropioides, 3 ft., from Buenos Ayres			
TRIFOLIUM, Nat. Ord. Leguminosæ.  A remarkably showy plant with large handsome flowers; grows freely in any soil.  TRITOMA, Nat. Ord. Liliaceæ.  A majestic plant for beds on large lawns, mixed flower and shrubbery borders, artificial islands, or large rockeries; culture very simple, and satisfactory from seed; delighting in a light loamy soil.  TRITOMA, Nat. Ord. Liliaceæ.  A majestic plant for beds on large lawns, mixed flower and shrubbery borders, artificial islands, or large rockeries; culture very simple, and satisfactory from seed; delighting in a light loamy soil.  TRIPACOLUM, Nat. Ord. Tropæolaceæ.  Trailing plants remarkable for the richness and profusion of their showy flowers, which are produced in great abundange throughout the summer and autumn months.  TIDEA, Nat. Ord. Tropæolaceæ.  Tripacolum minus coccineum, searlet, trailing trailing plants remarkable for the richness and profusion of their showy flowers, which are produced in great abundange throughout the summer and autumn months.  TIDEA, Nat. Ord. Generacea.  1717 Tydæa Duchesse de Brabant, a stove plant of great beauty 2.6  LROSPERNIUM, Nat. Ord. Compositæ.  A handsome and beautiful plant, producing its showy flowers in great profusion, and growing freely in any common soil. Hardy perennial.  1718 Urospermum Dalechampi, yellow, 2 ft., from S. Europe			
A remarkably showy plant with large handsome flowers; grows freely in any soil.  1713 Trifolium atropurpureum, dark purple, hardy annual, 1 ft		. 0	4
TRITOMA, Nat. Ord. Liliaceæ.  A majestic plant for beds on large lawns, mixed flower and shrubbery borders, artificial islands, or large rockeries; culture very simple, and satisfactory from seed; delighting in a light loamy soil.  1714 Tritoma uvaria, bright orange-scarlet, 3 to 5 ft., from Cape of Good Hope	TRIFOLIUM, Nat. Ord. Leguminosæ.		
TRITOMA, Nat. Ord. Liliaceæ.  A majestic plant for beds on large lawns, mixed flower and shrubbery borders, artificial islands, or large rockeries; culture very simple, and satisfactory from seed; delighting in a light loamy soil.  1714 Tritema uvaria, bright orange-scarlet, 3 to 5 ft., from Cape of Good Hope	A remarkably showy plant with large handsome flowers; grows freely in any soil.		
A majestic plant for beds on large lawns, mixed flower and shrubbery borders, artificial islands, or large rockeries; culture very simple, and satisfactory from seed; delighting in a light loamy soil.  1714 Tritema uvaria, bright orange-scarlet, 3 to 5 ft., from Cape of Good Hope	1713 Trifolium atropurpureum, dark purple, hardy annual, 1 ft	. 0	4
islands, or large rockeries; culture very simple, and satisfactory from seed; delighting in a light loamy soil.  1714 Tritema uvaria, bright orange-scarlet, 3 to 5 ft., from Cape of Good Hope	TRITOMA, Nat. Ord. Liliaceæ.		
light loamy soil.  TROPEOLIM, Nat. Ord. Tropæolaceæ.  Trailing plants remarkable for the richness and profusion of their showy flowers, which are produced in great abundance throughout the summer and autumn months.  1715 Tropæolum minus coccinetim, Scarlet, endice.  1716 , trimaculatim, orange spotted yellow, besides, trimaculation, and greaten soil.  A handsome and beautiful plant, producing its showy flowers in great profusion, and growing freely in any soil. Handsome, between the shall plant and survey gray appearance in beds or mixed borders, grows well in any garden soil. Hardsy annual.  1720 Venus's Navelwort, white, besides, trimaculation, and forms a neat edging to shrubbery borders, &c. grows freely in any soil. Handsome, besides, trimaculation, and forms a neat edging to shrubbery borders, &c. grows freely in any soil. Hardsy annual.  1721 Venus's Navelwort, white, besides, trimaculation, and forms a neat edging to shrubbery borders, &c. grows freely in any soil. Handsy annual.  1722 Venus's Navelwort, white, besides, trimaculation, and forms a neat e	A majestic plant for beds on large lawns, mixed flower and shrubbery borders, artifici islands, or large rockeries; culture very simple, and satisfactory from seed; delighting in	al a	
TROPEOLUM, Nat. Ord. Tropæolaceæ.  Trailing plants remarkable for the richness and profusion of their showy flowers, which are produced in great abundance throughout the summer and antumn months.  1715 Tropæolum minus coccinema, scarlet, ratios	light loamy soil.		
Trailing plants remarkable for the richness and profusion of their showy flowers, which are produced in great abundange throughout the summer and autumn months.  1715 Tropeolum minus coccinerin, Scarlet, endices		. 0	6
are produced in great abundance throughout the summer and autumn months.  1716 Tropscolum minus cocchemin, scarlet, scales		,	
1716 Tropeedum minus coccinemin, scarlet, realise	are produced in great abundance throughout the summer and autumn months.	n	
TYDEA, Nat. Ord. Gesneracea.  1717 Tydæa Duchesse de Brabant, a stove plant of great beauty 2 6  LROSPERMUM, Nat. Ord. Compositæ.  A handsome and beautiful plant, producing its showy flowers in great profusion, and growing freely in any common soil. Hardy perennial.  1718 Urospermum Dalechampi, yellow. 2 ft., from S. Europe	1715 Tropæolum minus coccineum, scarlet, trade	. 0	4
1717 Tydæa Duchesse de Brabant, a stove plant of great beauty		. 0	3
A handsome and beautiful plant, producing its showy flowers in great profusion, and growing freely in any common soil. Hardy perennial.  1718 Urospermum Dalechampi, yellow, 2 ft., from S. Europe			
A handsome and beautiful plant, producing its showy flowers in great profusion, and growing freely in any common soil. Hardy perennial.  1718 Urospermum Dalechampi, yellow, 2 ft., from S. Europe	1717 Tydæa Duchesse de Brabant, a stove plant of great beauty	. 2	6
rowing freely in any common soil. Hardy perennial.  1718 Urospermum Dalechampi, yellow, 2 ft., from S. Europe			
Tribons, or edgings; grows well in any garden soil. Hardy annual.  A very pretty little plant (a self) in ribbons, and forms a neat edging to shrubbery borders, &c. grows freely in any soil. Hardy annual.  Yends Navelwort, white, \( \frac{1}{2}\) ft., from Portugal  Yene-Gowering pretty little plant of a nice habit of growth, especially adapted for beds, ribbons, or edgings; grows well in any garden soil. Hardy annual.  YENUS'S NAVELWORT, Nat. Ord. Boraginaceæ.  A very pretty little plant; useful for ribbons, and forms a neat edging to shrubbery borders, &c. grows freely in any soil. Hardy annual.  YENUS'S NAVELWORT, Nat. Ord. Boraginaceæ.  Showy, free-flowering plants, very effective in mixed flower and shrubbery borders, growing freely in any soil. Hardy perennials.  YERBASCIM, Nat. Ord. Scrophulariaceæ.  A charming genus of universally admired and ensily eultivated plants, simply requiring the treatment of half-hardy annuals to have them in bloom by July. Half-hardy perennials.  Ty24 Verbas a versicolor, various, 2 ft., trom Bonemia.  O 6 6 1725  " venosa, dwarf, free-bloomer, rich purple, trailer, from Baenos Ayres.  O 6 6 1725  " venosa, dwarf, free-bloomer, rich purple, trailer, from Baenos Ayres.  O 6 6 1725	A handsome and beautiful plant, producing its showy flowers in great profusion, ar	d	
An exceedingly showy plant with large handsome flowers, having a very gay appearance in beds or mixed borders; thrives best in turfy loam. Half-hardy annual.  1719 Venidium calendulaceum, deep orange, rich brown centre, 1 ft., from C. of G. Hope 0 3  VENUS'S LOOKING GLASS, Nat. Ord. Campanulaceæ.  A free-flowering pretty little plant of a nice habit of growth, especially adapted for beds, ribbons, or edgings; grows well in any garden soil. Hardy annual.  1720 Venus's Looking Glass, rich blue, handsome, 3 ft., from S. Farope 0 2  VENUS'S NAVELWORT, Nat. Ord. Boraginaceæ.  A very pretty little plant; useful for ribbons, and forms a neat edging to shrubbery borders, &c. grows freely in any soil. Hardy annual.  1721 Venus's Navelwort, white, \(\frac{1}{2}\) ft., from Portugal 0 2  VERBANCIM, Nat. Ord. Scrophulariaceæ.  Showy, free-flowering plants, very effective in mixed flower and shrubbery borders, growing freely in any soil. Hardy perennials.  1722 Verbaseum gnaphabioides, yellow, very handsome, 2 ft 0 4 1723 versicolor, various, 2 ft., from Bohemia 0 3  VERBENA, Nat. Ord. Verbenaceæ.  A charming genus of universally admired and easily cultivated plants, simply requiring the treatment of half-hardy annuals to have them in bloom by July. Half-hardy perennials.  1724 Verbena hybrida, choicest mixed, trailer 0 6 1725 "venosa, dwarf, free-bloomer, rich purple, trailer, from Buenos Ayres 0 6 1726 "venosa, dwarf, free-bloomer, rich purple, trailer, from Buenos Ayres 0 6	1718 Urospermum Dalechampi wellow 2 ft from S. Furone	0	Ŕ
An exceedingly showy plant with large handsome flowers, having a very gay appearance in beds or mixed borders; thrives best in turfy loam. Half-hardy annual, 1719 Venidium calendulaceum, deep orange, rich brown centre, 1 ft., from C. of G. Hope 0 3 VENUS'S LOOKING GLASS, Nat. Ord. Campanulaceæ.  A free-flowering pretty little plant of a nice habit of growth, especially adapted for beds, ribbons, or edgings; grows well in any garden soil. Hardy annual.  1720 Venus's Looking Glass, rich blue, handsome, \( \frac{1}{2}\) ft., from S. Europe 0 2 VENUS'S NAVELWORT, Nat. Ord. Boraginaceæ.  A very pretty little plant; useful for ribbons, and forms a neat edging to shrubbery borders, &c. grows freely in any soil. Hardy annual.  1721 Venus's Navelwort, white, \( \frac{1}{2}\) ft., from Portugal 0 2 VERBASCH, Nat. Ord. Scrophulariaceæ.  Showy, free-flowering plants, very effective in mixed flower and shrubbery borders, growing freely in any soil. Hardy perennials.  1722 Verbaseum gnaphabioides, yellow, very handsome, \( 2\) ft. from Bohemia 0 3 VERBENA, Nat. Ord. Verbenaceæ.  A charming genus of universally admired and easily cultivated plants, simply requiring the treatment of half-hardy annuals to have them in bloom by July. Half-hardy perennials. 1724 Verbena hybrida, choicest mixed, trailer 0 6 6 1725 , venosa, dwarf, free-bloomer, rich purple, trailer, from Buenos Ayres 0 6 6 1725 , venosa, dwarf, free-bloomer, rich purple, trailer, from Buenos Ayres 0 6 6 1726 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		. 0	V
VENUS'S LOOKING GLASS, Nat. Ord. Campanulaceæ.  A free-flowering pretty little plant of a nice habit of growth, especially adapted for beds, ribbons, or edgings; grows well in any garden soil. Hardy annual.  1720 Venus's Looking Glass, rich blue, handsome, j, ft., from S. Farrope	An exceedingly showy plant with large handsome flowers, having a very gay appearance	e	
XENUS'S LOOKING GLASS, Nat. Ord. Campanulaceæ.  A free-flowering pretty little plant of a nice habit of growth, especially adapted for beds, ribbons, or edgings; grows well in any garden soil. Hardy annual.  1720 Venus's Looking Glass, rich blue, handsome, \( \frac{1}{2}\) ft., from S. Europe.  O 2  VENUS'S NAVELWORT, Nat. Ord. Boraginaceæ.  A very pretty little plant; useful for ribbons, and forms a neat edging to shrubbery borders, &c. grows freely in any soil. Hardy annual.  1721 Venus's Navelwort, white, \( \frac{1}{2}\) ft., from Portugal  O 2  VERBANCUM, Nat. Ord. Scrophulariaceæ.  Showy, free-flowering plants, very effective in mixed flower and shrubbery borders, growing freely in any soil. Hardy perennials.  1722 Verbaseum gnaphabides, yellow, very handsome, 2 ft.  O 4  1723 versicolor, various, 2 ft., from Bohemia.  A charming genus of universally admired and easily cultivated plants, simply requiring the treatment of half-hardy annuals to have them in bloom by July. Half-hardy perennials.  1724 Verbena hybrida, choicest mixed, trailer  Venuss, dwarf, free-bloomer, rich purple, trailer, from Buenos Ayres  O 6  1725 , venosa, dwarf, free-bloomer, rich purple, trailer, from Buenos Ayres  O 6	in beds or mixed borders; thrives best in turfy loam. Half-hardy annual.		
A free-flowering pretty little plant of a nice habit of growth, especially adapted for beds, ribbons, or edgings; grows well in any garden soil. Hardy annual.  1720 Venus's Looking Glass, rich blue, handsome, } ft., from S. Europe		. 0	3
ribbons, or edgings; grows well in any garden soil. Hardy annual.  1720 Venus's Looking Glass, rich blue, handsome, \(\frac{1}{2}\) ft., from S. Europe			
1720 Venus's Looking Glass, rich blue, handsome, § ft., from S. Europe	ribbons, or edgings; grows well in any garden soil, Hardy annual,	89	
A very pretty little plant; useful for ribbons, and forms a neat edging to shrubbery borders, &c. grows freely in any soil. Hardy annual.  1721 Venus's Navelwort, white, ½ ft., from Portugal.  VERBASCUM, Nat. Ord. Scrophulariaceæ.  Showy, free-flowering plants, very effective in mixed flower and shrubbery borders, growing freely in any soil. Hardy perennials.  1722 Verbascum gnaphaloides, yellow, very handsome, 2 ft	1720 Venus's Looking Glass, rich blue, handsome, \(\frac{1}{2}\) ft., from S. Europe	. 0	2
A very pretty little plant; useful for ribbons, and forms a neat edging to shrubbery borders, &c. grows freely in any soil. Hardy annual.  1721 Venus's Navelwort, white, ½ ft., from Portugal.  VERBASCUM, Nat. Ord. Scrophulariaceæ.  Showy, free-flowering plants, very effective in mixed flower and shrubbery borders, growing freely in any soil. Hardy perennials.  1722 Verbascum gnaphaloides, yellow, very handsome, 2 ft	VENUS'S NAVELWORT, Nat. Ord. Boraginaceæ.		
1721 Venus's Navelwort, white, \( \frac{1}{2} \) ft., from Portugal 0 2  VERBANCIM, Nat. Ord. Scrophulariaceæ.  Showy, free-flowering plants, very effective in mixed flower and shrubbery borders, growing freely in any soil. Hardy perennials.  1722 Verbaseum gnaphaloides, yellow, very handsome, 2 ft. 0 4 1723 verbaseum gnaphaloides, yellow, very handsome, 2 ft. 0 3  VERBENA, Nat. Ord. Verbenacææ.  A charming genus of universally admired and easily eultivated plants, simply requiring the treatment of half-hardy annuals to have them in bloom by July. Half-hardy perennials.  1724 Verbena hybrida, choicest mixed, trailer 0 6 1725 venosa, dwarf, free-bloomer, rich purple, trailer, from Buenos Ayres 0 6 1726 venosa, dwarf, free-bloomer, rich purple, trailer, from Buenos Ayres 0 6	A very pretty little plant; useful for ribbons, and forms a neat edging to shrubber	У	
Showy, free-flowering plants, very effective in mixed flower and shrubbery borders, growing freely in any soil. Hardy perennials.  1722 Verbaseum gnaphaloides, yellow, very handsome, 2 ft. 0 4 1723 versicolor, various, 2 ft., from Bohemia 0 3  VERBENA, Nat. Ord. Verbenaceæ.  A charming genus of universally admired and easily cultivated plants, simply requiring the treatment of half-hardy annuals to have them in bloom by July. Half-hardy perennials.  1724 Verbena hybrida, choicest mixed, trailer 0 6 1725 yenosa, dwarf, free-bloomer, rich purple, trailer, from Buenos Ayres 0 6		. 0	2
Showy, free-flowering plants, very effective in mixed flower and shrubbery borders, growing freely in any soil. Hardy perennials.  1722 Verbaseum gnaphaloides, yellow, very handsome, 2 ft. 0 4 1723 versicolor, various, 2 ft., from Bohemia. 0 3  VERBENA, Nat. Ord. Verbenaceæ.  A charming genus of universally admired and easily cultivated plants, simply requiring the treatment of half-hardy ammuals to have them in bloom by July. Half-hardy perennials.  1724 Verbena hybrida, choicest mixed, trailer . 0 6 1725 , venosa, dwarf, free-bloomer, rich purple, trailer, from Buenos Ayres 0 6			
1722   Verbaseum gnaphaloides, yellow, very handsome, 2 ft.   0 4 1723   versicolor, various, 2 ft., from Bohemia.   0 3     VERBENA, Nat. Ord. Verbenaceæ.   0 3     VERBENA, Nat. Ord. Verbenaceæ.   A charming genus of universally admired and easily cultivated plants, simply requiring the treatment of half-hardy ammuals to have them in bloom by July.   Half-hardy perennials.   1724   Verbena hybrida, choicest mixed, trailer .   0 6 6 1725   venosa, dwarf, free-bloomer, rich purple, trailer, from Buenos Ayres   0 6 6 1726   0 6 18   0 6	. Showy, free-flowering plants, very effective in mixed flower and shrubbery border	3,	
versicolor, various, 2 ft., from Bohemia. 0 3  VERBENA, Nat. Ord. Verbenaceæ.  A charming genus of universally admired and easily cultivated plants, simply requiring the treatment of half-hardy ammuals to have them in bloom by July. Half-hardy perennials. 1724 Verbena hybrida, choicest mixed, trailer . 0 6 1725 , venosa, dwarf, free-bloomer, rich purple, trailer, from Buenos Ayres . 0 6	growing freely in any soil. Hardy perennials.		
VERBENA, Nat. Ord. Verbenaceæ.  A charming genus of universally admired and ensity cultivated plants, simply requiring the treatment of half-hardy annuals to have them in bloom by July. Half-hardy perennials.  1724 Verbena hybrida, choicest mixed, trailer	1722 Verbaseum gnaphaloides, yellow, very handsome, 2 ft	. 0	3
A charming genus of universally admired and easily cultivated plants, simply requiring the treatment of half-hardy annuals to have them in bloom by July. Half-hardy perennials.  1724 Verbena hybrida, choicest mixed, trailer			
the treatment of half-hardy annuals to have them in bloom by July. Half-hardy perennids.  1724 Verbena hybrida, choicest mixed, trailer		œ	
1725 , venosa, dwarf, free-bloomer, rich purple, trailer, from Buenos Ayres 0 6	the treatment of half-hardy annuals to have them in bloom by July. Half-hardy perennials		
	1724 Verbena hybrida, choicest mixed, trailer		
)) A Thirties Maintaine, white and the world, striped, the control of the control		. 0	
	3) A THEOGO MADE HAITO, WHITE WHO WE COME TO THE PARTY T		







ZINNIA ELEGANS FLORE PLENO,
(BARR & SUGDEN'S VAR.), AS GROWN BY OUR "SARDINIAN CORRESPONDENT."









			_
VERBENA—continued.		r P)	kt.
1727 Verbena Drummondii. Iilac, dwarf compact free-bedder, trailer, from Texas		0 0 0	6 4 4
730 , veronicæfolia, deep rose, trailer, from Buenos Ayres	• • • • •	0	4
A very handsome herbaceous plant, suited for the back of mixed borders, succeedight rich soil. Hardy perennial.			^
1731 Vernonia neveloracensis, rose purple, flowering in bunches, 6 ft., from N. America	1	1	U
VERONICA, Nat. Ord. Scrophulariaceèe.  A genus of the most beautiful and showy evergreen shrubs, producing their han spikes of flowers in the greatest profusion, which in some cases, as V. Andersonii, grachange from deep purple to pure white. The splendid effect these plants produce, are sease with which they may be grown, render them invaluable either for conservatory or w decoration, or for any prominent position out of doos, where, with a dry sub-soil and som sheltered situation, they will generally stand the winter uninjured.	d the		
1732 Veronica Devoniana, red and white, half-hardy shrub, 2½ ft		0 0	6 6 9
purpurea grandiflora, half-hardy shrub, 2½ ft		0 0 1	6 6 0
1739 "Syriaca, bright blue, 4 ft., hardy annual, from Syria, sown in autumn and the following variety make beautiful early spring flowering plants."	nts	0,1	44
1740 ", alba, white, hardy annual, ½ ft		0	3
Exceedingly curious plants with leafless stems, which very much resemble a bun- ings, these are covered with handsome flowers, giving the plant a very striking and re- table appearance. Greenhouse shrub.  743 Viminaria Pressii, 2\frac{1}{2} ft., from N. S. Wales	nark-	0	6
VINCA, Nat. Ord. Apocynaceæ.			
A genus of the most beautiful greenhouse plants, succeeding out of doors in sheltered situations. Seed sown early in spring will bloom the same season. Half-hard	y.		
1744 Vinca rosea alba, white, with crimson eye, 2 ft., from E. Indies		0	660
VIOLA (Heartsease, or Pansy), Nat, Ord. Violaceæ.  An indispensable and charming class of plants for the ornamentation of the spring gas extremely effective whether used for bedding, edging, or ribboning; if the seed is so March, the plants will bloom in June or July, when those of the greatest merit melected and propagated for spring blooming. Hardy perennials.	den;		
747 Viola tricolor, saved from Downie, Laird, and Laing's newest flowers \( \frac{1}{2} \) ft	2	1	6 0 6
VIRGINIAN STOCK, Nat. Ord Cruciferæ.  Extremely pretty profuse-flowering little plants, remarkably effective in small askets, or as edgings; sown early in February, they will generally bloom in April and I			6
rows freely anywhere. Hardy annuals.  751 Virginian Stock, red, ½ ft.	6		2
753 " minus nova, rose, make very pretty compact edgings, \(\frac{1}{4}\)ft	0	) :	234
VISCARIA, Nat. Ord. Caryophyllacee.  A genus of remarkably pretty profuse flowering plants, producing a striking effected, ribbons, or mixed borders, growing freely in any good garden soil. Hardy annual	et in		
755 Viscaria Burridgii, white, 1½ ft	vant 0	) ;	3 2 3
759 , nana, oright rose, centre white, 1 tt. 759 , oculata, pink, with rich crimson eye, 1 th, from Algiers 760 , alba Dunnettii, white, dark eye, 1 ft.	0	) ;	3

		_
VITTADINIA, Nat. Ord. Compositæ.	er Pi	kt.
A remarkable neat and pretty little plant for a permanent edging, growing freely in any	8.	do
good soil. Hardy perennial.  1762 Vittadinia trilobata (Australian Daisy), purple and lilac, \(\frac{1}{4}\) ft., from Australia	0	3
WALLFLOWER, Nat. Ord. Cruciferæ.		
For spring gardening the wallflower is as indispensable as the crocus or the tulip, and		
from the delicious fragrance of its beautiful flowers is an especial favourite; produces a splendid effect in beds or mixed borders. Hardy perennials.		
1763 Wallflower German, double splendid mixed varieties, 2 ft	1	0
1764 finest mixed, double, 11 ft	0	6
1765 ", chameleon, single, 1\frac{1}{3} ft	0	3 2
1766 , dark, fine, single, 13 it., from Europe	0	2 1
	0	3
1769 , yellow, single, 1½ it., from Europe	0	2
WESTRINGIA, Nat. Ord. Labiatæ.		-
Handsome greenhouse shrubs, with very pretty flowers, grow freely in any light soil.		
1771 Westringia acuminata, nale blue 2 ft., from N. Holland	0	6
1772 , grandiflora latifolia, white, 2 ft., from N. Holland longifolia, white, 2 ft., from N. Holland	0	6
WHITLAVIA, Nat. Ord. Hydrophyllaceæ.		
One of the most charming Californian annuals; very effective for bedding, ribboning, or		
mixed borders; grows freely in any soil.	-	
1774 Whitlavia grandiflora, fine violet blue, hardy annual, 1 ft., from California	0	3
WINTER CHERRY (Physalis Alkekengi), Nat. Ord. Solanacea.		
The fruit is very pretty and much used for winter decoration, and is largely grown for the bouquet makers in Covent Garden.		
	0	3
, , , , , , , , , , , , , , , , , , , ,	v	J
XERANTHEMUM, Nat. Ord. Compositæ.		
A showy class of everlastings; the flowers gathered when young are valuable for winter bouquets. Require a rich soil.		
1776 Keranthemum, purple, white, and yellow, 2 ft., from S. Europe	0	2
YUCCA Nat, Ord. Liliacea.		
Exceedingly stately, and highly ornamental plants, for halls, terraces, lawns, or borders, producing a fine effect in almost any position, and flowering freely in light rich soil.		
1777 Yucca aloifolia, white (Adam's needle), 3 ft., from Mexico	0	4
1778 " gloriosa, whitish green, from South America, 3 ft	1	0
ZAUSCHNERIA, Nat. Ord. Onagraceæ.		
A very handsome Californian perennial plant, in bloom from June to October, with a profusion of beautiful tube-shaped flowers; succeeds best in dry gravelly soil.		
1779 Zauschneria Californica, orange scarlet, 1 ft., from California	0	6
ZINNIA, Nat. Ord. Compositæ.		
A grand genus of autumn-flowering plants, combining the greatest richness and diversity of colour, with unequalled profusion and duration of bloom. Amongst the novelties introduced last year, the "New Dorente Zinnia" has proved the most important acquisition, its splendid double flowers rivalling in beauty, size, and form, moderate sized dablias. Our "Sardinias Contessorbert" during the past summer has, in the exercise of his such skill and sand taste, classified and arranged the flowers into twenty-four distinct colours, rejecting every imperfect and semi-double flower, so that the seed we offer may be relied upon producing from 80 to 90 per cent. of the most beautiful double flowers.		
1780 Zinnia Elegana flore pleno pove choice mixed 11 ft	1	0
1781 ", ", ", in 12 distinct separate colours, each variety	1	0
1782 ,, purple, 1½ ft	0	3
1783 , scarlet, $1\frac{1}{2}$ ft	0	6
1785 ,, fine mixed, 14 ft	0	3
1786 ,, Nova species, from Mexico	0	6
ZIZYPHUS, Nat, Ord. Rhamnaceæ.		
Handsome stove shrubs, bearing eatable fruit; succeed best in sandy peat and loam.		
1787 Zizyphus Jujuba, purple and green, 6 ft., from E. Iudies	0	6
, Sativa, large berries and graceful drooping foliage	Y	0





# ORNAMENTAL CLIMBERS.

This is an important section of our Catalogue, and fully meriting the prominent position assigned to it.

No glass erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, pillars, &c., are covered with Climbers; some are of such rapid growth that the largest space may be covered in a season, while the less vigorous and more clegant kind produce their flowers in the greatest profusion, and are suitable for growing in pots, and training upon ornamental wire-work, &c.; when well managed many of these make specimen plants of the most strikingly beautiful description.—Of such kinds our list is rich with exquisite species and varieties. In the adornment of the flower garden, the hardier kinds are invaluable for covering arbours, verandals, trelliese, rustie fences &c.


beautiful description.—Of such kinds our list is rich with exquisite species and varieties. In adornment of the flower garden, the hardier kinds are invaluable for covering arbours, versus	ln t. idal	ne is,
trellises, rustic fences, &c.		
ARISTOLOCHIA, Nat. Ord. Aristolochiaceæ.	er P	
A genus of highly ornamental and exceedingly attractive greenhouse climbers, with very curious horn-shaped flowers of the most varied and beautiful colours. Greenhouse shrubs.	0	3
1789 Aristolochia altissima, orange and red, from Patagonia. 1790 Bonplandii, purple, from Patagonia. 1791 ciliosa, blue and yellow, from Patagonia.	0	3
1792 ", glauca, purple, from Barbary	0	6
BIGNONIA (TRUMPET FLOWER), Nat. Ord. Bignoniaceæ.		
A magnificent genus of the most beautiful climbers, producing their gorgeously brilliant and varied coloured flowers in panicles, and in the greatest profusion.		
1793 Bignonia capreolata alba superba, half-hardy shrub, from N. America	1	0
1795 , crucigera, yellow and scarlet, half-hardy shrub, from S. America	0	6
1796 grandiflora, orange and scarlet, half-hardy shrub, from Caraccas	0	6
1798 , Manglesii, half-hardy shrub, from Orinoco	1	6
1800 " multiflora, orange scarlet, hardy shrub, from N. America	0	6
1801 "Tweediana, yellow, half-hardy shrub	1	0
DILLADDIEDA Not Ood Dittomores		
BILLARDIERA, Nat. Ord. Pittosporaceæ.		
A remarkably handsome evergreen climber, of rapid growth and easy culture, its flowers being succeeded by pretty blue berries; very ornamental for conservatory decoration; thrives best in rich loam and peat.		
A remarkably handsome evergreen climber, of rapid growth and easy culture, its flowers being succeeded by pretty blue berries; very ornamental for conservatory decoration; thrives	0	6
A remarkably handsome evergreen climber, of rapid growth and easy culture, its flowers best in rich loam and peat.  1803 Billardiera longiflora, crimson, greenhouse shrub, from Van Diemen's Land  BOUGAINVILLEA, Nat. Ord. Nyctaginacea.	0	6
A remarkably handsome evergreen climber, of rapid growth and easy culture, its flowers being succeeded by pretty blue berries; very ornamental for conservatory decoration; thrives best in rich loam and peat.  1803 Billardiera longiflora, crimson, greenhouse shrub, from Van Diemen's Land	0	6
A remarkably handsome evergreen climber, of rapid growth and easy culture, its flowers being succeeded by pretty blue berries; very ornamental for conservatory decoration; thrives best in rich loam and peat.  1803 Billardiera longiflora, crimson, greenhouse shrub, from Van Diemen's Land  BOUGAINVILLEA, Nat. Ord. Nyctaginacea.  Magnificent climbers, which our "Sarddinan Correspondent" informs us he successfully flowers by thinning and shortening the shoots four or five times during the year. Greenhouse	0	6
A remarkably handsøne evergreen climber, of rapid growth and easy culture, its flowers being succeeded by pretty blue berries; very ornamental for conservatory decoration; thrives best in rich loam and peat.  1803 Billardiera longiflora, crimson, greenhouse shrub, from Van Diemen's Land  BOUGAINVILLEA, Nat. Ord. Nyctaginacea.  Magnificent climbers, which our "SARDINIAN CORRESPONDEN" informs us he successfully flowers by thinning and shortening the shoots four or five times during the year. Greenhouse strubs.  1804 Bougainvillæa spectabilis, splendid mauve, from India		
A remarkably handsome evergreen climber, of rapid growth and easy culture, its flowers being succeeded by pretty blue berries; very ornamental for conservatory decoration; thrives best in rich loam and peat.  1803 Billardiera longiflora, crimson, greenhouse shrub, from Van Diemen's Land  BOUGAINVILLEA, Nat. Ord. Nyctaginacea.  Magnificent climbers, which our "Sardinian Correspondent" informs us he successfully flowers by thinning and shortening the shoots four or five times during the year. Greenhouse shrubs.  1804 Bougainvillæa spectabilis, splendid mauve, from India		
A remarkably handsome evergreen climber, of rapid growth and easy culture, its flowers being succeeded by pretty blue berries; very ornamental for conservatory decoration; thrives best in rich loam and peat.  1803 Billardiera longiflora, crimson, greenhouse shrub, from Van Diemen's Land  BOUGAINVILLÆA, Nat. Ord. Nyctaginacea.  Magnificent climbers, which our "Sarbinian Correspondent" informs us he successfully flowers by thinning and shortening the shoots four or five times during the year. Greenhouse shrubs.  1804 Bougainvillæa spectabilis, splendid mauve, from India	2	
A remarkably handsome evergreen climber, of rapid growth and easy culture, its flowers being succeeded by pretty blue berries; very ornamental for conservatory decoration; thrives best in rich loam and peat.  1803 Billardiera longiflora, crimson, greenhouse shrub, from Van Diemen's Land  BOUGAINVILLÆA, Nat. Ord. Nyctaginacea.  Magnificent climbers, which our "Sarddinan Correspondent" informs us he successfully flowers by thinning and shortening the shoots four or five times during the year. Greenhouse shrubs.  1804 Bougainvillæa spectabilis, splendid mauve, from India	2	6
A remarkably handsome evergreen climber, of rapid growth and easy culture, its flowers being succeeded by pretty blue berries; very ornamental for conservatory decoration; thrives best in rich loam and peat.  1803 Billardiera longiflora, crimson, greenhouse shrub, from Van Diemen's Land  BOUGAINVILLEA, Nat. Ord. Nyctaginacea.  Magnificent climbers, which our "Sarddinar Correspondent" informs us he successfully flowers by thinning and shortening the shoots four or five times during the year. Greenhouse shrubs.  1804 Bougainvillea spectabilis, splendid mauve, from India  plant Bougainvillea spectabilis, splendid mauve, from India  BRACHYSEMA, Nat. Ord. Leguminosee.  A beautiful greenhouse climber, of a very ornamental character, exceedingly effective on low pillars or trellis work; succeeds in any light rich soil.  CAJOPHORA (Loasa), Nat. Ord. Loasaceee.  A handsome genus of rapid growing, free-flowering climbers, with curious and beautiful flowers, followed by singular looking seed-vessels, which must not be handled, nor any part	2	6
A remarkably handsome evergreen climber, of rapid growth and easy culture, its flowers being succeeded by pretty blue berries; very ornamental for conservatory decoration; thrives best in rich loam and peat.  1803 Billardiera longiflora, crimson, greenhouse shrub, from Van Diemen's Land  BOUGAINVILLEA, Nat. Ord. Nyctaginacea.  Magnificent climbers, which our "Sardinian Correspondent" informs us he successfully flowers by thinning and shortening the shoots four or five times during the year. Greenhouse shrubs.  1804 Bougainvillæa spectabilis, splendid mauve, from India	2	6

CARDIOSPERMUM, Nat. Ord. Sapindaceæ.

A genus of rapid growing, handsome climbers, remarkable for an inflated membranous

			_
1	CARDIOSPERMUM—continued.	Per 1	
caps	ule, from which it is sometimes called Bailoon Vine, ornamental alike for greenhouse or	8.	d.
Out-	loor decoration; when planted out, they succeed best in a light soil and warm situation.		
	f-hardy annuals.  Cardiospermum coluteoides, white, from Caracas	0	3
1811	Halicacabum, white, from India	0	3
1812	microcarpum, white, from India	0	3
	CLITORIA, Nat. Ord. Leguminosæ.		
	Splendid free-flowering greenhouse climbers, with large elegant pea-shaped flowers of		
cons	iderable beauty, particularly adapted and very effective for training on trellis-work, wire es, or any of the numerous contrivances on which plants of this character may be grown		
	reenhouse or conservatory decoration : though perennials, they flower the first year.		
1813	Clitoria culestis, sky blue, from E. Indies	0	4
1814 1815	gesnatia, pale blue, sha led with while, from East Indies	0	6
1816	lilaces superba, lilac, from E. Indies	0	6
1817	, Ternatea, blue and white, from E. Indies	0	3
1818		0	4
1820		1	0
1821	,, pallida, pale blue, from E. Indies	0	4
1822	violacea flore pleno, rich violet flowers, double, one of the most charming novelties of the season	2	6
		~	U
	COB.E.A., Nat. Ord. Polemoniaceæ.  A magnificent conservatory climber, with large bell-shaped flowers, and elegant leaves		
and	tendrils; it is of very rapid growth, and consequently eminently adapted during the		
sumi	mer for warm situations out of doors; grows freely in any rich soil.		
1823	Cobæa scandens, purple lilac, from Mexico	0	4
	CONVOLVULUS, Nat. Ord. Convolvulaceæ.		
	A well-known and beautiful free-flowering class of climbers, with brilliant and varied		
colou	ared flowers, growing freely in almost any situation, and producing a splendid effect whea non rock-work, stumps of trees, or banks, and when trained over trellis, rustic-work, or		
agrin	as rough fences; and they should also be largely associated with the canary creeper produm Canariense). Half-hardy annuals.		
	pæolum Canariense). Half-hardy annuals.		
1824 1825		0	3
1826	" , rose . " , splendens, brilliant crimson	0	3
1827	" splendens, brilliant crimson	0	4 3
1828 1829		0	3
1830	" finest mixed	0	3
	CYCLANTHERA, Nat. Ord. Cucurbitace &.		
	A curious bird-shaped gourd, of a very ornamental character, thrives in any rich soil in		
	rm situation.		
1831	Cyclanthera pedata, bird-shaped gourd, from India	0	4
	DIOCLEA, Nat. Ord. Leguminosæ.		
	A splendid twining plant of great beauty; thrives in any common soil.		0
1832	Dioclea glycinoides, red, half-hardy perennial, from E. Indies	U	0
	DOLICHOS, Nat. Ord. Leguminosæ.		
	Rapid-growing, free-flowering, conservatory climbers, very beautiful and highly orna- al; which, if cut back in autumn, will throw out fresh shoots and flowers in winter.		
Duri	ng summer they may be grown against a south wall or trellis. The pods of the Tow-		
Cok	bean (D. sinensis) may be cooked like French beans, the difference in flavour being		
almo	ary winter, if cut back in autumn, will throw out fresh shoots and nowers in winter, in grammer they may be grown against a south wall or trells. The pols of the Towbean (D. sinensis) may be cooked like French beams, the difference in flavour being st imperceptible; succeed heat in light rich loamy soil. Though some are perennials, all flower the first year. Half-hardy annuals.		
1833	Dolichos atro-sanguineus, maroon, from E. Indies	0	6
1834	" aureus, fine golden yellow	1	6
1835 1836	biflorus, lilac, from E. Indies	0	6
1837	ensiformis, purple, from E. Indies	1	6
1838	Lablab alba nana, white, from E. Indies	0	3
1839 1840	,, species gigantea, from P., Indies	0	6
1841	lutens vellow from E. Indies	1	0
1842 1843	niger, black, from E. Indies	0	4
1040	, besympectatis, black seeded, from E. Indies	0	7







	TOTAL CONTRACT OF THE PARTY OF	er I	2kt
1011	Dolleros— continuea.	8.	a
1844 1845	Dolichos sesquipedalis, striped seeded, from E. Indies	0	- 1
846	sinensis, purple, from E. Indies viridis, green, fine, from E. Indies	0	
0.70		-	
6	ECCREMOCARPUS, Nat. Ord. Bignoniaceæ.		
liag	A handsome, rapid-growing, free-flowering climber, easily cultivated, with very elegant and long racemes of beautiful tube-shaped flowers; grows freely on any rich soil, and,		
	Il protected with ashes, will stand the winter.		
847	Eccremocarpus scaber, orange, hardy perennial, from Chili	0	
	FAGELIA, Nat. Ord. Leguminosæ.		
dapt	A remarkably handsome greenhouse plant, producing fine panicles of blossom, especially ed for pillars or trellis work; succeeds best in sandy peat or loam.		
848	Fagelia bituminosa, yellow, greenhouse shrub, from Cape of Good Hope	0	
	GLYCINE, Nat. Ord. Leguminosæ.		
lue l	A magnificent hardy climber, producing a profusion of splendid racemes of beautiful aburnun-like flowers; especially effective against verandahs or fronts of houses; grows		
	in any rich soil.  Glycine sinensis, or Wistaria, blue, hardy tree, from China	2	
	HARDENBERGIA, Nat. Ord. Leguminosæ.		
nape	Very pretty and ornamental greenhouse plants, with remarkably neat and showy pead flowers, especially suited for pillars, rafters, or wire globes; succeed best in peat		
	pam, Greenhouse shrubs	0	
151	Hardenbergia digitata, purple, from Swan River  "Lindleyana, blue, from Swan Rivet "Includ, dark violet "Includ, dark violet	0	
352	lucida, dark violet	1	
353	Makyoana, blue, superb, from Swan River	0	
	INCARVILLEA, Nat. Ord. Bignonaceæ.		
,	An elegant free flowering climber of graceful habit; succeeds in loam and peat.		
	Incarvillea sinensis, white trumpet flowers, shaded rose	0	
30.7	Incarvinca sincusis, white tramper flowers, shaded rose	U	
	IPOMÆA (The Morning Glory), Nat. Ord. Convolvulaceæ.		
L	A genus of beautiful plants, which for the adornment of the conservatory and green-		
ouse	, or for warm sheltered situations out of doors, are pre-eminently beautiful, many of them		
	ining marvellously brilliant colours, with pure white margins, and varying in shade from ost intense violet blue to the most delicate cerulean. Amongst the varieties raised by our		
SAR	DINIAN CORRESPONDENT," I. hederacea superba atro-violacea (figured in the "Florist"		
nder	the name of I. limbata elegantissima), and I. hybrida marginata, are of greatest merit,		
nd sl	hould occupy a place in every conservatory; when intermixed with other climbers, they		
rodu	ce a gorgeous effect. All the other varieties are splendid, and should be extensively		
	ated. The perennial species are invaluable, amongst which we may name the magnificent urii, I. Horsfalliæ, and I. Mexicana grandiflora alba; succeed in any light rich soil.		
، بالد	HALF-HARDY ANNUALS.		
355	Ipomæa hederacea superba grandifiora sky blue	0	
356	Ipomæa hederacea superba grandiflora sky blue	1	- (
357	" atro-violacea (I. limbata elegantissima), rich deep velvety purple,	0	
358	splendid	0	(
359	bona nox, puce, from W. Indies	0	
360	bona nox, puce, from W. Indies grandiflora, white, (rare), from E. Indies	0	(
861	" hybrida marginata, colours varying from the richest velvety purple to sky blue.	0	- 6
362 363	" limbata hybrida, blue and white	0	(
864	" elegantissama (see I. hederacea violacea) " Nil, blue, from Java.	0	0
365	Quamoclit, scarlet, from W. Indies	0	6
866	Quamoclit, searlet, from W. Indies  acutangula, searlet, very beautiful  fl. nosea, rose  fl. rosea, rose	0	6
67 68	" fl. alba, pure white	0	50
869	" fl. rosea, rose " reniformis, yellow, violet eye	0	3
370	" rubro-cœrulea, or violocea vera, sky blue, from Mexico	0	6
371	" " rubro alba, pure white	0	6
372	" splendens, carmine, shaded blue, from W. Indies	0	(
373	" splendissima, rich blue, edged with the purest white	0	(
174	MALF-HARDY PERENNIALS.	0	0
	" digitata, purple, from W. Indies	0	
374 375 376	disitate	0 0 0	333

		_	_
	POWEL continued P	er P	
	IPOMEA—continued.	8.	
1878	Ipomæa Learii, (true) splendid lazuli blue, changing to red, from Ceylon	1	0
1879 1880	" Mexicana grandiflora alba (new), from Mexico	0	9
1881	gaereifolia gamma (a. W.)  gaereifolia Schowi, scariet, from E. Indies  Tuberosa, pale yellore, from W. Indies	0	4
1882	Tuberose rule vellor from W Indies	Q.	4
1883		1	0
1884	Willdenovii, purple, from E. Indies	0	4
	KENNEDYA, Nat. Ord. Leguminosa.		
1	An exceedingly handsome and highly ornamental genus of early-flowering greenhouse		
climb	ers, producing their very pretty pea-shaped flowers in the greatest profusion; exceedingly		
benut	iful and strikingly effective when trained on wire globes, trellis work, or rafters; succeed		
	n loam and peat. Greenhouse shrubs.		
1885	Kennedya andomariensis, pinh, from N. S. Wales	0	6
1886	" apetala, rose, from N. S. Wales  " bimaculata, spotted purple, from N. S. Wales  " carinata, pink, from N. S. Wales	0	3
1887	, bimaculata, spotted purple, from N. S. Wales	0	3
1888	, carmata, pink, from N. S. Wales	0	4
1889 1890	coccinea magnifica, scarlet, splendid large, from N. Holland	1	6
1891	Comptoniana, blue, from N. Holland	0	4
1892	glabrata numle crimson from Australia.	0	9
1893	Desired the second described from N. S. Walson	0	6
1894	, longifolia, red, from N. Holland	0	3
1895	", longifolia, red, from N. Holland longiracemosa, pink and crimson, from N. Holland longiracemosa, pink and crimson longiracemosa, pink	0	4
1896	macrophylla, lilac, from Swan River	0	6
1897	Marryattæ, rich scarlet, from Australia	0	4
1898	oblongata, scarlet, from Australia	0	•6
1899	ovata alba, white, from Australia nova, pnrple shaded red, from N. S. Wales	0	4
1900	" nova, purple shaded red, from N. S. Wales	1	0
1901	" purpurea, purple, from N. S. Wales	0	G
1902	" physolobioides, rich purple, from N. S. Wales	0	9
1903 1904	rotuudifolia, red, from N. S. Wales rubicunda, dark red, from N. S. Wales	0	4
1904		0	0
1909		1	U
	LONICERA, Nat. Ord. Caprifoliaceæ.		
	Highly ornamental, free-flowering, and rapid growing hardy twiners, succeeding in any		
good	soil.		
1906	Lonicera Balearica, hardy shrub, from S. Europe	0	4
. 1907	, canescens, hardy shrub, from S. Europe	0	6
	LOPHOSPERMUM, Nat. Ord. Scrophulariaceæ.		
ahou	An exceedingly beautiful, and highly ornamental genus of climbers, with handsome by foxglove-like flowers; very effective for conservatory or garden decoration, and may be		
SHOW	with advantage for hanging baskets; succeed in any light rich soil. Half-hardy perennials.		
		0	6
1908	Lophospermum coccineum, red	0	
1910	The land of the second of the	0	
1911		ĭ	
1912		2	
1913		0	
	MANDEVILLA, Nat. Ord. Apocynaceæ.		
ameri	A beautiful and showy conservatory climber, remarkable for its deliciously sweet-scented		
snow	white flowers, succeeding best if planted in the conservatory border, and cut back freely		
	year after flowering; thrives best in rich loam and peat.	0	
1914	Mandevilla suaveolens, snow white, greenhouse shrub, from Buenos Ayres	0	4
	MARIANTHUS, Nat. Ord. Pittosporaceæ.		
	An elegant little plant, with long slender branches, bearing in dense clusters a rich profu-		
sion	of pleasing coloured flowers, very effective trained to wire globes or circular-shaped		
	ises; thrives best in peat and loam,		
1915		0	6
1			
	MAURANDYA, Nat. Ord. Scrophulariaceæ.		
	The most graceful and free-flowering of soft wooded climbers, whether for the ornamen-		
	on of the conservatory and greenhouse, or for pillars, trellis work, and verandahs in the		
	er garden, the effect produced by the profusion of elegant and varied coloured flowers is ingly beautiful. In hanging baskets, as at the Crystal Palace, they are objects of univer-		
	ingly beautiful. In hanging baskets, as at the Crystal Palace, they are objects of univer-		
981 11	As with Capatrione Progress and Presponents our "September Corpersondent"		

As with Carnations, Picotees, and Pelargoniums, our "Sardinian Correspondent"





Per Pkt MATRANDVA-continued.

has devoted much time and attention to improving this exquisite genus, so that he has now without exception the finest collection in Europe, and from this source we have received the following splendid varieties; also some dried specimens of flowers gathered last autumn, which will enable our patrons to judge of their superior character. Half-hardy perennials.

1916	Maurandya	Barclayana	a grandiflora, lilac and white, from Mexico	0	4
1917	29	grandiflora	alba, white	0	6
1918	19	,,,	atro-purpurea, dark blue	0	4
1919	12	39	crimson, superb	0	6
1920	19	29	erimson, tinted purple	0	6
1921	11	,,	lavender	0	6
1922	29	27	lilac	0	6
1923	21	33	maroon	0	4
1924	22		pale pink, superb	0	6
1925	12	22	pale blue	0	6
1926	27	22	purple, extra large	0	6
1927	10	22	purple shaded	0	6
1928	99	22	semperflorens	0	4
1929	**	11	rose	0	4
1930	11	mixed fron	a the above splendid varieties	0	6

## MEDEOLA, Nat. Ord. Melanthacea.

A curious and elegant winter flowering plant, with orange scented flowers, fine for large conservatories, succeeds best in a light sandy soil. 1931 Medeola asparagoides, green and white, greenhouse shrub, from C, of Good Hope .... 0 6

# MONORDICA, Nat. Ord. Cucurbitaceæ.

Trailing plants with curious and very ornamental foliage; the fruit is of a golden yellow colour, warted, and, when ripe, opens, disclosing its seeds and brilliant carmine interior. Planted on rockwork, stumps of trees, sloping banks, or amongst ruins, and allowed to ramble, they produce a very striking effect; succeed best with the cultural treatment of the Gourd.

1932	Momordica	balsamina, f	rom E.	Indies	0	4
1933				Indies		
1934	99	Elaterium, f	rom S.	Europe	0	3

### NASTURTIUM, Nat. Ord. Tropæolaceæ.

A well-known and exceedingly ornamental genus of very handsome, profuse-flowering plants, which are admirably adapted for rockwork, banks, covering trellises, or rustic work; the seeds if pickled young are an excellent substitute for capers. Hardy annuals.

	Nasturtium,	new dark	0	2
1936	39	new orange	0	3
1937		Scheuermannianum, cream, spotted with rich crimson		
1938		Shillingii, spotted		
1939	23	mixed, various	0	2

#### PASSIFLORA, OR PASSION FLOWER, Nat. Ord. Passifloraceæ.

A genus of magnificent ornamental twiners, whose flowers are at once interesting, beautiful, and of the most remarkable description, and as they are produced in the greatest profusion and in succession during the greater part of the year under glass and out of doors during the summer and autumn months, they become the most important and effective of plants for suminist and unservations or overling the fronts of cottages and villas in town or country.

For in-door cluerce, P. Cottages and villas in town or country.

For in-door cluerce, P. Cottages and villas in town or country.

Account of the most important, and for out-door cluerce of the country.

Account of the country of trained over and literally covering the front of a cottage, with its elegant and beautiful skyblue flowers; and at Sydenham, in the autumn of 1859, we were gratified by seeing it covering the whole front of a large villa, where it was growing in wild luxuriance, festorning the windows, doorway, and eaves of the house, presenting a mass of golden egg-shaped fruit,

AA TITLE	nere and t	dere the eye rested on howers peeping from amongst its graceful fortage.		
1940	Passiflora	alba, white, half-hardy shrub, from Mexico	0	6
1941	32	angustifolia, white, half-hardy shrub, from W. Indies		4
1942	12	cœrulea, sky blue, hardy shrub, from Brazil		
1943	37	Contessa Clara Gigliucci, lavender, shaded with rose, half-hardy shrub		
1944	99	edulis, white, half-hardy shrub, from Brazil		
1945	22	grandissima, pale blue and white, half-hardy shrub, from Brazil		
1946	22	gracilis, white, half-hardy annual, from N. America	0	4

### PHASEOLUS, Nat. Ord. Leguminosæ.

Handsome and very ornamental greenhouse twiners, producing their brilliant and beautiful coloured flowers in long splendid Wistaria-like racemes; succeed in any light rich soil, and during summer they may be grown out of doors in warm sheltered situations, where they are

PHASEOLUS—continued.	Per Pkt
very effective. An interesting account of P. Caracalla appeared in the "Journal of H	orti-
culture," in an account of a visit to French Nurseries, by "D., Deal."  1947 Phaseolus Caracalla, lilac and white, greenhouse shrub, from E. Indies	0 6
1948 , coccineus, duzzling scarlet, half-hardy annual, from E. Indies	0 4
"humifusus, rose and white, greenhouse shrub, from E. Indies	0 4
PHYSIANTHUS, Nat. Ord. Asclepiadaceæ.  A curious and singularly interesting greenhouse climber, suitable for rafters, pillars	
pot culture; grows best in sandy loam and peat.	, 01
1950 Physianthus undulatus, greenhouse shrub, from Brazil	0 4
POPPIA, Nat. Ord. Cucurbitaceæ.	atuus.
A highly ornamental fruit-bearing trailer, with beautiful vine-like foliage, very effet when grown amongst rockwork, over stumps of trees, or amidst ruins; cultural treatments.	
that of the Gourd.	0- 6
1951 Poppia Fabiana, half-hardy annual, from India	0-0
A very ornamental, free-flowering climber, with curious yellow flowers, producing a	fine
effect trained against verandahs, trellises, &c. grows freely out of doors in light rich soil	
1952 Scyphanthus elegans, yellow, half-hardy annual, from Chili	0 6
SOLANUM, Nat. Ord. Solanaceæ.  Profuse flowering, and highly ornamental rapid-growing greenhouse climbers, of g	reat
beauty, covering a large space in a very short time, and producing a splendid effect when they are trained; thrive best in light rich soil. Greenhouse shrubs.	ver
1953 Solanum jasminoides, purple, from S. America	0 6
SOLLYA, Nat. Ord. Pittosporaceæ.	
Charming, profuse flowering greenhouse twiners, with pretty little bunches of bean pendulous flowers; very effective trained against pillars, or as pot specimens trainet trellis work; flower freely out of doors in the summer; succeed best in loam and peat.	
1955 Sollya Drummondii, porcelain blue, from Swan River	0 6
TACSONIA, Nat. Ord. Passifloraceæ.	
A grand genus of the Passiflora family, yielding to no twiner in cultivation for	
dazzling brilliancy of its colours, size, and beauty of its flowers, which are produced in grofusion and succession throughout the year. As some difficulty has been experienced in	this
country in blooming the varieties of this magnificent genus, our "Sardinian Corresponde has supplied us with the following information:—"To flower the Tacsonia successfully	NT"
should be frequently stopped, as the flowers are produced upon the lateral shoots; it sho	ould
be grown in rich soil, and frequently syringed during warm weather, to induce a vigor growth; thus treated, it will cover a large space in an incredibly short period, and ble	ous
growth; thus treated, it will cover a large space in an incredibly short period, and ble most profusely." He adds, "I have had T. ignea with from 150 to 200 gorgeous see flowers open at the same time." Mr. Beaton, in the "Journal of Horticulture," Other	rlet her.
1860, p. 31, offers a stimulus to the flowering of this magnificent greenhouse ornament.	
1957 Tacsonia ignea, vivid scarlet, from Peru	1 0
1959 " mollissima, rosy pink, with long tube, from Quito	1 0
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1 0
TECOMA, Nat. Ord. Bignoniaceæ.  An exceeding handsome greenhouse evergreen climber; grows freely in any light rich a	soil.
1961 Tecoma jasminoides grandiflora, white flowers, with beautiful crimson throat	
THUNBERGIA, Nat. Ord. Acanthaceæ.	
A genus of slender and rapid-growing climbers, with extremely pretty and much admi flowers, which are freely produced, either when grown in the greenhouse or in a warm situat	red
out of doors; they delight in rich loamy soil; all the varieties are half-hardy annuals exc T. coccinea, which is a greenhouse perennial, and flowers in clusters.	ept
1962 Thunbergia alata, orange, rich brown eye, from E. Indies	
1964 intus alba, white, from E. Indies	0 4
1965 ,, intus candida new, buff, from S. America	0 4
1967 Bakerii, pure white, from S. America	0 4
1969 ". Fryerii, yellow, from S. America	0 4
1970 " fine mixed	0 4





### TROPEOLUM, Nat. Ord. Tropeolacee.

A tribe of elegant growing, profuse flowering, and easily cultivated climbers, combining A tribe of elegant growing, profuse flowering, and easily cultivated climbers, combining with these important qualities great richiuses and brilliancy of colour, with finely formed and beautifully marked flowers. For pillars, and ratters, in the greenhouse or conservatory, they are invaluable; and for covering trellises, verandahs, and bowers out of doors, they are of equal importance; while for bedding purposes we have only to remaind our readers the important part they annually play on the terraces of the Crystal Palace. When used for bedding they should be regularly and carefully begged down, interlacing the shoots, and occasionally removing the large leaves. In pleasure grounds, where the beds are sometimes were the descriptions of a possible on the Crossolium of the Control of the Crystal Palace. protected with fancy wire-work, against the depredations of rabbits and hares, the Tropæolums are invaluable for covering these; they grow rapidly, are easily trained, and continue flowering

the whole summer and autumn. The varieties we enumerate below have been saved from the valuable collection in the possession of our "SARDINIAN CORRESPONDENT," who, although he does not guarantee that they will be always true to the parent stock, yet, from repeated experiments we can safely say they will prove equally fine, and as we enumerate only first class kinds, the amateur may often have varieties far surpassing our description, both as regards shape and colour. We may remark that all the "Lobbianum" varieties bloom beautifully through the winter months in the greenhouse or conservatory, so that where cut flowers are in demand they will be found an invaluable acquisition. Grow freely in light rich soil. Half-hardy annuals.

1971	Tropmolun	a canariense.	bright fringed yellow	0	3
1972	**	Lobbianun	Auguste de Homberg	1	0
1973	37	21	brilliant grandiflora, bright scarlet, with crimson throat, foliage		
	,,	,,	dark green	0	6
1974	53	99	Caroline Smith, spotted, new and beautiful	0	4
1975	9.	27 39	Duc de Luynes, very dark crimson	1	0
1976	37.	22.	Duc de Vicenza, pale lemon	õ	6
1977	37.	99 :	Garibaldi, fine orange, shaded scarlet	1	0
1978	19	27	Geant des batailles, brilliant carmine	ō	6
1979	-	"	glabrum variegatum, orange scarlet	0	6
1980	22.	32	gracile, sulphur spotted with carmine	1	0
1981	29	, 22	Imperatrice Eugenie, orange, shaded maroon, with dark spots.	1	6
1982	27	. "	Lady Franklin, fine maroon	ĩ	6
1983	2)	29	Leopard, superb, orange, spotted maroon	1	0
1984	"	n	Lily Smith, scarlet	0	4
1985	"	"	Lord Clyde, rich vermilion	1	0
1986	22	17	Massiliense grandiflora, fine light red	1	0
1987	23		Madame Persini,	1	0
1988	22		Madame Gavini	1	0
1989	22.	39	Mademoiselle Rouher	1	0
1990	22	,,	Mazeppa, yellow, brown spots	1	0
1991	39	11	Monsieur Meissonier, red, sulphur lead spots	1	0
1992	. 2)	22	Mr. Turrel, orange yellow, striped with vermilion	0	9
1993	22	12	Napoleon III., orange yellow, striped with vermilion	0	6
1994	"	22	Peraguanum grandiflorum, scarlet with black spots	1	0
1995	11	11	Pole Star	1	6
1996	29	22	Prince Louis	1	0
1997	39	27	Queen Victoria, vermilion, scarlet striped	0	6
1998	21	21	regelianum grandiflorum, fine, red tinged, purple	1	0
1999	12	22	Roi des noirs, flowers almost black	1	0
2000	39	99	Sehultzii, brilliant scarlet, striped crimson	0	4
2001	39	22	tricolor grandiflorum superbum, orange, carmine, and ruby	1	0
2002	33	19	" de Marseilles	0	6
2003	99	>>	new bronze, glittering silky bronze	0	4
2004	. 39	.99	Scheuermannianum carneum, delicate salmon, marked with		
			primrose	0	4
2005	33 .	0. 93	splendid mixed, from the above beautiful varieties	1	0
2006	29	tricolorum	grandiflorum, scarlet, yellow, and black, half-hardy bulb	1	0

#### TRYCHOSANTHES, Nat. Ord. Cucurbitacea.

Beautiful plants, with long, elegant, serpent-like fruit. T. colubrina when ripe becomes of a brilliant carmine colour; they succeed best in light rich soil.

2007	Trychosanthes .	Arabica, snake-like fruit, of light glaucous green, with silvery longitudinal		
2008		markings	1	0
	23.	anguinea, green, with various coloured ridges	0	6
2009	27	colubrina vera, serpent cucumber, from 5 to 6 ft. in length, from China.	0	6

## TWEEDIA Not Ord Asclaniadacea

E	Iandsome	hardy climbers of a very interesting character; succeed well in sandy loam.		
2010 2011 2012	Tweedia	cærulea, blue, from Buenos Ayres floribunda, beautiful pink, from Brazil versicolor, blue, hardy perennial, from Buenos Ayres.	0	4

"Oh! greenly and fair in the lands of the sun,
The Vines of the Gourd and the rich Melon run,
And the rock and the tree and the cottage enfold,
With broad leaves all greenness and blossoms all gold."

# THE GREAT EXHIBITION OF GOURDS,

8th, 9th, 10th, to the 18th OCTOBER, 1862.

The ROYAL HORTICULTURAL SOCIETY offers Prizes to the amount of £30.

for Ornamental and Edible Gourds and Marrows.

See Engraving, taken from a Photograph of a Group of Gourds (chiefly Miniature Varieties), as

Exhibited by our "Sardinian Correspondent," which obtained a First-class Certificate.

#### CUCUMIS AND CUCURBITA, Nat. Ord. Cucurbitacea.

The most Picturesque, Curious, Interesting, Beautiful, and Varied Collection of

#### ORNAMENTAL CUCUMBERS AND GOURDS

Ever offered to the British public. Arranged and classified by our "SARDINIAN CORRESPONDENT."

The species and varieties in this collection have been selected either for the highly ornamental variety, and peculiarity of their foliage, the singularity or exquisite symmetry of their fruit, or for the richness, variety, and peculiarity of their colouring; some are perfect monsters in size and oddity of shape, while others are miniatures of most elegant formation. The colours range from white to crimson, orange and scarlet, blending and harmonizing with olive-green, broaze and the most beautiful bright polished glossy green; these again are striped, spotted, dappled, or variegated in the most extraordicinary manner, others being self-coloured, are distinct and beautiful. The style of growth is as diversified as the size of the fruit; some are of the most gigantic structure, others are slender and delicate, and these are invaluable for covering verandals, trellis-work, or fronts or villas and cottages; where trained round the windows they are exceedingly pornamental, while in autumn their rich and party-coloured fruit is exceedingly picturesque. The strong growers are invaluable for training to trees over summer retreats and arbours, or trailing on rockeries and rootcries, sloping banks, by the margins of wcodland walks, amidst ruins, &c. The fruit when dried make splendid hall and drawing-room ornaments. To have them in the highest perfection, sow in heat in March or April, so as to have good strong plants to put out the end of May. For culture, see article on Tomato, Ridge Cucumber, or Goord, in Guide to the Kitchen Garden.

Since writing the article on Gourds, we observe from the Gardeners' Chronicle of January 4th and 11th instant, that the Royal Horticultural Society offers £30, to be expended in prizes for the

fruit of this class of highly ornamental, curious, and useful plants.

The following collection is, we believe, the largest in Europe, and yet does not nearly embrace the varieties at our command; we therefore trust it may be of some service to intending Exhibitors, for whose convenience we have divided the collection into five classes, and have indicated with an \* such sorts as are Edible, and the points of whose shoots form an excellent substitute for asparagus.


For a Collection of Marrows see "Guide to the Kitchen Garden."

#### MINIATURE GOURDS.

This section composes the small growing varieties, averaging in length from two to six inches, amongst which there is every variety of shape and colour, some beautifully striped, spotted, and variegated in the most fanciful manner; all are extremely elegant, and when dried very ornamental.

#### OHR SELECTION, in Sealed Packets.

Out Dilliot to the State of the											
2	Packets	beautiful 1	varieties	2	d. 6	15 I	Packets beautiful	varieties	s. 3 2		
			,		Pkt.	1				Per 1	
				8	. d.					3.	d.
2013 A	urantiaca	riridis,dark	green stri	ped (		2020	Dewdrop, crear	n warted, exqui	site	. ()	6
2014 B	eauty, crea	m warted.	***********	(	6		Diamond, bear				
2015 B	ergamot tr	icolor, yello	ow, green,	and		2022	Ear-ring, prett	y, sulphur and	gree	n 0	6
	range				3	2023	Blegantissima,	exquisite,	crear	n	
	igaradia, p				4		colour				G
2017 B	ijou, cream	warted, p	retty	(	6	2024	Fig, green, stri	ped with yellow		. 0	4
2018 B	oule d'or,	jolden ball		(	3	2028	Florence, yello	e and orange st	riped	Ι,	
2019 Ci	ialdini, dai	k green ra	ys	(	6						6







FROM A PHOTOGRAPH OF A GROUP OF GOURDS (CHIEFLY MINIATURE VARIETIES), AS EXHIBITED BY OUR "SARDINIAN CORRESPONDEST," AND WHICH RECEIVED A FIRST-CLASS CERTIFICATE.







î							
1		Per P				Per P	
0000 7	1.0	8,		0040	Di ala la	8.	d.
2020 Fren	ch Cap, exceedingly curious		4	2043	Pippin, handsome	0	4
2027 Golde	n Pippin, rich orange yellow	0	4	2044	Petite pelerine de Chine, very		0
2020 G008	eberry, bright green	0	3	0045	beautiful	1	0
	le Duchesse Héléne, bright				Princess Alice, green and orange		6
yello	w	0	6		Puritan's daughter, lemon coloured .		6
2030 Julia	Helen, prettily striped	0	6	2047	Pyrus maculatus, fine pear-shaped,		
2031 King	of Italy, cream and orange				spotted		6
strij	ed, beautiful	0	6		Pyrus striatus, fine, striped		6
2032 Mr.	falard, orange, pretty	0	6	2049	Queen Mab, orange warted, ex-		
2033 Maud	liliputian, lemon	0	6		tremely beautiful	0	6
2034 Melo	pepo aurantiformis, green and			2050	Siphon	0	3
yello	w	0	6	2051	Sonnette, prettily variegated	0	6
2035 Melo	pepo viridis variegata, green			2052	Striatum aurantiacum, beautifully		
and	yellow, variegated	0	6		striped	0	6
2036 Œuf	d'or, golden, beautiful	0	6	2053	Striped Gem, rich golden	0	6
2037 Puck	striped, orange and yellow	0	6	2054	" Apple	0	4
2038 Pear,	Marie Louise, green striped,		1	2055	,, Half-moon		3
yello	w and orange	0	6	2056	" Sugar-basin, clear yellow " Sunbeam, yellow	0	4
	chaumontel, orange and yellow	0	6	2057	Sunbeam, yellow	0	6
	Eugénie, primrose, exquisitely			2058	Tom Thumb, orange striped yellow.		
"	beautiful		6		pretty		6
2041 ,,	Jargonelle, bright yellow	0	6	2059	Victoria, with beautiful map-like		
2042 Pend	ant d'oreille, pretty	Ŏ	6		markings		0
	, 1	_	- ,				
	MEDI	UM	SIZ	ED G	OURDS.		
Amon	and those one many novel and	21021	- ho	outiful	varieties which we can highly recor	20.200.00	, d
		very	, pe	agmu	varieties which we can highly recor	шие	ıu,
Some are va	riegated, &c.						
	OUR OWN S	ELE	CTI	ON. in	Sealed Packets		
			d.	1	s. d		
12 1	Packets beautiful varieties	3	0	6 Pa	ckets beautiful varieties 1		
	THE TOTAL PROPERTY.				CAOO DOUGHAN THE TOUR OF THE TOUR		
		Per P	kt. I			Per I	kt.
		8.	d.			8.	d.
2060 Agate	, beautifully variegated	0	6	2067	Luffa acutangular, new, very fine	. 0	4
2061 Benir	casa cerifera, waxy yellow,			2068	Lady Emily Stanley, clear sulphur,	,	
	tiful	0	3		pretty	. 0	6
2062 Benir	casa sinensis, beautiful pale			2069	Melopepo viridis maximo, green and	l	
gree	2	0	3		yellow	. 0	4
2063 Bisho	p's hat, red orange, very fine	0	3	2070	Milky-way, starry speckled, orange	:	
2064 Goble	t, bright yellow	0	4		tipped, pretty	. 0	6
2065 Hebe	s Cup. yellow, spotted white	0	6	2071	Ostrich Egg, pale cream very		
2066 L'œu	f bicolor, one-half cream, the				beautiful.	0	3
	r half pale green		0				
1			6	2072	Swan's Egg, cream, transparent		6
		U	6	2072	Swan's Egg, cream, transparent		. 6
		U	б	2072	Swan's Egg, cream, transparent		. 6
na mana san-a				GOUI			. 6
This se	w	ART	ED	GOUI	RDS.	. 0	
	wection embraces the rustic and	ART	ED	GOUI e-lookii	RDS.	. 0	
	w	ART	ED	GOUI e-lookii	RDS.	. 0	
	wetion embraces the rustic and form, vivid in colour, and more	ART grote st orr	ED sque	GOUI e-lookin ental in	RDS.  ng varieties, all of which are very inte appearance.	. 0	
	wetion embraces the rustic and form, vivid in colour, and more	ART grote st orr	ED sque	GOUI e-lookin ental in	RDS.  ng varieties, all of which are very inte appearance.  1 Sealed Packets.	, 0	
beautiful in	wection embraces the rustic and form, vivid in colour, and mo	ART grote st orr	Squename	GOUI e-lookin ental in ION, in	RDS.  ng varieties, all of which are very inte appearance.  sealed Packets.	, 0	
beautiful in	wection embraces the rustic and form, vivid in colour, and mo	ART grote st orr	Squename	GOUI e-lookin ental in ION, in	RDS.  ng varieties, all of which are very inte appearance.  1 Sealed Packets.	, 0	
beautiful in	ction embraces the rustic and form, vivid in colour, and mo OUR OWN S	ART grote st orr ELE s. 5	sque name	GOUI e-lookin ental in ION, in	RDS.  ng varieties, all of which are very inte appearance.  sealed Packets.	restin	ng,
beautiful in	ction embraces the rustic and form, vivid in colour, and mo OUR OWN S	ART grote st orr	Squesque comments of the comme	GOUI e-lookin ental in ION, in	RDS.  ng varieties, all of which are very inte appearance.  sealed Packets.	, 0	ng,
beautiful in	ction embraces the rustic and, form, vivid in colour, and mo OUR OWN S	ART grote st orr ELE s. 5	Squesque comments of the comme	GOUI e-looking ental in ION, in	RDS.  ng varieties, all of which are very inte appearance.  sealed Packets.	restin	ng,
beautiful in 20	ction embraces the rustic and form, vivid in colour, and mo OUR OWN S	ART grote st orr ELE s. 5	Squesque comments of the comme	GOUI e-looking ental in ION, in	RDS.  ng varieties, all of which are very inte appearance.  a Sealed Packets.  ackets beautiful varieties 2 6  Monsieur Fould, cream-coloured	restin	ng,
beautiful in 20	ction embraces the rustic and form, vivid in colour, and mo OUR OWN S Packets beautiful varieties	ART grote st orr ELE s. 5 Per P	squenament d. 6	GOUI e-lookin ental in ION, in 10 F	RDS.  ng varieties, all of which are very intel a spearance.  a Sealed Packets.  ackets beautiful varieties 2  Monsieur Fould, cream-coloured and egg-shaped, very transparent.	restin	ng,
20 2073 Cara: som 2074 ,,	ction embraces the rustic and, form, vivid in colour, and more of the colour, and the colour of th	ART grotest orr ELLE 5. 5 Per P	esque de	GOUI e-lookin ental in ION, in 10 F	RDS.  ng varieties, all of which are very inter appearance.  a Sealed Packets.  a Sealed Packets.  a Sealed Packets.  a Sealed Packets.  a Monsieur Fould, cream-coloured and egg-shaped, very transparent.  Mapoleon III., orange, tipped and	Per F	ng,
2073 Caras som 2074 ", 2075 Carb	ction embraces the rustic and form, vivid in colour, and more our own services of the colour of the	ART grotest orr ELLE  S. 5 Per P  S. 0 0	ED sque name of the correction	GOUI e-lookinental in ION, in 10 F 2083 2084	Monsieur Fould, cream-coloured and egg-shaped, very transparent.  Monsieur Fould, cream-coloured and egg-shaped, very transparent. Mapoleon IIII, orange, tipped and radiated green, magnificent	Per F	rkt.
2073 Cara: som 2074 ,, 2075 Carb: 2076 Fair;	ction embraces the rustic and form, vivid in colour, and more our	ART grote st orr EELE s. 5 Per P s. 0 0 0	TED sequename and a correct d. 6 6 6 6 4	GOUI e-lookinental in ION, in 10 F 2083 2084	Monsieur Fould, cream-coloured and egg-shaped, very transparent.  Monsieur Fould, cream-coloured and egg-shaped, very transparent. Mapoleon IIII, orange, tipped and radiated green, magnificent	Per F	ng, ckt. d. 6
2073 Caras som 2074 ", 2075 Carb 2076 Fair 2077 Flace	ction embraces the rustic and form, vivid in colour, and more our own services of the colour of the	ART grote st orr EELE s. 5 O O O O O O	TED sequente	GOUI e-lookinental in ION, in 10 F 2083 2084	RDS.  ng varieties, all of which are very intel a spearance.  a Sealed Packets.  ackets beautiful varieties 2 (  Monsieur Fould, cream-coloured and egg-shaped, very transparent.  Napoleon III., orange, tipped ana radiated green, magnificent	Per F	ng, d. 6

6

beautiful.....

2090 Swan's egg, cream coloured, trans-

6

6

2082 Madame Mario, orange .....

#### GIANT GOURDS.

These, from their varied gorgeons colouring and picturesque markings, are strikingly effective objects; they are extremely rapid in growth, and the fruit frequently attains to a great size.

#### OUR OWN SELECTION, in Sealed Packets.

OUL OWN SI	CILIE	1011	ON, III Sealed Fachets.		
	8.	d.	3. ď.		
30 Packets beautiful varieties	7	6	15 Packets beautiful varieties 3 6		
20 ,, ,, ,,	5	0	10 ,, ,, 2 6		
	_				
P	er P		P	er P	
2000 Pin Don of Westminston men	3.	a.	2114*Prince Imperial, orange, striped	8.	d.
2092 Big Ben of Westminster, green,		0	2114-11ince Imperial, orange, striped		-
spotted white	0	6	white, beautiful	1	0
2093 Cloche de Monboron (large), green.	0	6	2115 Queen of Naples, sulphur, fine	0	6
2094 * Corporal of the Zouaves, yellow,			2116 Radiatum, yellow, striped orange and		
very handsome	0	3	green	0	6
2095 Cucumber-shaped, long	0	3	2117 Ruby and Topaz, golden yellow and red		
2096 Exhibition, 1862, splendid carmine			red	0	6
flesh, eatable	0	6	2118 Siphon, flat base, 8 inches round;		
2697 Fire ball, red, very bandsome	0	3	neck 3 feet in length, and 1 inch		
2098 Garibaldi, green and orange, splendid	1	0	in diameter	0	3
2099 General Turr. yellow, striped orange,			2119 Sugar loaf, clear bright yellow	0	6
and tipped with green	0	3	2120 Trichosanthes Arabica, (new), dis-		
2100*Giant's Punch Bowl, bronze, spotted			tinguished novelty; a bandsome		
with brilliant red	0	3	climbing plant, with snake-like		
2101 Grosse Pelerine (bell-shaped), light			fruit of white glaucous green, with		
and dark green	0	3	white longitudinal markings of a		
2102 Hercules club, grows 6 feet long	0	3	very striking character	0	6
2103 Le Grand Monarque, cream colour.	()	6	2121 Trichosanthes Colubrina, true ser-	U	U
2104 Leopard, green, spotted scarlet	0	3	pent gourd, striped and streaked		
	U	0			
2105*Lurline glacé melon, ruby, remark-	0	0	like a serpent, changing to brilliant	0	
ably beautiful.	0	3	carmine, an elegant climber	0	4
2106 Maim crata superba, beautiful green			2122 Trichosanthes Anguina, slender,		
and yellow	0	6	green and silver, 2 feet long, very		
2107 Mrs. Coventry, amber, large trans-			handsome	0	4
parent	0	6	2123 Turk's Cap, carmine and bronze,		
2108 Miss Maling, yellow and green			striped with white and green, very		
striped, and tipped green	0	6	splendid	1	0
2109 Panther, dappled, very curious	0	6	2124 Turk's Cap, splendid, vivid scarlet,		
2110 Plate de Corse, bell-shaped	0	3	with mottled flesh, extremely beau-		
2111 Poppia fabiana, beautiful vine-			tiful	1	0
leaved	0	6	2125 Turk's Cap, black and white	1	0
2112*Portmanteau de Naples, catable			2126 , new carmine, superb var.	1	0
marrow, for soups in winter, keeps			2127 Zebrina superba, splendid green and		
six months	0	4	gold striped	1	0
2113*Portmanteau de Roi	0	6	1		

#### ORNAMENTAL CUCUMBERS.

Varying in length from two inches to three feet; singularly curious and highly ornamental.

		A Collection containing	1 I	Pacl	ket each	of the	following, 2s. 6d.		
		P	er Pl		1		P	er P	
2128	Cucu	mis Acutangular (angular) cu-	5.	d,	2133	Cucumis	Melochito, variegated, brown	8.	d.
2129		Aradac, yellow, fruit small,	0	4			and yellow, small oval fruit, very pretty	0	3
2130	22	growing in pairs Dipsaceus, suphur-yellow,	0	3	2134	33	Odoratissimus, yellow, mottled, fragrant, pretty		
2131	"	Teasel-like, elegant	0	3	2135	99	Perennis, foliage highly		
	79	Flexuosus, snake cucumber, 3 ft. long	0	3		Cucurbit		0	3
2132	. 99	Medulliferous, scarlet,	0	3	2137 2138	22	longissima, 6 ft. long Massue, curious		
						,,	,		

#### An assortment of the above splendid Collection,

	£	8.	d.	1				8.		
120 varieties	2	2	0	5	0 varieties		0	15	0	
100 ,,	1	10	0	1 2	5 19	******************	0	7	6	





# ORNAMENTAL GRASSES.

The ROYAL HORTICULTURAL SOCIETY, at their Great Exhibition in October, offers Three Prizes for Maize. See Nos. 2222 to 2253 for a Select List of Maize.

It is scarcely possible to over-estimate the decorative qualities of Ornamental Grasses in the flower and shrubbery borders; some are exceedingly graceful, others remarkably neat and compact in growth, others again are wonderfully curious, while there is a fourth section which are stately in growth, and majestic in appearance. The graceful and curious are best adapted for intermingling in the flower borders, while the neat compact growing kinds make beautiful edgings. In large mixed flower and shrubbery borders, select plantations, by the sides of rivulets, ravines, lakes, and on islands, the majestic growing varieties form a fine relief, and impart a charm of no ordinary character. We therefore say to those who have not yet found a place in their flower garden for a collection of Ornamental Grasses, they are still without a class of the most useful, attractive, and graceful ornaments, whether for the purpose of gathering for summer or winter bouquets, or for imparting a light and graceful appearance to the borders.

TO BRING OUT THE TRUE CHARACTER OF THE PLANTS, THIN THEM WELL OUT WHEN ONE INCH HIGH. All the varieties may be gathered and dried for winter decoration.

Collections suitable for flower border decoration, 30 packets, 7/6; 20 ditto, 5/; 15 ditto, 2/6.

", for edgings, 10 packets, 2/6; 6 packets, 1/6.
for shrubberies, &c., 30 packets for 7/6, 20 for 5/, 15 for 2/6.

	p	er P	kt.	Per	r 191	kt.
		8.	d.			d.
2139	Ægilops cylindrica, knotted, very				0	3
	curious and pretty	0	3		0	3
	Agrostis. The varieties of this class				0	3
	are exceedingly beautiful, and most of them extremely graceful; the			2164 Chrysurus aureus (golden-spiked),	_	_
	whole are admirably suited for				0	3
	mixing with flowers either green			0100 0	0	6
	or dried, 1-12 ft.				0	3
2140	431	0	3	0100 -	0	6
2141	dulais (many) beautiful	0	3		0	3
2142	office champing warints	0	3		0	3
2143	alamana momy booutiful	0	3	Eleusine. A curious class, with stems	U	0
2144	, laxiflora, beautiful; most			resembling horns.		
	graceful	0	6		0	3
2145	" nebulosa. One of the most			2172 ,, Indica, horns long and		
	graceful grasses in culti-			"	0	3
	vation	0	4	2173 ,, oligostachya (3 horns),		
2146	" plumosa, superb; flowers				0	3
	in plumes	0	4	2174 , species from China, dwarf	•	
2147	, pulchella, exceedingly				0	6
	graceful	0	3		0	3
2148	" retrofracta, new and fine	0	6	Eragrostis. An exceedingly pretty		
2149	" verticillata	0	3	class, highly ornamental.		
2150	Andropogon Sorghum, tall orna-			2176 , cylindriflora, 11 ft	0	4
	mental grass, very fine, 21 ft	0	3		0	3
	Anthoxanthum gracile, graceful, 1 ft.	0	3	2178 ,, megastachya, elegant and		
2152		0	3		0	4
	Briza major (large quaking grass), 1 ft.	0	3		0	3
2154	" geniculata, § ft., fine for bou-				0	4
2155	quets	0	4		0	4
2100	" gracilis (small quaking grass),			2182 Erianthus Ravennæ. Extremely		
2156	1 ft, virens	0	8	elegant and more graceful than		
	Brizopyrum siculum, quite new;	U	U	the Pampas Grass, which it re-		
2201	very dwarf, with light shining			sembles in appearance and habit of growth; its noble plumes of		
	green leaves; very neat and pretty,			silvery inflorescence are pure white,		
	a ft	0	3	and most delicately beautiful; a		
2158	Ceratochloa pendula, very pretty, 1 1 ft	0	3	dried specimen can be seen at our		
	Chloris. A most singular looking		0		0	6
	class (radiata is remarkably				0	4
	curious)			2184 Gynerium Argenteum (Pampas	•	-
2159	" barbata	0	4	Grass). The most noble grass in		
2160	fimbriata, 1 ft	0	3		0	6

				_	_
	Per I		Pe	r P	kt.
Holcus. An exceedingly ornamen-	8.	ď.	001H 011	8.	d.
				0	3
tal, graceful, elegant, and stately				0	3
class, producing a fine effect in			2219 Tricholæna rosea, beautiful beyond	_	
shrubberics, select plantations, &c.,				0	4
the changeable character of their			2220 Trypsacum dactyliodes, handsome,	_	
foliage, and the agreeable perfume				0	6
they emit, render them acceptable				0	3
acquisitions. 2185 Holeus Saccharatus, 10 ft			Zea (Maize, or Indian Corn). The		
New Dwarf Varieties.	0	3	following are amongst the most		
0196 Diaman Wana C.A.	0	0	ornamental of this fine class.	_	0
019# Til-41- 0.0	0	3	0000	0	6
0100 Tarbala CA	0	3		0	0
9199 Toomsians non- C.6	0			0	6
y	0	3	0005	0	6
0101	0	3		0	6
0100	0	3	0007 " 6	U	O
2193 " Sangiana, 6 ft	0	3		0	6
2194 Hordeum jubalum, very fine	0	3		0	6
2195 Isolepsis gracilis, very graceful, 6 ft.	0	6	9999	0	6
2196 Lagurus ovatus (Hare's-tail grass),	U	0	0000	0	6
1 ft	0	3	9091 "	0	6
2197 Lamarkia aurea	0	3	0000 "	0	6
Panicum. A very ornamental,			7, 3, 3, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	0	6
pretty, and curious-looking class,			9994	0	6
well suited for bouquets.			222 11 11	0	6
2198 ,, colonum, fine, } ft	0	3	2236 ", straw coloured		
2199 , concinnum pulchellum,	-			0	6
very handsome, 1 ft	0	6	2237 ,, ,, white, blue,		
2200 , crus corvi, brown, fine, 11ft.	0	3		0	6
2201 ,, ardeæ	0	6	2238 , denticulated, beautiful silvery		
2202 ,, galli, fine, 11 ft	0	3		0	6
2203 ,, eriogona fimbriata, fine, 1ft.	0	4		0	6
2204 ,, originum	0	6	2240 ,, bright transp. ruby	0	6
2205 Paspalum elegans, white, very pretty				0	6
and interesting, 11 ft	0	3		0	6
2206 , stoloniferum	0	6		0	6
2207 Pennisetum longistylum, very grace-			2244 ,, yellow, purple, &		
ful and interesting, 1½ ft.  2208  Italicum	0	3		0	6
	0	6		0	6
2209 Piptatherum Thomasi	0	3		0	6
	0	6		0	6
2211 Pos drizophyroides	0	6	0040	0	6
,,	0	4	9950	0	6
2214 Setaria macrocheta, large drooping	0	4		0	6
plumes of the most graceful de-			in the state of th	0	6
scription, 2 ft	0	3	0050	0	6
2215 Sorghum bicolor, very graceful, 2 ft.	0	3	One packet each of the above 32 splendid	U	U
2216 Sporolobus tenacissimus, very fine,	0	9	varieties, 10/6; 20 ditto, 7/6; 15 ditto,		
if the	0	6	5/6; 10 ditto, 3/6.		
,			-1- , -3 4110, 0/01		

# GLADIOLI SEEDLINGS OF GANDAVENSIS.

The following Collection embracesa' the most really valuable varieties, and cannot fail to give the greatest satisfaction.

The following hints on their culture will doubtless be useful to the amateur:—

Prepared mg mms on tour cuture with utdoubtes or useful in the singleten inches or two feet, adding, as the work proceeds, abundance of well rotted manure. Plant at a depth of three or four inches, and surround each bulb with an inch of clean sand, especially if the soil is stiff or wel.

In light, well drained soils, the bulbs may be planted as early as the end of March, but on heavy or wet soil, not before the end of April. For successional bloomings, plant at intervals of a fortnight or three weeks, the last planting being made early in June, thus a gay display may be maintained from August to November.

		£.	8.	đ.	1						ď.
100 in 50 splendid varieties		4	4	0	Н	25 in 25	splendid varietie	8, 12/, 21/, &	1	5	6
50 in 50 ditto	**********	2	2	0		25 in 12	ditto	***************************************	0	10	6
	********							5/6, 9/, &	0	12	0





# STRIKING NOVELTIES FOR 1862,

Which BARR AND SUGDEN have received from their Special "SARDINIAN CORRESPONDENT," who has for many years devoted his attention to improving the Carnation, Picotee and Pelargonium, and who has taken a first rank as the introducer of novelties of standard character for some years past.

#### ABUTILON.

M. ALPHONSE KARE.—A. MANETIL—A. SOUVENIR D'ARAGO.—A. SOUVENIR DE CAUCHY.—
New and most beautiful greenhouse shrubs, with wax-like, bell-shaped flowers, exquisitely veined maroon, crimson, scarlet, &c. Price, per packet, each, 1/.

#### ACACIA.

A. CHRYSOSTACHYS.—A. MULTINERVIA.—A. PANICULATA.—A. XYLOFHYLLOIDES.—The Acacia is unequalled for greenhouse, conservatory, and drawing-room decoration, from the extreme elegance and variety of its foliage, and the gorgeous clusters of its flowers.

The above distinct and beautiful varieties can be most highly recommended. Price, per packet, each, 1/.

#### AMPHICOME ARGUTA.

A pretty evergreen shrub, with beautiful lilac Pentstemon-like flowers. Price, per packet, /6.

#### ANTHYLLIS CYTISOIDES.

A very pretty shrub, with silvery green foliage and yellow flowers. Price, per packet, /6.

### BRUGMANSIA KNIGHTII.

A noble plant, unequalled for the winter decoration of the conservatory, during which season it expands its magnificent double white odoriferous blossoms in the greatest abundance. Price, per packet, 1/.

#### BRUGMANSIA SUAVEOLENS.

Most magnificent species, very fragrant white trumpet flowers, upwards of a foot in length; it before freely against a south wall, grows well in pots, or planted out in the conservatory, where its effect is grand beyond description. Price, per packet, 1/.

#### CANNA.

C. GLAUCA MAGNIFICA.—C. GIGANTEA NOVA.—C. HOOKERIL.—C. ROSEA MULTIFLORA.—The above new and rare varieties are most valuable for conservatory or out-door decoration. Their brilliant and vivid coloured spikes of bloom, and the oriental character of their foliage, giving an unusual striking and ornamental appearance to the parterre and flower garden. Price, per packet, 1/.

#### CELOSIA COCCINEA AURANTIACA PYRAMIDALIS.

(See Illustration.)

A superb variety in the style of "Aurea," the effect of which when in bloom is inconceivable; flowers, scarlet, shaded orange. Price, per packet, 1/.

#### CENTAUREA GYMNOCARPA.

Fine rose-coloured flowers in panicles, with beautiful silvery foliage. Price, per packet, 1/.

# CLITORIA TERNATEA VIOLACEA FLORE PLENO.

A charming climber, flowers of a rich velvety purple, and produced in the greatest profusion, of the greatest novelties of the season, being the only double variety yet obtained. Price, per packet, 2(6.

#### CONVOLVULUS CANTABRICUS STELLATUS NOVUS.

(See Illustration.)

A splendid new hybrid Convolvulus, in growth resembling C. Cantabricus, but with flowers and foliage perfectly distinct—beautiful pink, with a pure white double star in the centre, and produced in the greatest profusion. A splendid bedding plant, and extremely elegant for hanging baskets. Price, per packet, 1/.

#### DAUBENTONIA MAGNIFICA.

An exquisite new and distinct variety, with rounded leaves and numerous long racemes of fine reddish orange flowers, spotted yellow. Price, per packet, 1/6.

#### DOLICHOS AUREUS .- DOLICHOS FRAGRANS FLORE ALBO.

Two beautiful ornamental climbers, introduced from China by the "Société d'Acclimatation" of Paris. D. aureus has fine golden yellow flowers; D. fragrans flore albo, pure white. Price, per packet, each, 1/6.

#### ERIOCEPHALUS AROMATICUS.

An exceedingly pretty variety, with silvery foliage and magnificent white flowers. Price, per packet, 1/.

#### GREVILLEA ROBUSTA.

A handsome free-flowering New Holland plant, the foliage of which for greenhouse and conservatory decoration is perhaps unsurpassed. The most magnificent of the genus. Price, per packet, [6,

#### GOURDS.

See Illustration, taken from a photograph of a group exhibited by our "Sardinian Correspondent," which obtained a First Class Certificate.

#### HELIANTHUS ARGENTEUS GRANDIFLORUS NOVUS

Fine new variety, very distinct, remarkable for its large flowers and splendid silvery foliage, far superior to H. argophyllus. Price, per packet, 1/.

#### HIBISCUS GRANDIFLORUS HYBRIDUS ROSEUS.

A plant with gorgeous rose-coloured flowers, 7 inches in diameter, blooms freely the first year, Price, per packet, 1/.

# HIBISCUS PUNICEUS.

Flowers dazzling scarlet, shaded purple, of an enormous size; blooms profusely during the autumn and winter months. Price, per packet, 1].

#### INDIGOFERA NAPOLEONEANA.

An elegant profuse blooming shrub, with rose-coloured flowers, very beautiful. Price, per packet, 2'6,

#### JASMINUM GRACILE.

A new and fine climbing variety of this splendid genus, with oval-shaped shining leaves, and very fragrant white flowers. Price, per packet, 1/.

#### JUSTICIA MULTIFLORA.

Distinct variety with dark green leaves and very pretty small scarlet flowers. Price, per packet, 1/6.

# KENNEDYA.

K. COCCINEA MAGNIFICA.—K. VIOLACEA SEMPERFLORENS.—Two extremely handsome and ornamental varieties, producing their flowers in large racemes, and blooming freely for a lengthened period. K coccinea magnifica has splendid large scarlet flowers. Price, per packet, 1, and 1,6.

#### LATANIA BOURBONICA.

#### (FAN PALM.)

A magnificent and handsome palm, with curiously plaited fan-like fronds. Price, per packet, 4.

#### LOPHOSPERMUM MAGNIFICUM.

A superb variety of these splendid ornamental climbers, with large crimson purple flowers of extraordinary beauty. Price, per packet, 2/6.

#### MELALEUCA SQUAMEA.

A most elegant and effective plant with beautiful tufts of rich purple flowers. Price, per packet, 1/.

#### MIMOSA HORRIDA.

This is a remarkably handsome plant, with large golden ball-like flowers, fine dark foliage, and stems garnished with long white spines; altogether producing a most picturesque effect. Price, per packet, 1/.

### NICOTIANA SUAVEOLENS.

Spikes of very pretty fragrant white flowers. Price, per packet, 1/.

#### PELARGONIUM SEED.

FederatorNois Seeds.

From the collection of our "Sarbinan Correspondent," which comprises some of the most exquisite novelties ever obtained, combining in a remarkable degree the dazzling brilliancy colouring, and free flowering habit, peculiar to the French varieties, with the smooth thick petal and fine form of the best English kinds. (See Collections).

The dried specimens to be seen at our Establishment, though having lost much of their gorgeous colouring, perfection of form, and substance, by the process of drying, will nevertheless sufficiently

attest to the amateur their merit and novelty.

#### PENTSTEMON LIABAUD.

Rich and beautiful scarlet flowers; spotted maroon, with white throat. Price, per packet, 1/.

# PENTSTEMON ROSEUM MAGNIFICUM.

A magnificent variety with brilliant rosy flowers and fine foliage. Price, per packet, 1/.

#### PHLOX DRUMMONDII MARS.

Most superb variety, magnificent rich carmine scarlet flowers, with dark eye. Price, per packet, 1/.

### PITTOSPORUM JAPONICUM.

A handsome profuse flowering evergreen shrub, with fine dark glossy green foliage, producing magnificent tufts of elegant white flowers, scented like orange blossoms. Price, per packet, /6.

#### RICINUS (Giant).

- RICINUS GIGATEUS, LIVIDUS, bronzy green fruit, red stems. Price, per packet, [6.
  "MORUS SUPERBUS, fine mulberry fruit, stems, and leaves. Price, per packet, [6.
  "SUPPHREEDS, yellow fruit, very handsome foliage. Price, per packet, [6.
  - VIRIDUS RUBER, bright green fruit, red stems. Price, per packet, /6.

These gigantic annual plants, now comprise many exquisite varieties, which by their elevation, majestic appearance, and extreme richness of foliage, deservedly occupy an important place amongst plants of highly ornamental character.

The Ricinus is of such extremely rapid growth, that it frequently attains a height of from six to ten feet during the summer, while in hot countries its altitude is not less than thirty feet.

Planted singly on lawns it is a most imposing object, from its oriental style of growth.





#### RICINUS (Dwarf).

RICINUS NANUS AURANTIACUS RUBER, fine vellow tinted fruit. Price, per packet, /6.

NIGER, black fruit, yellow spine. Price, per packet, /6.
SULPHUREUS, yellow fruit, shaded red, green stems. Price, per packet, /6.

", "VIRIDUS, green fruit, red stems. Price, per packet, /6.

The dwarf Ricinus, from their compact habit of growth, &c., are very desirable for small gardens. where the taller varieties would be unsuitable; and from their richly coloured foliage, stems, and fruit, are exceedingly effective, and highly ornamental.

#### SANVITALIA MEXICANA.

An exceedingly pretty low growing annual, continuing in bloom for months in succession; fine deep orange flower, with a red spot on each petal. Price, per packet, 1/,

### SCILLA IMPÉRATRICE EUGÉNIE.

A splendid new variety; flowers of a lovely porcelain blue, blooming the whole winter, and forming an exquisite ornament for greenhouse and conservatory decoration. Price, per packet, 2/6.

#### SOLANUM.

SOLANUM AMAZONICUM ATROPURPUREUM, S. A. CŒLESTINUM, S. A. LILACEUM, S. A. PALLIDA,

and S. A. Roseum. Price, per packet, each, 1/6.

Five new, distinct, and beautiful varieties of this favourite and highly ornamental genus of fruitbearing plants, covered with a rich profusion of elegant flowers from June to December; the foliage is handsome, habit of growth neat and compact.

#### SOLANUM GILO .- SOLANUM MARGINATUM.

S. Gilo is a splendid and attractive variety, producing abundantly rich vermilion coloured fruit, the size of a mandarin orange; while S. marginatum is strikingly beautiful, bright purple flowers, bordered white.

Two highly valuable plants for decorative purposes. Price, per packet, /9 and 1/.

#### TEMPLETONIA GLAUCA.

A very handsome plant, its silvery foliage contrasting finely with its magnificent large scarlet flowers, which are produced in the greatest profusion. Price, per packet, 6.

#### TROPŒOLUM.

T. AUGUSTE DE HOMBERG, T. MADAME GAVINI, T. MADAME PERSINI, T. MADEMOISELLE ROUHER, T. POLE STAR, T. PRINCE LOUIS. Price, per packet, 1/.

Perhaps the most novel and beautiful varieties of this elegant climber yet introduced, both as

to model form, rich colouring, and distinct markings.

#### VERONICA SOLFERINO.

A most elegant plant, with broad Camellia-like foliage, and splendid spikes of carmine flowers. Price, per packet, 1/6.

#### VINCA ALBA NOVA.

This is, without exception, one of the most charming novelties of the season, flowers very This is, without exception, one of the loss training inventes of the season, howers very distinct, pure-white (without eye), an exquisite variety. Price, per packet, 1/. Sown early, it forms a fine bedding plant, blooming the whole season, or, in pots, is a most distinguished plant for greenhouse decoration, flowering continuously all the winter.

ZEA (MAIZE). This magnificent and extensive collection comprises the well-known "Giant, Dwart, Denticulated," and the remarkable species called "Dent de Cheval," and was awarded a First-class Certificate. We have little hesitation in asserting it is unequalled, not only as regards twariety, but for the rich and distinct colours of its splendid spikes of corn, as purple and yellow,—carmine and black,—ruby and marcon,—beautiful pearly white,—scarlet and black,—black and white,—bronze, &c., &c., which, when dried, form elegant ornaments. For prices and varieties, see Catalogue, page 80.

Three medals have been offered by the Royal Horticultural Society, as prizes for specimens of Maize, at their October Exhibition, 1862.

#### ZINNIA ELEGANS, FLORE PLENO.

(BARR AND SUGDEN'S Varieties.)

As saved specially for them by their "Sardinian Correspondent," in selected and distinct varieties, from finest quality double flowers only. Each variety 1/ per packet.

(See Illustration.)

The following splendid Novelties our "Sardinian Correspondent" also had the honour of introducing, and their merits are now so well known and appreciated as to need no further comment of ours :-

#### AUBERGINE, SCARLET.

(EGG PLANT.)

A handsome plant, with beautiful scarlet fruit, of the form of a large egg, and dark green foliage, very striking and handsome. Price, per packet, /3.

#### BALSAM, QUEEN VICTORIA.

(NEW INDIAN VAR.)

Blosh ground, beautifully striped and shaded with vivid carmine. Price, per packet, 1'.

#### BALSAM, LORD CLYDE.

(NEW INDIAN VAR.)

Exquisite pearl grey speckled rosy lavender, very beautiful. Price, per packet, 1/.
The above are two very fine distinct hardy varieties, forming handsome bushy plants, with dark

green foliage.

BIGNONIA CAPREOLATA ALBA SUPERBA. New climber of extreme beauty, with large fragrant white flowers and graceful foliage. Price. per packet, 1/.

CHRYSOSCIAS FLORIBUNDA.

Handsome climbing plant, with elegant foliage, and fine vellow flowers. Price, per packet, 1.

#### COLUTEA FRUTESCENS GRANDIFLORA.

Superb dark red flowers, resembling Clianthus Puniceus, with graceful Mimosa-like foliage. Price, per packet, /6. CUPHEA EMINENS.

Splendid variety, fine branching Araucaria excelsa-like foliage, with a profusion of yellow and scarlet tube-shaped flowers ; few plants surpass this in richness and beauty. Price, per packet, /6.

#### HIBISCUS LILIFLORUS.

Fine scarlet lily-like flowers, a very handsome foliage. Price, per packet, 1/.

# HIBISCUS OCHROLEUCA GRANDIFLORA.

Large yellow flowers, shaded rose; most beautiful greenhouse plant. Price, per packet, 1/.

#### INDIGOFERA ROYLEII.

Beautiful large red blossoms, somewhat resembling Polygala grandiflora. Price, per packet, 2 6.

#### IPOMEA LEARII.

Splendid perennial Ipomea, producing profuse clusters of superb lazuli blue flowers, changing red. The effect of this plant in bloom is grand beyond description. Price, per packet, 1/.

#### LOTUS AUSTRALIS.

This is one of the most elegant of annual bedding plants; the effect of its beautiful rose coloured flowers must be seen to be fully appreciated, and we have no hesitation in saying it will take first rank amongst plants of this description. Price, per packet, 1/.

#### PENTSTEMON LUDOWIC.

Large violet flowers, white throat, striped and spotted black; a magnificent variety of this favourite genus. Price, per packet, 1/.

#### SOLANUM CABILIENCIS ARGENTEUM.

A very handsome and ornamental shrub, with three lobed silvery leaves, and yellow fruit, the size of a small apple; blooms the first year. Price, per packet, /9.

#### SOLANUM TEXANUM.

Very showy Tomato-shaped fruit of brilliant wax-like vermilion, and exceedingly handsome mulberry-shaded foliage. Price, per packet, /3.

# STATICE PUBERULA HYBRIDA.

Beautiful pale blue flowers in large clusters, which remain in perfection several months; a most elegant ornament to the greenhouse. Price, per packet, 1/2

#### TACSONIA IGNEA.

Splendid searlet passion flower, unsurpassed in the dazzling resplendence of its flowers. Price. per packet, 1/.

# TACSONIA MANICATA.

Charming variety, in colour somewhat resembling T. 1681.2, but is a few shades darker, giving quite a distinct effect; both are hardy and of quick growth, producing a succession of blossoms throughout the year. Price, per packet, 1/.

#### TACSONIA SPLENDENS.

Another variety of these exquisite climbers, distinct and beautiful; flowers rich searlet, with dark purple rays. Price, per packet, 1/.

#### TECOMA JASMINOIDES GRANDIFLORA.

Fine glossy green foliage, with bunches of exquisite white flowers, large crimson eye. Price, per packet, 1/6.

### THUNBERGIA COCCINEA.

A most elegant climber, with beautiful searlet flowers in clusters, blooms the first year. Price, per packet, 1/6.

#### TROPŒOLUM IMPERATRICE EUGENIE.

Orange, shaded maroon, with dark spots, fine form; very handsome variety. Price, per packet, 1/6.





		Ea	ich.			Eac	
2254	Achille, currant red, stained with	5.	d.	2298	Madame Basseville, cherry rose,	s.	d.
	crimson and white	3	0		spotted purple	3	6
2255	Adonis, clear cherry, spotted with bright carmine	0	6	2299	Madame Binder, pure white, striped	1	3
	Aglæ, rosy salmon, flowers very large	0	6	2300	rose-carmine		
2257	Amabilis, vermilion, blotched crim-	0	6	9301	Madame Haquin, yellow, tinted with	3	0
2258	Antiope, cerise, marked white, and	U	U	2001	lilac and flame colour	2	3
	spotted violet	2	6	2302	Madame Henrincq, creamy white,	0	6
2200	Archimedes, brilliant red, chamois, striped carmine	0	6	2303	broadly striped with carmine  Madame Leseble, pure white,	U	0
2260	Berenice, beautiful rose, feathered				blotched rose-violet	5	0
2261	with vermilion, spotted carmine Berthe Rabourdin, pure white, exqui-	1	0	2304	Madame Pauline, white, purple spotted	1	6
	sitely marked with rosy carmine	3	0	2305	Madame Poignant, clear nankin,	•	
2262	Calendulacea, orange rose, yellow		0		changing to a delicate rose, spotted	6	0
2263	Calypso, rose, striped carmine	2	3	2306	with carmine	O	0
2264	Canari, clear canary, striped ruby	1	0		white flaked	7	6
2265	Ceres, pure white, blotched with rosy violet	3	0	2307	Madame Souchet, delicate flesh,	3	0
2266	Chateaubriand, rosy cerise, beauti-	0	v	2308	spotted deep rose		
	fully marbled	1	0		white centre, striped carmine	7	6
2201	Clemence, delicate satin rose, largely blotched with brilliant carmine	2	0		Mars, brilliant scarlet	1	0
2268	Comte de Morny, bright red, primrose	~			and yellow	1	0
9969	stained violet	3	0	2311	Mathilde de Landevoisin, white, striped purple-violet	1	3
	rose, broadly marked with carmine .	2	6	2312	Midas, deep rose-salmon, mottled	•	
2270	Courantii Fulgens, brilliant crimson	0	6		with vermilion	1	6
2271	Daphne, cherry, blotched carmine Doctor Andry, dazzling orange	0	9	2313	Monsieur Blouet, delicate rose, striped carmine	0	6
	searlet	1	0	2314	Monsieur Corbay, clear orange-red,		
2273	Don Juan, brilliant vermilion scarlet	0	6	0215	spotted with violet	0	6
. 2212	Duc de Malakoff, intense orange scarlet, shaded yellow	3	0	2010	Monsieur Vinchon, bright salmon, striped with white	1	0
2275	Edith, rose, carnation shaded	1	0	2316	Napoleon III., dazzling scarlet, beau-		
2276	Eldorado, pure yellow, red striped Emma, clear carmine	7	6	2317	Nemesis, vivid rose, shaded white,	3	0
2278	Endymion, cherry rose, striped car-	U	0		and blotched carmine	1	0
	mine	1	0	2318	Neptune, fine red, dashed and spotted	,	
2280	Esope, red, purple striped Eugenie, delicate salmon rose, striped	1	0	2319	with carmine	1	0
	and shaded	1	0		striped with ruby	1	3
2281	Fanny Rouget, lively rose, blotched violet, and shaded carnation	0	6	2320	Ophir, yellow, blotched with purple Oracle, extremely brilliant and beau-	3	0
2282	Fischerianus, striped rose	1	0		tiful rose	1	0
2283	Fulgens aureus pictus, golden yellow,			2322	Osiris, rich violet, splashed with	,	0
	marked and feathered with flame colour	0	6	2323	Othello, vivid scarlet, slightly stained	1	0
2284	Galathée, very delicate carnation,				yellow	1	0
2285	Gassendi, carmine, spotted	1	0	2324	Pegase, carnation, blotched with purple-carmine	1	0
2286	Gil Blas, bright cerise	0	9	2325	Penelope. shaded carnation, blotched		
2287	Goliath, clear red, striped carmine	1	0		sulphur and carmine	1	0
2200	Hébé, delicate carnation, striped carmine	1	0	2020	Pline, most delicate cerise, with clear white centre	3	6
2289	Helène, pale lilac, striped and blotched			2327	Pollonia, rose and carmine	ő	6
2290	with violet Imperatrice, white shaded carnation	0	9	2328	President Decaisne, light crimson, spotted carmine	2	0
	with carmine markings	1	0	2329	Premices de Montrouge, brilliant	2	0
2291	Isabel, yellow and crimson	1	0		crimson, with large fiery petals	1	0
	Isoline, carnation, blotched with crimson violet	2	3	2000	Princesse Clothilde, delicate salmon- rose, blotched with violet on a white		
2293	Janire, orange violet Jeanne d'Arc, white, shaded and	õ	6	000	ground	в	0
2294	spotted with rose and violet	1	3	2331	Princesse Mathilde, beautiful rose, striped and shaded with carmine	3	0
2295	John Bull, ivory white	1	0	2332	Raphael, brilliant vermilion, with	U	
2296	Le Chamois, bright copper, blotched		0		violet-tinged white centre	5	0
2297	Leon Leguay, bright rose, under	1	0	2333	Rebecca, white, shaded and splashed with lilac	1	3
	petals carnation spotted carmine	1	0	2334	Rembrandt, brilliant crimson scarlet	3	o

		Each.		Eac	
I	2335 Solfaterre, jonquil-yellow, large		2339 Velleda, delicate rose, spotted lilac,		
Į	magnificent flowers, very striking.	7 6	extra fine	3	0
	2336 Sulphureus, primrose, striped rose-		2340 Victor Verdier, dazzling scarlet,		
	purple	1 3	shaded with purple blotches	3	0
	2337 Theresa, orange-shaded rose, salmon		2341 Vicomte de Narcillac, rose-carmine		
ŀ	centre, blotched with carmine		striped, upon a yellow ground	1	0
ı	2338 Vesta, pure white, blotched with		2342 Vulcan, scarlet, richly shaded with		
-	violet-purple		violet	2	3

#### GLADIOLI SEEDLINGS OF RAMOSUS.

For succession, plant in Pebruary, March, and April. Should the soil be well drained, it will simply require deep digging and well working, adding plenty of theroughly rotted manure; should it be wet, or of an adhesive character, besides deep digging and well working, it should be raised two or three inches above the general level, and the bulbs planted four inches deep and nine inches apart, surrounding each with an inch of river sand. If the ground intended for these be occupied with spring flowering bulbs, or is unusually wet and cold, plant in pots, and when the time comes for turning them out, be careful not to disturb the roots.

£. s. d.

£. s. d.

	100 in 50 ext	ra choice varietie	S	3 10	0	12 in	12 extra choice varieties 0	12	0
	50 in 50	ditto		1 16	0	12 in	12 ditto, very fine, 5/6,		
	50 in 25	ditto		1 10	0		6/6, and 0	9	0
	25 in 25	ditto		0 16	0				
			-						
					1			77-	-2-
					ach.			Ea	d.
	2343 Alma.	nure white, spotter	I red		0	2366	Maculata superba, rose, spotted with	0.	
		Chasse, cerise, spo			0		white	0	6
		a, brilliant dark			-	2367	Paulowna, pure white, with violet		
		white spots			6	1	blotches	0	9
	2346 Betty	magnificent rose .				2368	Prince Alexander, splendid orange		-
	2847 Crocata	bright orange,	feather	ed		10000	with long white feather	0	9
	white		Jeanner	0	9	2869	Prince Albert of Prussia, bright rose,	-	
	2348 Duches	se d'Orleans, rec	1 touther	n.l		10000	spotted white	0	6
	with a	white	., ,	0	9	2370	Prince Frederick of Prussia. carmine		
		s of Sutherland,				1010	with white flakes	1	0
		roudly feathered i			G	2371	Prince of Waterloo, orange with		
		, deep orange			0	10012	long narrow feather	1	0
	2351 Elegan	s, dark carmine	feather	wel		9372	Prince of Wales, searlet striped with	-	
	with I	lue	, , reconcer	2	6	20.2	white	1	0
١	2352 Genera	l Washington,	bright v	100	0	2373	Princess Alice, fine rose	ů.	9
		striped with white			9		Princess of Orange, extra bright		
l		trice de France			-	2011	orange, spotted with white	1	0
l		alis, purple, splen			-	2375	Princess Marianne, scarlet splendidly	-	
		is, rich flame sc			0	2010	striped	0	9
l		purple			6	2376	Queen of England, carmine splendidly		
ı	2356 La plu	s Eclatante, orang	w feather	ed	0	2010	spotted	1	0
l		rhite			0	2377	Queen of the Netherlands, bright	-	
ì	2357 Lady I	Sungannon, saffre	m colour	1	6	2011	rose, broad orange feather	1	0
		erby, cerise, spotte			0	2378	Rosalia, rose lake	1	6
		udley, cerise, tinte			G		Sabalkansky, superb cerise	0	9
		rey, violet, finely	stringel	. 6	0		Sir Robert Peel, scarlet with large		-
		homson, brilliant	cerise .	1	6	2000	white spots	1	0
		Wellington, bri	alit scar	let	0	2381	Trimaculatus, fine rose	o	6
	spotte	d white	y	(	9	2382	Van Doeveren, superb rose feathered		
	2363 Louis	Napoleon, rose, sp	otted whi	le. I		2002	white	1	6
-	2364 Lilacin	a, leluc		(		2383	Zobia, bright carmine, splendidly		
1	2365 Lindle	yana, brilliant o	Tanae m	ith	0	1 2000	striped	0	9
-	long f	eathered flakes	, , ,	0	9				
I	30	Jeanes ve		0	0				

# CHEAP GLADIOLI FOR MASSING, BEDDING, AND CLUMPING.

6 each of the following 25 splendid varieties, 30 0 ditto	2 each of the following 25 splendid varieties, 10 6
---	---





	30 1	00 17 6	lom		10 10	i0 ₩ d	low
		d. 3.				i. s.	
2384	Anna Paulowna, pure white,		er.	2400 La Ville de Haarlem, rose			
NOUL		4	c			3	6
0005		***	0	2401 Lord Auckland, fine cerise,	• •		U
2000	Baviana, orange, feathered	â					0
	violet	3	U	with white spots		4	ю
2386	Blandus, mixed, various			2402 Lord Clarendon, fine red,		_	
	shades of rose and blush	3	0	feathered white	* *	3	
2387	Bowiensis, bright scarlet	6	0	2403 Magnificus, deep red		2	6
2388	Brenchleyensis, rich vermilion 27	64	6	2404 Mons Blouet, delicate rose		3	6
2389	Cardinalis, bright scarlet with			2405 Multiflorus, fine rose, stained			
		2	0	with rose purple		4	6
2390	,, roseus, bright rose			2406 Ne Plus Ultra, deep red, large			
		3	0	white spots, edged with scarlet		5	6
2391	Colvillii, purplish lilac with	***		2407 Orange Boven, vermilion,			
2007		01	0			3	0
0000		3		2408 Prince Albert, bright rose,	•••	****	
		***	υ				
2000	Diebitsch Sabalkansky, cerise,		_	finely feathered white and			
0004	spotted white	4	6	crimson	Э	02	Ф
2394	Elegantissimus, fine rose,			2409 Queen Victoria, bright scarlet	_		_
	spotted	i.2	6	and white 1	2	62	0
2395	Emicans, orange scarlet,			2410 Ramosus, bright salmon, rose,			
	feathered	3	0	and white 1	2	62	0
2396	Formosissimus, brilliant scar-			2411 Rosea maculata alba, rose,			
	let, flaked with white	2	6	spotted white		4	6
2397	Floribundus, white and blush,			2412 Sagittalis, mixed, suitable for			
	streaked with purple crimson 12	62	0			2	6
2398	Fulgens Aureus pictus, scar-			2413 Trimaculatus, fine rose,			-
	let, spotted with gold	3	6			4	0
9399	Gandavensis, searlet and		U	2414 Vraie Ruber, bright cerise,			U
2000		0 0	0	white feather		4	c
	yellow 15	02	0	white jeuther		4 · · · · · · · · · · · · · · · · · · ·	0

# DOUBLE ANEMONE.

#### THE PAXTONIAN SECTION

Embraces only such varieties as have large flowers, brilliant colours, and are adapted for bedding, massing, clumping, edging, and ribboning; they are also suitable for exhibition purposes.

100 in 20 splendid varieties	s. 15	d. 0 0	20 in 20 splendid varieties	s. 4 6	d. 0
	₩ d	loz.	, septemana analos, sar consults, por 200 1111	-	0%.
	8.	d.		8.	d.
2415 Azure Incomparable, azure blue	3	0	2426 Lady Emma Talbot, red	2	6
2416 Cœlestina, cœlestial blue	2	6	2427 Lord High Admiral, searlet	2	6
2417 Cramoisi Royal, scarlet	2	6	2428 Lord Nelson, violet blue	2	6
2418 Crystal Palace Gem, dark rose	2	6	2429 Prince Albert, dark violet		0
2419 Duchess of Sutherland, crimson and	_		2430 Queen Victoria, deep velvety crimson	3	0
white	2	6	2431 Richelieu, fine scarlet	3	0
2420 Fire King, bright scarlet	2	6	2432 Rose Mignonne, deep rose	2	6
2421 Gloriosa purpurea, violet purple	2	0	2433 Rose Surpassant, fine rose	2	0
2422 Harold, purple blue	2	o	2434 Scarlet superbe, fine scarlet		
	_	-	2434 Scarlet superbe, fine scarlet	2	0
2423 L'Eclaire, scarlet	2	6	2435 The Favourite of Kensington Gardens,		
2424 L'Ornament de la Nature, rich dark			white, purple, and red, variegated	2	6
blue	2	6	2436 The Pride of Covent Garden, rich blue	2	6
2425 L'Ornament epuisee, splendid blue.	3	0	2437 Von Schiller, dark brilliant blue	2	6

#### SINGLE ANEMONE.

Twenty-five charged at the rate per 100, and three at the rate per dozen.

				đ.			d.
2438	Choice mixed, all colours	per 100	4	0	 per dozen	0	8
2439	Brilliant scarlet	**	6	0	 - 11	1	0

#### STAR ANEMONE.

A very pretty section with star-shaped flowers, requiring the same cultural treatment as the double and single Anemones.

2440 Hortensis, double red ...... per 100 10 6 .... per dozen 1 6

STAR ANEMONE—continued.
∜ doz.
2441 Hortensis, single purple       2 0   2443 Hortensis, single rose       2 0   2442   2442   2442   2444
DOUBLE PERSIAN RANUNCULUS.
THE PAXTONIAN SECTION.
8. d. 100 in 16 splendid varieties 10 6 50 ditto ditto 5 6 32 ditto ditto 4 0
Superfine mixed
Fine ditto , 3 6 ,, 0 6
₩ 100 ₩ doz. s. d. s. d.
2445 Alice Mand, pure white 12 6.2 0 2446 Bella Donna, white, spotted  purple 10 0.1 6 2453 Mont Blane, pure white 10 61 6 2454 Nosegay, ucllow, spotted brown 10 01 6 2455 Orange Maximus Brilliant,
2447 Commodore Napier, primrose yellow and orange 2 6 tipped with purple 10 01 6 -2456 Perle Blanche, clear white 2 6
2448 Covent Garden Favourite, crimson lake
2449 Crystal Palace Beauty, golden         2458 Reine de Holland, black.        3 0           yellow         10 6.1 6         5         2459 Scarlet Star, brilliant scarlet 10 0.1 6           2450 Fireball, bright red         7 6.1 0         2460 Victoria Scarlet, vermilion
2451 Grandiflora, rose lake, mottled scarlet
primrose
DOUBLE TURBAN OR TURKISH RANUNCULUS,
The handsomest varieties and most beautiful colours. s. d.
1000 in 9 splendid varieties
250 ditto ditto 12 6
₹9 100 ₹9 doz. ε. d. ε. d. ε. d. ε. d.
2463 Bright Yellow     2     0     0     6     2467 Searlet, splendid     2     0     0     6       2463 Carmine     10     6     1     6     2468 Searlet and Gold     7     6     1     0       2464 Crimson grandiflora     10     6     1     6     2468 Sported     10     6     1     6
2466 Crimson, brown or black     2     0     0     6     1     6     2469 Spotted     10     6     1     6       2465 Crimson, brown or black     2     0     0     6     2470 White     10     6     1     6       2466 Orange     2     6     0     6     1     6     1     6
ITALIAN DOUBLE TUBEROSE,
A delightfully fragrant plant of the easiest culture, 3s. per dozen.
COMMELINA.—Pretty tuberous-rooted plants.
2471 Colestis, sky blue per dozen 2s.   2472 Colestis Alba, white per dozen 2s.
CRINUM.—A handsome, noble-looking plant, quite hardy.
2473 Capense, pink each 1s.   2474 Capenso, white each 1s.
TIGRIDIA.
Extremely handsome, producing in the open ground abundance of magnificent flowers.  per doz. each.
s. d. s. d.
2475 Conchifora, yellow and searlet     3 6     0 4       2476 Pavonia, beight searlet, orange spatted, extremely beautiful     2 0     0 3       2477 Speciosa, deep searlet, spotted     4 6     0 6
TRITONIA (CROCOSMIA) AUREA.
A greenful plant with hon looms on the great heavitful golden valley flowers 4/6 to doz. 6d each

# A graceful plant, with handsome spikes of the most beautiful golden yellow flowers, $4/6 \gg \text{doz.}$ , 6d. each. TRITOMA UVARIA GLAUCA.

The handsomest variety of this showy herbaceous plant, 9/, 12/, and 18/ per dozen.





# THE LONDON AGENTS FOR

Tye's Registered Ornamental Cut Flower Vases,



No. 1.	Each. Per Pair.
nt colours, blue,	
nd puce	2 to 2 6.4 to 4 6
n	3/6 . 6/6
utifully gilt	6/ . 11/6
reen, and blue,	
lly painted	3/6 to 4/6.6/6 to 8/6
litto ditto	3/6 to 4/6.6/6 to 8/6


beautifully painted 4/6 to 5/6.8/6 to 10/6


Transparer green, ar Ruby, plai hea Opaque, g beautifu Opal,

Alabaster, plain .....

No. 2.	Éach.	Per Pair.
Ruby, plain	7/6	. 14/6
Alabaster, plain	6/6	. 12/6
" beautifully painted	12/	. 21/
No. 3.		
Transparent, beautifully gilt	1/	***************************************
Opaque and Opal, ditto	1/6	_
Ruby, plain	1/6	
" beautifully gilt	2/ 1/6	
Alabaster, plain	1/6	
" beautifully painted	2/6	turne.

# AGENTS FOR GMELIN'S PATENT FRUIT AND FLOWER GATHERERS. PATENT FLOWER GATHERERS.






By means of this simple Instrument Flowers can be gathered from the interior of a parterre

without treading upon the border, or from the top shelves of a Greenhouse, without incongathering Fruit, not only cutting the Flower or Fruit of, but also holding it until relieved by the hand. To Ladies fond of gardening, they are invaluable, being extremely light, and entirely preventing the necessity of stooping. Price, 26s. each.

#### PATENT FRUIT GATHERERS AND PRUNING SCISSORS.



The Fruit Gatherers are fixed on rods of six or eight feet in length, having a net attached to catch the Fruit when cut. By means of this Instrument a Tree may be cleared of its Fruit in a very short time, without the necessity of using ladders; thus, the Tree not being shaken, the ripe Fruit is preserved, and the Instrument being very simple any person can use it.

Price 22s., or with net 24s, each,

#### PATENT FRUIT GATHERER.

Consists of two discs of India Rubber, which are so elastic as not to press injuriously on the ripest Peach, or the finest description of other Price 18s. each.



#### BARR & SUGDEN'S

# COLLECTIONS OF VEGETABLE SEEDS FOR 1862.

These assortments consist of selections from the different sections of the Catalogue, and are suited to Gardens of various sizes; they contain the most approved varieties, and such as are most suited to secure a succession of the best vegetables from January to December.


N.B.—Should any of the following varieties not be required, increased quantities of other sorts can be sent in lieu.


THE SEEDS IN THE FOLLOWING COLLECTIONS ARE ALL NEW.

No charge made for Package or Packing, and all Orders amounting to £1. 1s. sent Carriage Paid.

#### COLLECTIONS OF SEEDS FOR ONE YEAR'S SUPPLY.

	No, 1.			No. 4.		
LEGUMINOUS SECTION.	10/6	15/6	21/0	30/0	42/0	63/0
Peas, including those best suited for succession, the most						
productive and the finest flavoured : such as Daniel						
O'Rourke, Champion of Scotland, Champion of Eng-						
land, Champion of Paris, &c	4 pt.	6 pt.	10 pt.	8 qt.	10 qt.	
Beans, best sorts	2 pt.	3 pt.	5 pt.	6 pt.	4 qt.	6 qt.
Beans, French, including Dwarf and Runners	1 pt.	1 2 pt.	2 pt.	3 pt.	4 pt.	5 pt.
EDIBLE LEAVED AND EDIBLE FLOWERED						1
SECTION.						
Borecole, including Cottagers, Asparagus, Feathered,						
Dwarf Curled, Kale, &c.	2 pkt.	2 pkt.	3 pkt.	3 pkt.	4 pkt.	5 pkt.
Brocoli, the best successional varieties, such as Grange's	- Pitter	1				1
Autumn, Snow's Winter, Lee's Sprouting, Adam's						
and Mammoth Spring, &c	2 pkt.	3 pkt.			4 pkt.	
Brussels Sprouts and Roseberry	1 pkt.	1 pkt.	1 pkt.	1 pkt.	2 pkt.	2 pkt.
Cabbage, including Covent Garden superfine early dwarf,						
Farly Dwarf Champion, Enfield Market, &c		3 pkt.	4 pkt.		5 pkt.	
Cabbage Savoy, best sorts	1 pkt.	1 pkt.	1 pkt.		2 pkt.	
Couve Tronchuda	1 pkt.	lpkt.	1 pkt.	I DEC.	1 pkt.	I pgt.
Cauliflower, including Mammoth, Walcheren, Covent Garden, &c.	1 pkt.	2 pkt.	2 pkt.	9 nbt	4 pkt.	4 pkt.
Spinach, summer and winter	2 oz.	4 03.	6 oz.	1 qt.	1 gt.	
	2 02.	4 02.	0 02.	- de-	×2 4	- 100
EDIBLE ROOTED SECTION.				ļ i		
Beet, including Covent Garden, St. Osyth's, and Pine-				0 7.	0 - 1 -	0 1-4
apple	1 pkt.	1 pkt.	1 pkt.	2 pkt.		3 pkt.
Carrot, best for forcing and general crop Leek, Musselburgh, &c.	1 ½ oz.	2 oz.	3 oz.	4 OZ.	6 oz.	2 pkt.
Onion, including White Spanish (Reading), Giant		I pkt.	I pkt.	I PEL	1 pkt.	a pat.
Madeira, White Globe, &c.	l oz.	11 oz.	2 oz.	3 oz.	5 oz.	8 oz.
Parsnip, including the "Student," and Selected Hollow	1 02.	12 04.	2 023	0 02.	0 0111	
Crown.	1 oz.	l oz.	1 oz.	2 oz.	3 oz.	4 oz.
Rampion.				1 pkt.	1 pkt.	1 pkt.
Salsify			1 pkt.	1 pkt.	1 pkt.	l pkt.
Scorzonera				1 pkt.	1 pkt.	1 pkt.
Turnips, including Jersey Navet, Snowball, &c	l oz.	2 oz.	3 ez.	4 OZ.	6 oz.	8 oz.
EDIBLE FRUITED SECTION.						
Cucumber, including Champion, Empress Eugenie, &c			1 pkt.	1 pkt.	2 pkt.	3 pkt.
Melon, including Princess Alice, which received a first-				- Pass		-
class certificate			1 pkt.	1 pkt.	2 pkt.	2 pkt.
Tomato			1 pkt.	1 pkt.	2 pkt.	2 pkt.
Vegetable Marrow, including the New Custard, Melon						
Gourd, &c	1 pkt.	1 pkt.	2 pkt.	2 pkt.	3 pkt.	4 pkt.
SALAD SECTION.						
Celery, including the 2 Covent Garden varieties, &c	1 pkt.	1 pkt.	2 pkt.	3 pkt.	3 pkt.	4 pkt.
Cress, including Curled and Plain	4 oz.	4 oz.	6 oz,	10 oz.	1 qt.	11 qt.
" Australian and American	1 oz.	2 02.	3 oz.	4 oz.	5 oz.	6 oz.
Endive, best kinds		1 pkt.	2 pkt.	2 pkt.	2 pkt.	2 pkt.
Lettuce, including the Covent Garden Giant, White Cos,						F - 1-4
Drumhead, &c.	2 pkt.	2 pkt.	2 pkt.	3 pkt.	4 pkt.	5 pkt.
Mustard	4 oz.	8 oz.	10 oz.	1 qt.	1 qt.	1½ qt. 12 oz.
Radish, suitable sorts for succession	2 oz.	4 oz.	6 oz.	8 oz.	10 oz.	12 02.
POT, SWEET, & GARNISHING HERB SECTION. Herbs, Pot and Sweet						
Herbs, Pot and Sweet	***		2 pkt.	3 pkt.	4 pkt.	5 pkt.
Herbs for Garnishing, including Parsley, &c	I pkt.	l pkt.	2 pkt.	3 pkt.	3 pkt.	4 pkt.





The Cultural Directions are by an eminent Horticulturist, many years one of the principal writers of the "Gardeners' Chronicle."

# SELECT LIST

# VEGETABLE SEEDS;

ARRANGED AND CLASSIFIED ON AN ENTIRELY NEW PRINCIPLE, AND EMBRACING ALL THE BEST VARIETIES IN CULTIVATION, AND ESPECIALLY SUCH AS ARE MOST APPROVED OF IN COVENT GARDEN MARKET. WITH CULTURAL DIRECTIONS PRINTED ON EACH.

#### ALL PACKETS OF VEGETABLE SEEDS SENT POST PAID OR OTHERWISE.

This arrangement has been made to enable purchasers, whose Gardens are limited, to have from our Establishment, CARRIAGE FREE, really superior Seeds, both as regards their growing qualities, and the pureness of the stocks from which they have been saved.

Orders for Vegetable Seeds by Weight or Measure, amounting to 21s. and upwards, sent Carriage Paid.

For the Guidance of Amateurs, we have placed in Black Type the best varieties, and only such as are most suitable to maintain a succession.

# Section I.-LEGUMINOUS PLANTS.

PEAS.

SELECTION OF SOIL AND SITUATION .- For the production of heavy crops a deep loamy soil is most suitable; but ordinary garden soil, if properly prapared and well mannred, will yield abundantly. To obtain an early crop, plant in the warmest and most sheltered situation at command, such as the south side of a wall or hedge; but for the main crops choose an open airy situation. And instead of devoting a portion of the garden to Peas alone, as is usually done, it will be found advantageous to plant them in single lines amongst other crops; the plants will thus get more sun and air, and bear much longer and more abundantly.

PREPARATION OF THE LAND.—Trench to the depth of two feet, and ridge up roughly, exposing

as large a surface as possible to the action of the weather; and this should be done as no before sowing as convenient. The summer and autumn crops will require abundance of well-rotted manure; but the early crop will come sooner into bearing if planted in soil which is rather poor than otherwise, but it should be deep and well pulverised.

TIME AND MANNER OF SOWING.—The first crop should be sown about the middle of November, the second early in January, putting in a small breadth of a second early variety at the same time; and to secure a constant succession, sow once a fortnight from this time till the end of June, or later and to secure a constant succession, sow once a fortnight from this time till the end of Junc, or later if necessary, to secure a supply as late as it can be obtained in any particular locality. After the beginning of March sow the best kinds of Wrinkled Marrows; but for the last two sowings use a free cropping early, or second early variety, and sow in drills two inches deep and four inches wide, covering the seed with friable soil, and, if possible, when the ground is sufficiently dry to work kindly, If sown in successive lines let the intervening space exceed the reputed height to which the variety grows by six or twelve inches. As the seed for the earlier crops will be some time in the ground exposed to the depredations of mice, &c., it should be sown thickly to allow for losses; and although the strong growing branching kinds, which are used for the main crops, succeed better if sown whilly it is rendent to engal against loss from various causes by sowing all eather thickly and the thinly, it is prudent to guard against loss from various causes by sowing all rather thickly; and if the

plants are found to be too close when fairly started into free growth, they can easily be thinned out.

AFIER MANAGEMENT.—When the plants are about two inches high, draw the soil neatly towards them, and apply stakes of about the height to wards them, and apply stakes of fir or other evergreen branches added will afford a useful shelter to early crops. Keep the ground between the rows well stirred and free from weeds; and in dry weather mulch with manure for eighteen inches on each side the rows, giving a liberal supply of water when necessary, to keep the plants vigorous and to prevent mildew; indeed, the growing crops should never be allowed to feel the want of water.

By attention to these simple directions, and a judicious selection of sorts, in which our Catalogue will greatly aid amateurs, a plentiful supply of this favourite legume may be had throughout the season.

#### Division I.—THE EARLIEST PEAS.

If sown from November to February will be ready to gather in May and June.

#### Division II.-SECOND EARLY PEAS.

If sown from January to March will be ready to gather in June and early in July.

Auvergne, pods scimitar-shaped, well filled, and produced in great abundance, 4 ft.......

Bishop's New long-podded dwarf, a fine branching prolific variety, with long well-filled pods, very productive, 2 ft.

Champion of Paris (Syns. Paradise and Excelsior Marrows), an excellent variety, both as regards flavour and cropping; as early as the frame, 4 ft.

1 0

Dickson's Favourite, a very prolific variety, with long, well-filled pods, 4 ft.

1 0

Harrison's Perfection, fine flavoured and productive, 3 ft.

1 0

Bellamy's Green Marrow, fine flavoured and productive, 4 ft.

1 0

Prizetaker Green Marrow, very superior variety, with dark green pods, which are produced in great profusion, 4 ft.

#### Division III .- VARIETIES SUITABLE FOR MAIN CROP.

If sown from February to April, will be ready to gather from the middle of July to the middle of August. "

#### Division IV .- THE EARLIEST WRINKLED MARROW PEAS.

If sown in March or April will be ready to gather about the middle of August.

# Division V.—WRINKLED MARROW VARIETIES, the best for Main Crop.

ß


If some in April and May will be ready to gather in August, September, &c.

British Queen, a well-known favourite of very superior flavour, and a fine cropper;
during mild seasons it continues blooming and podding sometimes as late as Christmas,

6 ft. 1

Champion of Scotland, a strong growing and branching variety, with large wellfilled pods, of fine flavour; the plant continues growing, blooming, and podding, and
it is not unusual in mild seasons to find it supplying an excellent dish of green peas at

let.



### BROAD BEANS.

PREFARATION OF THE LAND.—If possible select for this crop a deep strong loamy soil, and trench the ground early in autumn to a depth of two feet, ridging it roughly, and well internixing a liberal dressing of rich and well rotted manure as the work proceeds. If the ground is of a light

sandy nature too much manure can hardly be applied.

TIME AND MANNER OF PLANTING.—Plant the Early Mazagan on a warm, dry, and sheltered border early in November, and again early in January. After this time plant once a month until July, selecting an open airy situation for the summer or main crops, and using some of the larger seeded varieties. Plant in rows from two feet six inches to there feet six inches apart, leaving about

three inches between the seeds, and covering them evenly to the depth of three inches.

AFTER MANAGEMENT.—As soon as the plants of the early crop appear above ground the soil should be carefully ridged up round them, and branches of evergreens stuck pretty thickly on each side of the rows will be found serviceable in protecting them from frosty winds. Keep the soil between the rows free from weeds, and open by frequent stirrings. The early crop will come sooner into bearing if the plants are stopped as soon as they are in full bloom. Beans are seldom afforded stakes; but in exposed situations strong stakes driven in on each side of the rows with common tar cord stretched along them, will be useful, in the case of strong growing kinds, to prevent their being beaten down by the wind.

DOGGOTA GOTTA DE MACONTANTA	_		
Early Hang-down Long Pod, early and very prolific, 3 ft	P	er Qt.	
Mazagan, very early, hardy, and bears freely, 2 ft.			
" Marshall's Prolific, very early, prolific, and fine flavoured, 2 ft			
" Tom Thumb, neat, compact, dwarf variety, fine for small gardens, 1 ft		1 0	,
Green (new), deep green, very productive, and dwarf, valuab	le		
for small gardens, 1 ft.			
Johnston's Wonderful Long Pod, fine flavoured and productive, 3 ft			
Mackie's Monarch, Long Pod, very heavy cropper, fine flavoured, 3 ft			
Nonpareil, Green Long Pod, when cooked of a delicate green colour, 3 ft			
Taylor's Large Windsor, best for general crop, productive, beans very large, 3			)
Green Windsor, prized on account of its green beans, 3 ft		1 0	)

# FRENCH OR DWARF KIDNEY BEANS.

PREPARATION OF THE SOIL—These delight in a deep, friable, and rich soil; and where the land is of a strong, tenacious character, it should be trenched and ridged as early in autumn as possible, well intermixing a liberal allowance of manure; and upon very strong soils a good dressing of leaf

mould, if procurable, may be added with advantage.

TIME AND MANNER OF SOWING.—The seeds being liable to rot if sown early in wet cold soil, the south wall, and protecting them from frost by hand-glasses or other means. When the plants are in the rough leaf, and the weather considered safe, transplant in rows about two feet six inches apart as warm and sheltered border. Transplanting induces early fertility, and may be practised with advantage even where the plants are raised in the open border. Sow for the principal crops early in May, June, and July; and on light dry soils in warm localities a small quantity may be sown towards the end of July. Cover the seeds with about three inches of soil.

May, June, and July; and on light cry sous in warin tochnics of soil.

Cowards the end of July. Cover the seeds with about three inches of soil.

AFRER MANAGEMENT.—When the plants are about four inches high, ridge the soil neatly up on each side of them. This will help to prevent their being blown about by rough winds; and while there is any danger of frost, the early crop should be afforded the shelter of well furnished branches of evergreens, stuck into the soil in a slanting direction on each side of the rows. This partial covering will protect them from cold winds and frost, which would otherwise kill them. Keep the ground between the lines well stirred and free from weeds; and during dry hot weather, if the supply

threatens to fall short, an occasional soaking of water will be of service.

	Per Qt.
Canterbury White, very prolific, well-known, 1 ft.	
Chinese Long Podded, exceedingly productive, free cropping variety, 1 ft	1 6
Dun or Cream Coloured, much esteemed for its earliness and free cropping, 1 ft	
Fulmer's Early Forcing, a fine variety for forcing, very productive, 1 ft	1 6
Mohawk, or Early Six Weeks, a very good variety, 1 ft	
Negro Long Podded, very fine cropper, with long pods, 1 ft	1 6
Newington Wonder, the best of all for forcing, very productive, 1 ft	1 6
Speckled, a well-known prolific variety, 1 ft.	1 6
Variegated Dun, a very productive variety, very much esteemed, 1 ft	1 6

# RUNNERS, OR TALL FRENCH BEANS.

PREPARATION OF THE SOIL.—Common garden soil will produce fair crops, but the beans will be much more tender, and the plants will continue much longer in bearing, if they can be afforded a deep rich soil, which has been deeply trenched and heavily manured during the writer.

TIME AND MANNER OF SOWING.—As the plants are very impation of frost, the first week in May will, in most localities, be early enough to sow, and the ground should be sufficiently dry to work kindly. Drop the seed thinly in drills three inches deep, and not less than six feet apart, covering

it with the freest of the soil. In warm and dry localities a second sowing may be necessary to maintain the supply, and this should be made early in June.

Culture and after Management.—If there is danger of frost after the plants are up, protect them, if possible, by scattering over them some dry litter. Place a line of stakes not less than six feet high on each side of the rows, but if neither stakes nor rods can conveniently be obtained, a line of posts, with a top and bottom rail and light tar cord, or any moderately strong string, stretched between these at distances of about a foot, will answer perfectly well. Keep the ground free from weeds and the surface open by frequent stirrings. When the plants begin to bear, the pods, even if not wanted for use, should be removed before the seeds are formed, and at no period of their growth should old pods be left ungathered. During dry hot weather an occasional soaking of water will be of great service in maintaining the vigour of the plants and keeping them in bearing; weak manure water may be used with advantage

•	per	Ot
Eclipse, or Giant White, very long pods, produced in clusters, and in great abundance	e 2	6
Scarlet, exceedingly prolific	. 2	0
York and Lancaster, or Painted Lady, very ornamental and prolific	. 2	0
White Dutch, or Case Knife, very productive	. 1	6

# Section II.

# EDIBLE LEAVED & EDIBLE FLOWERED PLANTS.\*

# ARTICHOKE, GLOBE.

PREPARATION OF THE LAND, -Ground intended for this crop should be trenched to a depth of two feet six inches, or more, intermixing a very liberal dressing of well decayed rich manure. A deep, well drained, free, but rich loamy soil is most suitable.

Time and Manner of Sowing.—In deep rich and well pulverized soil, sow in drills eighteen

inches apart, early in April, covering the seeds to the depth of about an inch with free soil; thin out

the plants to from twelve to eighteen inches in the rows.

Transplanting and after Management.—Transplant the following April, or early in May, into rows three feet six inches apart, allowing about two feet six inches between the plants. If the into rows three feet six inches apart, allowing about two feet six inches between the plants. If the weather is dry attend to watering until they become established; keep the ground free from weeds, and the surface open by frequent deep stirrings. In autumn, or before severe frost occurs, give the ground a heavy dressing of manure, then gather the leaves together and place some stable litter around the plant so as to preserve the crown from frost. If stable litter cannot conveniently be obtained, leaves, dry fern, or sitted coal-ashes may be used. The covering should be removed in spring, when the danger of frost is past, and the ground lightly dug over, so as to turn in the manure, and give all a fresh appearance; but care must be used not to injure the roots, or break off the young shoots. Too many shoots should not be left upon a plant, and if heads of large size are desired only four or five should be suffered to remain, and the heads should be cut before flowering, whether wanted for use or not, since leaving them to flower tends to weaken the plants. A slight top dressing of salt analysid during the summer will be of great service in strengthening the plants and increasing of salt applied during the summer will be of great service in strengthening the plant and increasing the size of the head. A plantation will last for many years, but where a supply is required late in the season a small breadth should be planted every spring, to furnish heads after the main crop is over. Plants that have stood many years will hardly, with the most careful cultivation, yield heads as large as young plants.

Green per oz. 1s. | Purple per oz. 1s.

### ASPARAGUS.


PREPARATION OF THE LAND .- Ground intended to be planted with Asparagus should be efficiently drained to a depth of four feet. A deep, mellow, light loam, or sandy soil, is the most suitable, but ordinary garden soil will, if properly prepared, yield fair crops. As a preparation for indees, with rich, well decayed farm, or stable-yard namure, and if the soil is of a clayey, or strong tenacions nature, a like quantity of sharp sand, or finely sitted ashes, may be added with advantage. Trench to a depth of two feet six inches, well intermixing the manure as the work proceeds, and the bottom of the trench should be loosened a spade's depth still lower, if the subsoil is such as will retain moisture, or otherwise benefit the plants, but if it is gravel it had better be left undisturbed. If the ground can be trenched in the autumn before planting, ridging it up roughly for the winter, levelling the ridges as early in spring as the ground may be fit to work, and then forking over the surface two or three times when in a dry state, the exposure to the weather which will thus be effected will be of great service in the case of strong soils, and beneficial in all.

Time and Manner of Sowing.—As early in April as the ground can be found in fair working

condition, sow in drills about an inch deep, scattering the seed very thinly and covering it evenly

<sup>\*</sup> By Edible Flowered Plants is meant those, the infloressence of which is used as a vegetable.





with the finest of the soil. The seed may be sown in drills fifteen inches apart, thinning out the plants so that they may stand four inches apart in the rows, to furnish plants for transplanting after one or two season's growth; or it may be sown at once where the crop is intended to stand. In the latter case the drills should be two feet six inches or three feet apart, or they may be made in beds five feet which, with two-feet alleys between the beds, putting three drills in a bed; in either case the plants should be thinned out, so that they may stand about a foot asunder in the rows. And except on strong tenacious soils, which are easily injured by treading, when wet, in gathering the crop, &c., we recommend sowing in consecutive lines; where the land is clayey the ground should be set out in beds, and the soil dug out of the alleys to the depth of twelve or fifteen inches, and placed on the top of the beds; this will raise them so that there will be little danger from the lack of surface drainage. The Asparagus is very impatient of stagmant moisture about its crowns during the winter, and, on strong soils, trenches of moderate size, say three inches deep and wide, should be taken out and filled with sharp sand previous to sowing. The plants will probably not make as much progress in this the first season as if they had been sown in the soil, but the roots will soon extend beyond the sand, and in after years this will prevent water lodging about the crowns and rotting them.

\*\*Transprakanying\*\* And Afters MARAGEMENT—The plants, if sown with the intention of trans-

Transplanting them after one or two seasons in the seed lines, should be encouraged by an occasional soaking of manure water during the growing season, and a liberal dressing of rich manure should be spread between the rows in winter. Transplanting should be done in April, when the ground is in good working order. If the ground has been properly prepared, then set a line and take out a trench sufficiently wide and deep to allow of spreading the roots, and cover the crowns about two inches. On strong, heavy, imperfectly drained soils, sand should be placed about the roots and over the crowns, as recommended under the head of sowing; but this will be unnecessary on light sandy or well drained heavy soils. The roots should be carefully taken up, avoiding cutting or injuring them as much as possible; and any which may appear to be decaying about the crown should be rejected. During the growing season keep the ground free from weeds, and the surface free and open by frequent hoeings; a soaking of manure water may be given with advantage when the weather is droughty. Clear off the haulm in autumn, when it will part from the crowns by a slight pull, and apply a dressing of well decayed manure, which may be lightly forked in between the lines, at once or in spring. During the second and following growing seasons too much manure water can hardly be given, and on light sandy soils a sprinking of salt applied two or three times in the course of the summer will be of great service, particularly where manure water cannot be used freely. The plants should not be continued very late in the season. The ground between the lines must be liberally manured every astatemed using the growing season.

Covent Garden Giant ......per lb. 2s.

## BEET.

For culture, see Beet in Section III., Edible Rooted Plants.

Perpetual Spinach Beet, very excellent, the leaves may be gathered throughout the

Beck's Improved Seakale Beet (new), the mid-rib of the leaf is from two to three inches broad, very white, delicate in flavour, and is an excellent substitute for seakale.

1 0.. ..

## BORECOLE, OR KALE.

PREPARATION OF THE SOIL.—To secure heavy crops of this hardy useful winter vegetable, a deep rich soil is essential, and the ground should be trenched two feet deep and liberally manured.

Time and Manner of Sowing.—For the main crops, sow about the middle of March in well prepared soil, covering the seeds thinly and evenly; and another sowing may be made about the

middle of May, which will furnish plants for filling spare ground in August.

TIME AND MANNER OF PLANTING.—The Cottager's Kale, which is one of the best and most useful of this tribe, should be planted in rows not less than two feet six inches apart, allowing the same distance between the plants; and unless these are properly cared for, and planted out as soon as they are sufficiently strong, they will not, in cold localities, furnish sprouts until spring, and the crop will then be of comparatively little value. A moderate breadth of the dwarf curled, and any other esteemed sorts, should be got out as early as circumstances will permit. Spare ground may, however, be planted with these as late as the middle of August, and although the crop will not be so abundant as from those planted in June, they may yield a fair produce at a time when vegetables are searce, particularly if the plants are transplanted with a little care into nursery lines, about four inches apart, so as to have them strong and stocky. Keep the ground between the rows open and clear of weeds, by frequent stirrings, and the tall-growing varieties will be benefited, particularly in exposed situations, by ridging the soil up about their stems. If the weather is dry at the time of planting, water occasionally until the plants get fairly established.

being covered with shoots from top to bottom ...... 0 4..0 8

Feathered, or Fine Dwarf Curled German Greens, exceedingly valuable winter	per pkt.	per oz.
green for small gardens	0 3	0 6
Melville's Garnishing, beautifully variegated, highly ornamental for garnishing	0 6	
Ragged Jacks, a very hardy winter kale		

#### BROCOLL.

PREPARATION OF THE SOIL.—All the varieties of Brocoli require a deep rich soil, and the ground shall be trenched to a depth of at least two feet, well incorporating, as the work proceeds, abundance of rich manner. Where the object is to obtain fine darge heads too much manner can hardly be used.

The and Manner of Sonnae.—The early varieties, such as Purple Cape, Grange's White Cape, & c, should be sown from the middle of April to the middle of May, according to locality, and a second sowing of similar kinds should be made about a fortnight afterwards. These will succeed the Cambridowers, and will carry the supply on till Christmas; and two or three sowings of Snow's Winter White, put in from the beginning of April to the middle of May, will keep up the supply until the sprouting varieties are ready, and these again till the spring kinds come in. Sow the Purple Sprouting and Lee's new Early White Sproutine early in March; and those intended to furnish the spring supply or main crop at the latter end of April or early in May. All the varieties should be sown in beds owell pulverised rich soil, making the surface fine, and then beating the seed gently into the ground and covering it lightly with fine earth. When the plants are sufficiently strong, and before they are drawn by growing too closely together, transplant them into nursery beds or lines, allowing about four inches between the plants. This will insure strong stocky plants, and will also induce the formation of an extra quantity of roots. In transplanting the early varieties, however, great care must be used not to injure the roots; and the plants should be freely supplied with water until fairly established. In warm localities, where the soil is of a light sandy nature, it is considered necessary by many growers to sow the seed of these in the situation permanently intended for the crop; but we think that with moderate care in keeping the plants well supplied with water, they may not only be safely transplanted, but that thus treated they will be much less liable to form heads prematurely.


AFFER ManaGEMERTS.—Plant in permanent situations as soon as the plants are sufficiently

AFFER MANAGEMENT.—Plant in permanent situations as soon as the plants are sufficiently strong, in rows from two feet to two feet is kinches apart, leaving about the same distance between the plants. Keep them well supplied with water until they get fairly established, especially the early varieties, and these must also be liberally watered in all stages of their growth during dry hot weather. Keep the ground well stirred between the rows and free from weeds; and before severe weather sets in, the spring kinds should be laid over with their heads facing the north. This operation checks the action of the roots, and the plants consequently become less succeilent and better able to resist frost, and they are thus also put in the best possible position for covering with stable or any other litter when such protection may be deemed necessary.

Division I .- For cutting during the Autumn and early Winter months.

Division 1.—For cutting during the Autumn and early winter mon	uns		
		kt. per	
Grange's White Cape, the best White Cape variety for succeeding the cauliflower	()	61	6
Early Purple Cape, very useful, may be cut from August to December	0	41	0
Walcheren, a very valuable variety for cutting in September and October	0	61	6
Dancer's Late Pink Cape, a valuable succession to the Purple Cape		41	0
Dancer's Late Time Cape, a valuable succession to the Turple Cape	v	31	
Division II.—For cutting during the Winter months.			
Snow's Winter White, fine heads may be cut from this variety in November,			
December, and January	1	03	0
Covent Garden, the variety supplied to the Covent Garden Market in winter		0	
Covent Garden, the variety supplied to the Covent Garden Market in white		0	
Early Purple Sprouting, a very fine sprouting variety, sometimes called	0	41	0
Asparagus Brocoli	0	41	U
Lee's Early White Sprouting, a wonderfully fine sprouting variety,			
extremely hardy	1	03	0
T1 1 TTT T1 (11 1 TT 1 - 1 A - 1)			
Division III.—For cutting in March and April.			
Adam's Earliest White, the earliest Spring Brocoli, sometimes in use in			
February	0	41	0
Imperial Early White, a very superior variety, a fine succession to Adam's .	0	41	0
Dildock's Bride, produces fine large heads, and forms a good succession to Imperial .		41	0
		1	0
Knight's Protecting		41	0
Sulphur or Brimstone, very useful, extremely hardy and produces fine heads	U	4	0
Division IV. For cutting in April and May.		-7	
Chappel's Cream, a fine variety, with large compact heads	0.	41	0
Dickson's Emperor (new), said to be the latest of all brocoli, comes into use			
the state of the bridge of the latest of an brocon, comes into ass	7	0	
the end of May or beginning of June		0	•
Frogmore Protecting, (true from Turner) very highly recommended for its		0	
superior qualities			
Howden's Large Late Purple, a valuable hardy variety	49	41	
Mammoth, or Giant White, the largest and best of this division		61	
Wilcove, a fine, large, late variety		61	





#### BRUSSELS SPROUTS.

SELECTION AND PREPARATION OF THE LAND .- A deep, strong, loamy soil is most suitable for these, but large crops may be obtained from common garden soil. As a preparation for this crop the ground should be trenched to a depth of two feet, and ridged us ngphy arily in antiscrop the ground should be trenched to a depth of two feet, and ridged us ngphy arily in antiscrop the deep, stone of rich, well rotted manure added during the process. Some authorities recommend deep, strong soil without manure for this crop, observing that manure causes large, coarse, and open sprouts. We believe, however, that this is rather a result of the plants being grown too closely together, and we have no hesitation in recommending a very liberal allowance of manure, even on strong, deep, rich soils.

TIME AND MANNER OF SOWING .- This should be done early in March, or as soon as the ground is in working condition. Sow thinly in beds of rich, well prepared soil, and cover the seeds Let the plants be transplanted into nursery lines, before they suffer from growevenly and lightly. ing too closely together. Some advise a second sowing in May, as a means of securing a late Spring supply, but we think this will be secured with more certainty by not gathering from a portion of the plants, and transplanting them in the Spring when they seem inclined to grow. In some localities,

however, a second sowing may be of advantage.

PLANTING AND AFTER MANAGEMENT.—If the plants are sufficiently strong to plant out by the middle of June, or earlier, so much the better; plant them in rows, two feet six inches or three feet apart, leaving not less than two feet six inches between the plants in the rows, and if the weather is hot and dry at the time, water them as frequently as may be necessary until they get well established. Keep the ground about the plants in a free open state, by stirring as frequently and as deeply as can be done without the danger of injuring the roots, and in hot dry cassons a liberal soaking of water should be given whenever this may appear necessary, to keep the plants in vigorous growt; when they have attained sufficient size to cover the ground, a few of the lowest leaves, and such as may be crowded by younger ones, should be removed once a week. This, however, is not absolutely necessary. In gathering the crop take only such sprouts as are close and hard, as long at least as such can be found, and always cut them off close to the stem with a knife, for by carelessly breaking and tearing them off, as is often done unnecessarily, large wounds are exposed to the weather, and in severe winters this induces decay.

	per pkt	. per	OZ.
Imported seed, very fine	0 4	1	0
Roseberry Brussels Sprouts	0 4	1	0

#### CARDOON.

SELECTION AND PREPARATION OF THE LAND .- A deep rich loamy soil is required, and it

cannot be too full of manure. Before planting, the ground should be thrown out in trenches as for celery, at the bottom of which at least four inches of well decomposed rich manure should be laid.

TIME AND MANNER OF SOWING.—For an early crop sow in a gentle heat, putting two or three seeds in a five-inch pot, and when the plants are fairly up remove all but one. The main crop may also be sown in pots, from the beginning to the middle of April, or in trenches where they are inched to stand. In the latter case, the removes may be covered with short three inches of five soil. tended to stand. In the latter case the manure must be covered, with about three inches of free soil, placing three seeds together, fourteen inches apart. Only one plant, however, must be allowed to remain at each spot. Where the largest possible supply is desired a further sowing should be made

in June for spring use.

PLANTING AND AFTER MANAGEMENT.—The early plants raised under glass must be carefully supplied with water, and should be strong, well hardened, and ready for planting out as soon as the danger of frost is past. The second sowing, if under glass, must also, as soon as they are sufficiently strong, be prepared for planting out by free exposure to air, &c. The summer cultivation will consist in keeping the surface of the soil about the plants in a free and open state, and their leaves from being broken by strong winds, by tying them to stakes, and the plants of all ages well supplied with being proceen by strong winds, by tying them to stakes, and the plants of all ages well supplied with water; this especially must be carefully attended to during hot dry weather, for if the plants are allowed to get dry at the roots they will be apt to run to flower, and thus become worthless. The plants must be blanched before they are fit for use, and the early crop should be tied and earthed up as soon as they are sufficiently strong; this is usually done by gathering the leaves together, winding hay bands closely round their stems, and then covering with soil. The successional crops should be earthed up before there is any danger of force. Cheese, also due to this covering the soil. wanting my cands codesty count their steins, and their covering with soit. The successional crops should be earthed up before there is any danger of frost. Choose a dry day for this operation, and if possible have it done when the ground is tolerably dry; also protect from severe frost, either by covering with litter, or by taking up the plants and laying them in ridges, as recommended for celery.

Spanish .....

#### CABBAGE.

SELECTION AND PREPARATION OF THE SOIL .- To obtain these tender and delicately flavoured, they should be planted in the richest and most highly cultivated land. But fair crops of moderately good quality may be obtained from ordinary garden sold, by simply giving two or three liberal soakings of manure water when the planta rein a factor growth.

Time of Sowing.—For the early Spring crop sow from the middle of July to the beginning of August, the time being somewhat regulated by the locality, &c. Sow again early in March, April, and May. A supply will thus be furnished throughout the summer and autum. To ensure a

supply of what are called Coleworts, i.e., cabbage plants to be cut for use before they begin to heart, sow the Rosette Colewort, or any approved early variety, from the middle to the end of June, and even later in favourable localities. Sow thinly, and cover evenly and lightly with fine soil, and if

the ground is dry, let it be well watered a day previous to sowing.

PLANTING AND AFFER MANGEMENT.—The plants will be greatly improved by being transplanted into nursery-beds or lines, and unless this can be done they should be thinned in the seedbeds early and sufficiently, that strong, stocky, and well-rooted plants may be obtained; and as the summer plantings have generally to be made upon ground which has carried a previous crop, and are sometimes unavoidably delayed after the plants are ready, transplanting will amply repay the trouble and time that may be spent upon it. The main Spring crop should be planted out in October, and the summer crops, and those intended to furnish a supply of Coleworts in winter, as soon as the plants are strong enough and the ground prepared. The distance at which the plants should stand apart must be regulated by circumstances; those intended to be grown to their full size should be allowed a space of two feet or two feet six inches each way, while those intended to be cut young, or just as they are turning in for hearts, need not be allowed more than one foot, and winter Coleworts may be planted even more closely than this. During dry weather, and after transplanting, the plants should be carefully supplied with water, and the soil kept free and open by a frequent use of the hoc or fork.

	per pkt. per oz
Covent Garden Superfine Early Dwarf, a compact little cabbage,	
very early	0 40 9
Champion Early Dwarf, a very superior fine flavoured variety; by succes-	
sional sowings may be cut through the year, and is not liable to run off to seed;	
during the summer the stems will generally produce three or four little Cabbages	
of mild flavour	0 30 6
Battersea, a good useful variety	0 6
Dwarf Early York, very early	** **0 6
Enfield Market, a very superior variety, turns in very early, and has compact	
fine heads	0 30 6
Kemp's Incomparable, a very superior dwarf compact variety, very early	0 6
Large, late, Drumhead or Scotch, grows to an immense size, fine for cattle	0 4
Large York, a good useful sort	0 6
Matchless, a very good dwarf variety	0 6
Nonpareil Improved, a well-known and highly esteemed valuable variety	0 30 6
Oxheart, a very superior variety, and, like the Champion, yields a second crop	0 30 6
Rosette Green Colewort, a most useful early cabbage, in use the whole winter	0 30 6
Sugar Loaf, a very good old variety	0 6
Thousand Headed, a valuable cattle cabbage	0 6
Kohl Rabbi, when cooked in a young state is esteemed excellent	0 30 6

#### CABBAGE SAVOY.

SELECTION AND PREPARATION OF SOIL .- The soil should in all respects be similar to that recommended for cabbage.

TIME AND MANNER OF SOWING .- Sow as early in March as the ground can be found in good working condition, and again from the middle of April to the middle of May, in beds of well pulverised soil, scattering the seed thinly and evenly, and covering it lightly with fine soil, using for the latter crop the Green Curled and early Ulm varieties. These may be planted out till the middle of August, with a fair chance of their forming nice hearts before winter.

PLANTING AND AFTER MANAGEMENT. - As soon as the plants are sufficiently strong, plant them out at a distance of two feet six inches apart, for the large growing varieties, and about one foot six inches for the smaller kinds. If the ground is not likely to be ready for the plants before they six lifelies for fire similer kinds. If the ground is not interfy to be ready of the processor are drawn by growing too closely together in the seed bed, transplant them early into nursery lines, about four inches apart. This will secure strong stocky plants, such as, if lifted and planted earchilly, will form hearts of moderate size, even if they are not finally planted out until late in August. Keep the ground between the plants free and open, by frequent stirrings. Where a supply is needed late in the Spring, a portion of such of the plants as may have stood the winter uninjured should be transplanted, before they give indications of running to seed; and the transplanting should be repeated once or twice, whenever it may seem necessary to check growth. In cold Springs this will serve to keep the hearts in good condition for several weeks.

	per pkt. per oz.
Dwarf Green Curled, the best variety	0 30 6
Drumhead, very large	
New Dwarf Ulm, valuable for small gardens, requires to be planted only one	
foot apart	
Yellow, the least esteemed of the section	

#### COUVE TRONCHUDA.

PREPARATION OF THE SOIL.—This delicious vegetable thrives best in a deep rich loamy soil, and the ground should be liberally manured, trenched, and ridged up in autumn; and if the only available land is that from which a spring crop has been taken, it should be manured and trenched before planting, unless it is sufficiently enriched by previous cultivation.

\_ me une en i if



TIME AND MANNER OF SOWING.—Sow early in March on a bed of well pulverised rich soil, scattering the seed thinly, and covering it lightly. The plants should be thinned so as to stand not less than three inches apart, or transplanted into nursery lines, as soon as they are sufficiently strong to handle.

PLANTING AND AFTER MANAGEMENT .- Plant out, not later than the middle of June, setting the plants in rows from two feet to two feet six inches apart, and allowing the same distance between the plants in the rows, and attend to watering as may be necessary until the plants become established. Keep the ground free from weeds, and the surface open by frequent deep stirrings with the business. Accept the ground tree within weeds, and the surface open by recipient they save the hoe. The mid-ribs of the outside leaves, when stripped and dressed like Seakele, are equal, if not superior, to that vegetable. If the crop is intended to furnish a supply of leaves, the plants should be allowed plenty of space, so that these may have room to grow to their full size. The plants, howbe anower penty or space, so that these may have room to grow to their infisize. The plants, now-ever, are rather tender, and should be used or protected by scattering litter over them before severe weather sets in. If it is desirable to preserve them till a late period of the year, a portion may be lifted and haid in closely, where they can conveniently be covered and uncovered, as the state of the weather may require.

per pkt. per oz. Couve Tronchuda .... 0 4..1 0

## CAULIFLOWER.

Selection and Preparation of the Land .-- The soil for this vegetable can neither be too rich nor too highly cultivated, therefore select the richest and deepest ground at command. Let it be trenched to the depth of two or three feet in autumn, adding a heavy dressing of rich well rotted manure, ridging it up so as to expose the largest possible surface to the action of the frost, &c. Where ground is scarce the summer planting will probably have to be made upon land from which some crop has just been removed; and unless it was deeply trenched for the preceding crop, this

should be done, adding plenty of manure before planting.

TIME AND MANNER OF SOWING .- For the first crop sow in the middle of August, and again from the beginning to the middle of September, using the Frogmore, Improved early London, and Walcheren varieties. Make a further sowing in February, or early in March, of the Frogmore, Dwarf Mammoth, Improved early London, and Asiatic upon a slight hot-bed, or under the shelter of glass; and sow the Asiatic and Stadtholder in March, or early in April, upon the open border, and again about the middle of May; and make a final sowing the first week in June, using the Walcheren, Stadtholder, and Improved early London. Sow in beds of rich well pulverised soil, levelling and making the surface fine; then scatter the seed thinly, and cover it lightly with fine soil. The proper time for sowing, however, depends so much upon the seasons, locality, and the nature of the soil, that where a constant supply is desired, it will be advisable to do it even more fre-quently than we have recommended, and to make the last sowing earlier or later according to circumstances.

Transplanting and after Management.—The autumn sown plants should be transplanted into nursery lines as soon as they are sufficiently strong, and again early in November to the shelter of south walls, or some situation in which they can be protected during severe weather by hand-glasses or frames. Plant these out early in March, or as soon as the state of the weather will permit, protecting them when necessary by inverted flower-pots or other convenient means: these will succeed the spring Brocoli. The sowing made upon the hot-bed should be transplanted early and placed under the shelter of glass or hooped beels; and care must be exercised from the time the seeds vegetate to keep the plants near the glass, and also to admit air on every favourable occasion so as to secure a dwarf stocky growth; these again should be planted out as soon as they are strong enough and the weather considered favourable. Those sown in the open border should be transplanted into nursery beds or lines, allowing about four inches between the plants, and mixing two or three inches of thoroughly rotted manure with the soil, which will so adhere to the roots of the plants that they may be transplanted without feeling their removal. When transplanted in summer every care should be used not to injure the roots, and the plants must be well supplied with water until they get established, as neglect in either particular will probably cause them to flower prematurely, and thus occasion the loss of the crop; and even when the plants are fairly established they must never be occasion has loss of the copy, and even when he planta of anny established must be allowed to get dry at the roots, and an occasional soaking of manure water during dry hot weather will greatly benefit them. If large heads are desired, the plants must be allowed a space each way of two feet six inches; but where small heads only are looked for, one floot six inches to two feet will be sufficient. Keep the soil open and free by frequently stirring the surface as deeply as can be done without injuring the roots.

		pkt. per o	
Covent Garden (Improved early London), an excellent and very early variety .	0	61	6
The Frogmore Early Forcing (true from Turner), the best Cauliflower			
for forcing, and an excellent variety for general crop, very dwarf and compact,			- 1
with fine large heads	1	0	
New Erfurt Mammoth, this variety produces immense compact heads of a			
very superior quality; it is very dwarf and well suited for small gardens, and			
forms a fine succession to the Frogmore forcing	0	61	6
Stadtholder, the best of the strong growing kinds, with large compact heads, and			
by market gardeners considered superior to Walcheren	0	61	6
Asiatic, a large and very highly esteemed variety	0	61	6
Walcheren, well-known, and a general favourite			6

#### RHUBARB.

PREPARATION OF THE SOIL.—In all stages of its growth, Rhubarb delights in a deep, rich, and cool moist soil, therefore select as a seed bed a deep, rich, well pulverised piece of ground.

Time of Soweing and after Management,—Sow im March or early in April, in lines a foot

apart, scattering the seeds thinly, and covering them about half an inch with the finest of the soil. When the plants are sufficiently strong thin them out, to a distance of from nine inches to a foot apart, keep the ground clear of weeds, and the surface open by frequent strings with the hoe, Transplant, the following Spring, upon deeply trenched, very rich soil, leaving three feet to four feet six inches each way between the plants.

Tool our thousand dates in the	to Indiana		
	per pkt. per oz. ,		per pkt. per oz.
Myatt's Victoria	0 4.1 0	Linnæus	0 41 0
Prince Albert	0 4.1 0	Early Scarlet	0 41 0

## SEA KALE.

PREPARATION OF THE SOIL .- To grow Sea Kale in the highest perfection, the ground must be deep and rich, and should be trenched two to three feet deep, where that can be done, working in a very liberal dressing of the richest manure during the operation. If the soil is of a strong tenacious character, two or three inches of sharp sand, or finely sifted ashes, applied and well mixed in, will

be of service.

Time and Manner of Sowing.—Sow in lines, as early in April as the ground is in good.

Time and Manner of Sowing.—Sow in lines, as early in April as the ground is in good.

The source of the source working condition, scattering the seed thinly, and covering it with about an inch of free soil. The distance which should be allowed between the lines will depend upon whether the plants are to be transplanted the following season, or used for forcing, or to be cut where they are growing. In the former case the rows should be fifteen to eighteen inches apart, and the plants thinned out to a foot former case the rows sould be inteen to eignreen mens apart, and the owns and from twelve to fifteen apart is the latter, two feet six inches should be left between the plants. In soils peculiarly favourable to the growth of this vegetable, tools or useful size for forcing may be obtained the first season, but in most cases if would be advisable to sow in lines twelve or fifteen inches apart, and to transplant in the following spring, allowing two feet six inches between the rows, and one foot three inches between the rows.

CULTIVATION .- Destroy weeds as they appear, and keep the surface open by frequent deep stirrings, and during the growing season give a liberal soaking of manure-water when the ground is dry; or a light sprinkling of salt, washed in with clear water, which will answer equally well. Keep the plants to one crown, or shoot, cutting off others as they make their appearance, and remove seed shoots as soon as these are observed. After the second season's growth, the roots will be in the best possible condition for taking up and forcing, or for producing a crop of fine large kale where they

stand.

per pkt. per oz Sea Kale ..... 0

## SPINACH.


PREPARATION OF THE LAND,—The ground intended for the summer crop of Spinach cannot be too rich, and should be heavily manured, and trenched deeply; a rather strong loamy soil is to be preferred. For the winter crop, however, a light and sandy soil is the most suitable, but this also should be deeply trenched, and in unfavourable localities a sheltered situation should be chosen. In wet, undrained soils, or those of a very strong tenacious nature, it may be advisible to sow the winter crop on raised beds, for Spinach is very impatient of a soil saturated with wet in winter, and under such conditions will not stand severe frost. The spring and summer crops are often sown between the rows of other crops, as peas, celery trenches, &c., and as the spinach will be done with before it can injure such crops as are planted sufficiently far apart to admit of its being sown between the lines, or be injured by them, there can be no objection to this practice, save the injury which may be done to the ground by treading when wet in gathering the spinach; crops sown in this way should be cleared off as soon as done with, and the ground forked up. If the soil is not moderately rich a slight dressing of well decayed manure should be applied, but this should be kept some distance under the surface.

Time and Manner of Sowing.—For the summer crop sow early in March, and at intervals of three weeks, or a fortnight, until the middle of July, in quantities according to the demand. The round seeded varieties are the best for summer crops. The winter crop should be sown from the middle of August to the beginning of September, the parietly seeded is the hardiest, and should be partly used for this crop. All the crops should be sown in drills, from one to two inches deep, and from twelve to eighteen inches apart, scattering the seed thinly, and covering them with the finest of the soil. When the ground is dry the drills should be well soaked with water before sowing; and steeping the seed for twenty-four hours previous to sowing will cause it to germinate sooner, but this

should be done only when the ground is hot and dry.

AFTER MANAGEMENT .- The winter crop should be thinned as soon as the plants are strong enough to draw, so as to leave them about nine inches apart in the row. But the summer crops soon run to seed, and need not be thinned to a greater distance in the line than three inches. growers recommend a liberal use of manure water for the summer crop, and this doubtless increases the size of the leaves, but it must not be depended upon for more than a few days to prevent the plants running to seed, and while the weather is hot a succession should be provided for, by making frequent sowings. Keep the ground between the lines free from weeds, and in an open state by frequent deep hoeings.





Round, best for spring and summer sowing  Prickly, best for autumn sowing Flanders, Prickly, a good winter variety.	0 21	0	
Orach White, or Mountain Spinach	oer pkt, per 0 30	6	
"Red, or Mountain Spinach, a highly decorative plant for shrubbery borders			

# Section III.—EDIBLE ROOTED PLANTS.

## BEET.

PREPARATION OF THE SOIL.—Select for this crop deep and rich, yet rather light and loamy soil which had been well manured during the previous season; and if this cannot be done, the ground should be trenched two feet deep, and ridged up in autumn. If it is deemed necessary to apply manure, a sprinkling of guano after the plants are up would be preferable to farm-yard manure, which often causes the roots to grow rough and forked, while straight and moderate sized roots are the most desirable.

TIME AND MANNER OF SOWING.—For an early supply sow a small quantity early in April, and the main crop the first week in May; but where small roots are desired sow as late as June. Sow in drills about one inch deep, and from fifteen to eighteen inches apart, covering with friable soil, and, if possible, select a dry day when the ground is in good working order for putting in the seed.

if possible, select a dry day when the ground is in good working order for putting in the seed.

"ULTIVATION AND AFTER MANAGEMENT.—Thin out the plants so that they may be from six to nine inches apart in the rows, and keep the ground free from weeds, and open it by frequently stirring the surface. By the end of October the roots will have attained their full size, and they should then be taken up and stored in soil not over dry. If room can be found for them in an airy cellar or shed they will keep perfectly well until spring; but when drying winds occur they should be transferred from the latter into a damp cool cellar. In pulling and cleaning, be careful not to wound the roots, or cut off any large fibres, as this would cause bleeding, which greatly injures the quality and tends to induce decay; neither should the leaves be cut off too close to the crown. In stacking, place the crowns outwards.

stacking, place the crowns outwards.	ner ni	kt. per	07
Covent Garden, extra fine, medium sized, beautifully shaped roots, of rich deep	ber bi	ve. por	OL.
blood-red colour, boils tender, and is of superior flavour	0	61	6
Carter's St. Osyth's, medium size, good shape, short top, rich deep blood-red			
colour, fine flavour	0	61	6
Cattell's, a useful sort		0	6
Henderson's Pine Apple, compact short-topped variety, roots medium sized,			
and of a fine deep crimson			
White's Black, large root, almost black		0	4

#### CARROT.

SELECTION AND PREPARATION OF THE LAND.—A light deep sandy loam, or peaty soil, is most suitable; and, as farm-yard manure applied in a fresh state often induces forked and ill-shaped roots, ground which had been heavily manured the previous season should be selected. The soil should be trenched deeply, and ridged, as long before sowing as possible, and if manure is considered indispensable, let this be given after the crop is up, using guano, or some good artificial manure.

TIME AND MANNER OF SOWING.—Sow some approved early sort in February, or as soon as the ground is in fair working condition, on a warm sheltered border. The main crop should be sown towards the end of April or first week in May, with an early sort about the middle of July, to furnish a supply of young Carrots during autumn and early winter. Sow the main crop in drills twelve to fifteen inches apart, covering the seeds evenly to the depth of about half an inch. Those for early and late use will be drawn while young, and may be sown broadcast in beds, or in lines nine inches apart.

AFTER MANAGEMENT.—Keep the ground clear of weeds by a free use of the hoe, but as deep stirring of the soil might injure the roots, and cause them to grow forked, this should be avoided, As soon as the plants are sufficiently strong, thin out the main crop, so as to leave about eight inches between each plant; the demand likely to exist for young carrots must, to some extent, regulate the thinning of the early sorts, but in no case should a less distance than three inches be allowed between the plants. On the approach of winter take up the crop, taking care not to wound or bruise the roots, and, after cutting off the tops and cleaning the roots, store them in a cool cellar, packing in sand, or they may be buried in soil, as is done with broatces.

sand, of they may be buried in soil, as is done with potatoes.		
	per pkt. pe	er oz.
Earliest French Short Horn, a favourite little carrot, prized not only on		
account of its extreme earliness, but superior flavour; the best variety for forcing	0 30	6
Early Scarlet Horn, an exceedingly useful variety	0 3	) 4
Long Orange, somewhat similar to Surrey		
Covent Garden Long Surrey, the longest and best for main crop	0 30	4
New Intermediate, a very superior variety for shallow soils	0 3	) 4
James' Scarlet Short Top, a good useful sort		

per pkt.	per o	z.
Altringham, selected, grows to a large size, and is equally prized for garden and field		
	0	4
Large White Belgian, best for cattle, produces an immense crop	0	3
Large Orange Belgian, considered superior to the above	0	3

#### LEEK.

PREPARATION OF THE SOIL—To grow Leeks to perfection, a deep and rather strong loams soil highly enriched with manure, is essential. The ground therefore intended for this crop should be heavily dressed with rich well rotted manure, and trenched at least to a depth of two feet, and ridged up as early in autumn as possible; and if a spring crop is sown upon it, one should be chosen which will not exhaust the soil much, and the ground should receive a sprinking of manure before digging it for the Leek. Some growers dig out narrow trenches and fill in with manure, as is done for Celery, but, save on very light poor soil, this is unnecessary.

Time and Method of Sowing.—Sow in February, or as soon as the ground is in fair working condition, on a bed of rich light well pulverised soil, scattering the seeds very thinky, and covering them lightly. Choose a well sheltered sunny situation; and, in cold localities, it would be advisable to raise the plants in a cold frame, and transplant them into nursery lines, or beds, in April or early

in May.

Some growers practice transplanting even in the case of plants raised in the open border, and if this is carefully done, and the plants litted each time with such care as to leave the roots uninjured, it doubtless proves very beneficial. Very fine grown Leeks may, however, be obtained without this trouble; but where the ground intended for planting upon may be occupied by a spring crop, and the leeks cannot be planted out as soon as they are ready, then the plants should be pricked out about three inches apart, upon a bed of rotten manure and soil, so that they can be transplanted with fine balls of earth attached to them.

Thansplanting and apprint Clittee—As soon as the plants are sufficiently strong, and the blunt-pointed dibber, three inches in diameter, make holes in the lines eight or ten inches apart, and six inches deep, into which drop the plants. Apply a good soaking of water after planting, which will carry down sufficient soli to cover the roots. During hot dry weather a liberal soaking of weak manure water should be given occasionally, and the ground must be kept free from weeds by frequent hocings. When the plants have pushed their hearts above the surface of the ground, the soil should be ridged up about them so as to blanch the greatest possible length of stem; this, however, should be done when the ground is in good working order.

	per pkt. I	er oz.
London Flag, large and fine		0 6
Musselburgh, very superior, may be grown to the weight of 3 or 4lbs	0 4	0 9
New Giant, very large		

#### ONIONS.

Selection and Preparation of the Land.—A rather strong, deep, and rich loamy soil is most suitable for this crop. Where very large bulbs are desired, soil of this character is indispensible, and we think, moreover, that onions grown in a strong soil are much less liable to be attacked by the fly or maggot than in light dry sandy soils. The ground should be heavily dressed with rich, well rotted manner, trenched deeply, and ridged up early in autumn, and if the soil is of a light

sandy nature, cow manure will be most suitable.

The and Method of Sowing.—The main crop should be sown as early as the ground may be in working condition, and whether this occurs in Bebruary or early in March, a favourable opportunity for putting in the seed should not be suffered to pass. After levelling down the ridges, if the soil is light, tread the ground regularly and closely over, then rake and well pulverise the surface, making it as fine as possible. Set out the ground in four feet beds, with alleys a foot wide between, draw drills half an inch to one inch deep, six inches from each alley, and nine inches apart. Sow the seeds thinly and regularly, and cover with the soil displaced in making the drills, or where this is too lumpy, with other fine soil. A sowing should also be made about the middle of August, to furnish a supply of young onions during winter, and bulbs for use in summer before the man crop is ready. Where small bulbs, such as are used for picking, are required, sow the Silver Skinned thickly, early in May, upon the poorest soil, and in the driest situation at command, and thin out very sparingly.

AFTER MANAGEMENT.—This will consist in keeping the ground clear of weeds, by frequent heeings and thinning the plants, which should be done early, to from six to nine inches apart. In dry, warm situations strong manure water may be given freely during the summer, but where there is any dauger of the crop running to "thick neeks," or not forming bulls, watering should not be practised, except when the weather is very warm and dry, and then not after July. Towards the end of September the bulbs should be well formed, and the tops show indications of ripening; where this is not the case go over the crops, bending or breaking them down with the back of a wooden rake, and repeat this as often as may be necessary, to check the growth of the tops effectually. As soon as the bulbs seem to be properly matured, which will be known by the decay of the leaves, &c., take them up, spread then in an airy shed, or sunny situation in the open air, until thoroughly decied, and then store in a dry cool place till wanted for use. The Lancashite method of wintering onions is perhaps the best. There they fie up the bulbs in what are called ropes, and hung them on outside wall, not facing the sun, and protect them from wet by placing a board against the wall





overhead. The frost of last winter destroyed most of those that were exposed in this way, but no ordinary winter injures them, and they keep sound longer by this than by any other method we have seen practised.

		st. per	
White Spanish, or Reading, the mildest in flavour, and most useful for main crop		40	9
Deptford, or Brown Spanish, similar to the above but brown, a useful good			
keeping variety		0	8
Brown Globe, a hardy useful kind		0	9
White Globe, similar in shape to the above, but milder in flavour	0	40	9
Giant Madeira, grows to a great size, very fine	. 0	41	0
Blood Red, a very useful hardy kind	. 0	40	9
James' Long Reeping, keeps longer than any other variety	. 0	40	9
Strasburgh, a very hardy variety			
Silver Skinned, the best for pickling	. 0	40	9
Tripoli Large flat Italian, true, the best variety for autumn sowing	. 0	40	9
Triple Large Globe, very fine for autumn sowing			
White I is bon the veriety sown in antumn by market gardeners for arrive onions			

#### PARSNIPS.

PREPARATION OF THE SOIL.—Parsinjs succeed best in a deep, free, rich soil, and as the applion of fresh manure tends to the production of forked and badly formed roots, ground in high
condition from having been heavily manured for the previous crop, should be selected, and if manure
must be applied for this crop, let it be well decomposed, or use guano. The ground should be
trenched two feet six inches, and ridged up as long before sowing as circumstances will permit

Time and Method of Sowing.—Sow in lines fifteen to eighteen inches apart, as early in Spring as the ground can be found in fair working condition, scattering the seeds thinly, and cover-

ing half an inch to one inch with the finest of the soil.

AFTER MANAGEMENT.—When the plants are about two or three inches high, thin them out, leaving six or eight inches between them. Keep the ground free from weeds, and the surface open by frequent deep stirrings with the hoc. Towards the end of November take up the roots, and after cutting off the tops, &c., store them either in damp sand in a cellar or pit, as is done with potatoes. The roots being hardy would be quite safe in the ground, but as this will require trenching and preparing for the next crop, they should be lifted as soon as ready.

Per pkt. per oz.

- The Student, a new variety introduced by Professor Buckland, of the Royal			
Agricultural College, Cirencester, and considered to be an important acquisition.			
In packets containing 1,000 seeds	1	0	
Hollow Crown, the most useful for main crop	9.1	0	4
Jersey, a large valuable sort			
Chervil Parsnip			

#### RAMPION.

PREPARATION OF THE LAND.—This will be found to thrive best in well pulverised, deep, rich soil, such as we recommend for carrots; only, well decomposed manure may be added, if necessary. If grown in a warm dry situation the roots are liable to be hard and stringy, therefore the main crop should be sown in a cool situation, and if this cannot be done, water liberally during droughty weather.

TIME OF SOWING, &c.—If to be used for solad or for cooking, in a small state, sow at intervals, which must be regulated by the size at which the roots may be most esteemed. For winter use sow in April or early in May, in lines a foot apart, covering the seeds very lightly with fine soil, and thin the plants out, so that they may stand four inches apart in the lines. If grown in a warm dry situation, liberal waterings will be necessary during hot dry weather.

Rampion ...... 0 6..2 0

#### SALSIFY.

PREPARATION OF THE SOIL.—To secure large, clean, and well-formed roots, a rich deep well pulverized soil is necessary, and if this can be found without adding manure there will be less danger of the roots being forked, &c. If manure is deemed necessary, apply it while the ground is being trenched, and keep it a foot under the surface.

Time of Sowing, and after Management—Sow in lines, a foot apart, covering the seeds about one inch with free soil. If a supply is wanted as early in summer as it can be obtained, sow a small quantity early in March and April, but for the main crop sow in the end of April or first week in May, for if sown earlier the plants are apt to run to seed. Thin out the plants when strong enough, leaving from six to nine inches between them, and keep the ground clear of weeds, &c. In November take up the roots and store them in sand or pit, and cover with soil till wanted for use, as is done with carrots. The flower stalks are considered by some persons an excellent substitute for asparagus. To obtain a supply of these, leave the roots in the ground for the winter, and the stalks should be gathered for use before they get hard or stringy.

#### SCORZONERA.

PREPARATION OF THE SOIL.—This requires deep rich learny soil, and the ground should be trenched at least two feet deep and ridged up, so as to get it thoroughly pulverised before sowing. If manure must be applied for this crop it should be well decomposed, and kept fifteen inches under the surface.

Time of Sowing, and After Management.—Sow the second week in April, in lines fifteen to eighteen inches apart, covering the seeds evenly and about one inch deep with the finest of the soil. Thin out to nine or twelve inches in the line as soon as the plants are strong enough to draw, and keep the ground free from weeks and the surface open by frequent stirrings with the hoe. Before winter take up and store the roots in the same manner as carrots.

 Scorzonera.
 per pkt. per oz.

 0
 4..0

#### SKIRRET.

PREPARATION OF THE LAND.—A deep, rich, light, sandy loam is the most suitable for Skirret, and manure should not be applied if the ground is in good condition from having been heavily manured for a previous crop. The ground, however, should be trenched early in autumn, to a depth of two feet, and ridged up roughly, so as to expose the largest possible surface to the action of the weather.

TIME AND MANNER OF SOWING.—Sow in lines, fifteen inches apart, as early in March as the ground is in fit state for working, covering the seed with the finest of the soil, to the depth of an inch.

AFFER MANAGEMENT.—As soon as the plants are sufficiently strong to draw, thin out, so as take open by frequent hoeings. Look over the crop occasionally, and pinch or break out flower stems as they appear, and if the soil is of a light, dry nature, an occasional soaking of water during droughty weather would be of service, especially if the roots are being drawn for use at the time, for they are apt to become hard and stringy when the weather is hot and the ground dry. The roots are perfectly hardy, and may be left in the ground till required for use, or they may be taken up before severe weather occurs, and buried in sand or soil till wanted.

Skirret ...... 0 4.1 0

#### TURNIP.

PREPARATION OF THE LAND.—A rather light sandy, but deep rich soil, is that most suitable for Turnins, and unless ground of this character can be selected there will be some difficulty in obtaining the bulbs of mild and delicate flavour. And it is especially important that the summer crop should be sown upon a suitable soil, for if these sustain any check during their growth, they are apt to be stringy and high flavoured. Select, then, a deep light soil, manure it heavily, and trench to a depth of two feet, early in autumn; and if the ground must be used for the summer sowings which was not

trenched in autumn, this should be done before putting in the seed.

TIME AND MANNER OF SOWING.—Sow a small breadth of the early Dutch, for the chance of an early crop, upon a south border, or in a warm, sheltered situation, early in March; and as this sowing is liable to run to seed soon, put in a small quantity of the same variety about the middle of the month, and again early in April, sowing a small breadth of the American Straplear'at the same time; afterwards sow at intervals of three weeks or a month till July, and for a winter supply, from the beginning to the middle of August. On light warm soils, in favourable localities, useful sized bulbangs be obtained from sowings made early in September. The orange jelly is one of the best varieties for autumn sowing; but if a white fleshed turnip is required, use the red-top American stone. All the sowings should be made in shallow drills, from twelve to eighteen inches apart, regulating the distance by the size of bulbs which may be most esteemed, but the former will be sufficient for the early and late sowings. Scatter the seed very thinly and evenly, and cover it lightly with the finest of the soil. In summer, when the ground is dry, the drills should be well watered before sowing, and if the seed is stepped in water for twenty-four hours, this will hasten germination.

ing, and it the seed is steeped in water for twenty-lour hours, this will hasted germinating to draw, so that they may stand from six to nine inches apart in the row. If fly makes its appearance, and this is generally very troublesome during summer in warm localities, dust the plants over with quickline early in the morning, while the leaves are moist with dow, and repeat this if necessary. Keep the section of the result of the second entries under the form of the result of the second entries and the second entries with the box.

surface of the ground open and free from weeds by frequent stirrings with the hoe. per oz. Early White Dutch, very early, sweet, and juicy when young, but soon loses this quality . . . . American Strap-leaf, of superior flavour, quick in growth, retaining its qualities for 0 3 3 4 Jersey Navet, an oblong white variety, very sweet, fine for late sowing ... per pkt. 3d. White Stone, a good early, globe-shaped turnip, suitable for late sowing ... Red Top American Stone, early productive, of superior quality, and a good keeper 4 3 3 Orange Jelly, a first-rate yellow turnip for autumn sowing..... 3 Swedish, Dwarf-topped
Yellow Malta, a handsome variety, of excellent quality...
Polly's Early Nonsuch, a very superior white Turnip... 3





# Section IV .- EDIBLE FRUITED PLANTS.

#### CAPSICUM AND CHILL.

PREPARATION OF THE SOIL.—These thrive best in a rich, yet light and free soil; and whether grown in pots or planted out, the soil should be rich but light.

TIME AND MANNER OF SOWING.—The seed should be sown early in March in well drained pots filled with light sandy soil, and placed in a cucumber frame, or wherever a temperature of about 650 is maintained. Cover the seed to the depth of about half an inch, and keep the surface constantly moist until the plants appear. When the plants are strong enough to handle pot them off, placing two or three plants in a five-inch pot, and replace them in the warmth. Keep them rather close until they become established, then shift into seven-inch pots; and when they are fairly established in these, remove them, if intended for the open ground, to a cold frame, and gradually prepare them for planting out by a freer exposure to the air. Those intended to grow in pots under glass should be shifted into ten-inch pots as soon as they require more space for their roots, and be stopped so as to cause them to form bushy plants; they must be liberally watered and syringed over head during droughty weather. Those intended for the open garden may be planted in properly prepared situations towards the end of May, protecting them by hand-glasses or any more convenient contrivance till they are fairly established, and they must be liberally watered during hot dry weather. In favoured localities most of the varieties do better planted out than when grown in pots under glass; but they will not succeed in the open air except in warm dry situations.

	per p	
New Giant, long scarlet fruit, foliage very ornamental	. 0	6
Long red fruit, fine scarlet	. 0	3
Long yellow fruit		
Cherry, or Bell Pepper, dark red fruit	. 0	3
Chili, small red fruited		
Plum-shaped, fruit orange colour.		
Tomato-shaped, fruit red		
E OLLEGO - DECEMBER 1 MAINTENANT 1 MAINTENAN		

#### FRAME CUCUMBER.

Selection and Preparation of the Soil.—Any rich light soil will answer; but where it can be procured the following compost should be used:—Tury loam two parts, one part well decayed leaf soil, and one part thoroughly rotted manure two or three years old, adding a little sharp sand to keep the compost open, and allow water to percolate freely through it.

Time and Manner of Sowing.—For spring and early summer use, sow in the beginning of January in pots of light rich soil covering the seeds to the depth of about half an inch, and sow again early in April to secure a supply during summer. To obtain fruit in winter, sow an approved variety about the middle of August; but without a properly heated structure it is very difficult to grow Cucumbers during winter. When the plants are fairly up pot them singly in small pots, and

keep them near the glass.

PLANTING AND CULTIVATION.—The bed for the reception of the plants should have acquired the proper temperature by the time the plants have made three pairs of leaves; but if the heat is obtained from fermenting materials, the plants should not be planted out until the danger of excessive fermentation is past. Cover the surface of the bed to a depth of two inches with soil, so as to keep down the rank steam without preventing the heat rising and warming the atmosphere. And under the centre of each light put a small hill of the compost about a foot high and a foot from the glass; put two plants in each hill when at the proper temperature, covering their stems up to the first leaves, one to be trained towards the front and the other towards the back of the frame. The temperature should average from 65° to 75°, allowing it to rise 10° with sun-heat before giving air; in doing which care should be taken to guard against cold currents. Keep the plants well supplied with water at the roots, and shut up early on the afternoon of bright days so as to economise the solar heat. Cover the sides of the hills a few inches deep with soil when the roots appear on the surface, repeating this in case of the early plants several times; but later in the season the plants may be finally earthed at once, covering the surface of the bed to the depth of the hills. If a free bearing variety is grown the plants will show fruit almost as soon as they get fairly established; and frequent attention will then be requisite to keep the shoots nicely regulated, stopping them at the first joint, or immediately beyond the fruit, so as neither to allow them to produce too much wood nor too many fruit at once. If they are properly looked after, well supplied with water at the roots, and moistened over-head on the afternoons of bright days when the weather is warm, they will produce fruit freely for many months in succession.

This list embraces all the varieties which the Fruit Committee of the Royal Horti-

cultural Society considered worthy of cultivation.

per pkt. Barnett's Perfection, a splendid fruit, will grow to the length of 3 feet ...... Barr's Pearl Gem, pearly cream, white spine, very handsome fruit, the most delicately flavoured Cucumber in cultivation; we strongly recommend it; 3 seeds for 1s., 9 seeds

2s. 6d. Butler's Empress Eugenie, a very large handsome fine flavoured variety .....

0 Carter's Champion, a very superior smooth medium sized variety ..... Cuthill's Black Spine, a very excellent sort .....

	per pkt.
Cuthill's Highland Mary, an excellent bearer, and very early, medium size	1 0
Dickson's Newton Hero, a very excellent white spine variety	1 0
Dr. Livingstone, the best of the black spine varieties	1 0
Bleaman Black in the best of the orack spine varieties	-
Ellesmere Black Spine, very handsome fruit	1 0
Godfrey's White Spine, a very superior handsome sort, of a fine dark green colour	1 0
Hamilton's Market Favourite, a very handsome and superior kind	1 0
Himalaya White Spine, a very handsome variety	1 0
Improved Manchester Prize, a very superior and useful white spined variety	1 0
Improved Sion House, a very free-bearing early variety	0 6
Kenyon's Improved, the very best of the white spined Sion House varieties	1 0
Kirkless Hall Defiance, a very tine white spine variety	1 0
Mill's Jewess, Black Spine, a very fine kind	1 0
Ne plus Ultra, very long, and a favourite sort.	1 0
Phenomenon, a very handsome and superior flavoured variety	1 0
Sugden's Aldershott, a splendid long handsome fruit, fine for exhibitors, may be	
grown to the length of 3 feet	1 0
Webb's Imperial White Spine	1 0
A = d many other position	

## RIDGE CUCUMBERS.

PREPARATION OF THE SOIL.—Select a sheltered situation, and dig out trenches about two feet deep and three feet wide, filling them with a mixture of leaves and stable manure in a state of fermentation, or with any other material at command which will farmish a gentle warmth. If stable manure and leaves are used they should be thrown up in a heap in order to induce a brisk fermentation by the time they are wanted, and should be troiden into the trenches rather firmly, so as to prevent their heating too much. Cover with soil to the depth of a foot or a little more, and if the ground is of a stiff clayey nature, the soil for covering should be mixed with decayed leaves, or well rotted manure, so as to make it light and rich.

TIME AND MANNER OF SOWING.—The seed should be sown in the first or second week in April, in pots or pans filled with light soil, covering it about half an inch. Place in a cucumber frame, or other place where a most gentle heat is maintained. As soon as the plants have made their seed leaves, and before they get drawn or weakened, shift them into five inch pots, putting two plants ne each, and replace them in a warm moist situation, and to keep them dwarf and stocky place them near the glass, and when the plants get established and moderately strong gradually expose them to a freer admission of air, and endeavour to have them well prepared for planting out by the middle or

end of May.

PLANTING AND AFTER CULTURE.—When the soil is well warmed, without any danger of its becoming too hot, put in the plants, allowing two feet six inches or three feet between each pair, and cover with hand glasses, or any substitute which will admit light and afford shelter. When the plants begin to grow raise the glasses every fine day to admit air, then place them upon bricks so as to allow the shoots to grow from under them, and when the plants are well established and the weather is warm they may be removed altogether. Carefully regulate the shoots topping them if necessary to get the ground properly covered with wood, and not allowing them to grow too closely together.

	er p	kt.
Henderson's A 1, (new), a very superior black spine variety, the best of this section.		
hardy, of robust growth, growing from ten to fifteen inches long	1	0
Manderin (new), a very superior variety from China, fruit short, smooth, and thick; we		
recommend it	1	0
Stockwood's Selected Long Ridge, a very productive black spine variety,		
having three to four fruit, twelve to eighteen inches long at each joint	0	4
Wood's Selected Long Ridge, a very excellent prolific black spine variety, with		
long handsome fruit	0	4
Long Prickley	0	3
Girkins for pickling	0	3


## EGG PLANT (AUBERGINE).

TIME AND MANNER OF SOWING.—The seed should be sown in March, or early in April, in a well drawned pot of light rich soil, and covered lightly. Place the pots in a cucumber or melon frame, or where a moderate heat is maintained, and keep the soil moist. When the plants are fairly up place them singly in small pots, using rich soil, and replace in the same temperature near to the glass. When they have started into growth, induce a bushy habit by pinching out the points as frequently as may be necessary.

AFTER MANAGEMENT.—As soon as the plants have well filled the first pots with roots shift them.

If they are intended for decorative purposes, they should be shifted into eight or ten-inch pots before the roots become matted. Stop the shoots at the first joint beyond the fruit as soon as this is set, and keep them in a moist warm situation until the fruit attains a fair size, when they may be placed in a cool house. But if the plants are to be grown with the view of obtaining the largest possible crop of trait, they should in lavourable locatries be platted out when the weather becomes warm in prepared trenches, seen has recommended for ridge encumbers, allording the protection of hand glasses until





per pkt.

they get well established and the weather becomes settled and warm; and if they can be planted out on a slight hot-bed under the shelter of a frame, there will be more certainty of a good crop than by any other method of treatment. The plants when grown in pots are very subject to the attack of red spider, and will require frequent syringings to keep them clear of this pest. They must also be liberally supplied with water at the roots, and weak manure water after the fruit is set will be useful.

				p	er p	kt.
	Fruited, v	ery handsome var	riety			
White	59	39			0	3
Violet	22	**	***************************************			
New St	riped. we	eighing from 1 lb.	to 4 lbs., very handsome		0	4

#### MELON.

TEMPERATURE.—These require a somewhat high temperature, and there should be the means of maintaining a steady warmth of about 80° in the soil, and of keeping the atmosphere at from 65° to 75°. allowing an increase of 10° from sun heat. The atmosphere must also be kept moist and genial until the fruit is pretty fully grown, otherwise the plants will be very liable to be attacked by red spider and thrip, which soon greatly injure and sometimes destroy them. The necessary conditions for the successful culture of this delicious fruit are, however, easily secured, with the aid of frames,

and a supply of fermenting materials.

Time of Sowing and Treatment of the middle of the month, and afterwards at intervals of three beginning of January, again about the middle of the month, and afterwards at intervals of three weeks or a month, until the end of June. The young plants, especially those from the early sowings, will require very careful nursing. As soon as the seed leaves are formed, pot into five-inch pots, placing two plants in each, half filling the pot with soil. On this spread the roots, at first merely covering them, and filling up the pot in the course of a few days. Water must be sparnigly given, for at this season the young plants are apt to damp off if watered too freely, and the water should be a few degrees warmer than the temperature in which the plants are growing; the soil must also be nicely warmed before use. After potting, place the plants near the glass, and in bottom heat, if convenient, and admit a little air on every favourable opportunity. When they have moderately filled their pots with roots, either re-pot into two or three sizes larger, or plant them our but at this stage do not allow the plants to suffer any check from want of space for their roots. Plants raised after the weather is more favourable, will require similar treatment, but comparatively little care or attention will then be necessary.

or attention will then be necessary.

Selection of Soil.—For raising the seeds and for the plants in nursery pots, use soil composed of dead parts of loam and leaf mould, but a good strong turly loam is found to be most suitable for the plants to fruit in, and whether they are grown in pots or otherwise, the soil should be put to greater.

rather firmly, and when in a tolerably dry state.

PLANTING AND AFTER MANAGEMENT .- If the plants are to be grown on beds of fermenting materials, place small hills of soil about twelve inches deep, and the same distance from the glass, under the centre of each light. When these are properly warmed, and when there is no danger of the plants being injured by rank steam, plant them out. Watering must be regulated by the state of the soil, &c., but let it be sparingly done early in the season, and freely when the weather becomes bright; admit air on every favourable opportunity, but avoid cold currents or giving air so as to lower the temperature below 75°. Stop the plants so as to induce each to form three or four shoots, and train these so as to cover the space with regularity. When the roots appear on the surface, cover the sides of the hills with two or three inches of fresh soil, repeating this in the ease of the early crops two or three times, but those grown later in the season may be finally earthed as soon as the plants are well established, covering the surface of the bed to the depth of the hills. As soon as the principal shoots have reached the sides of the frame, stop these, and stop the lateral shoots upon which the fruit is produced at the second joint beyond the fruit. When there are four or more promising female blossoms open on a plant, impregnate these and keep the atmosphere rather dry, until it is seen that the fruit is fairly set. When three or four fruit are safe on a plant, remove all blossoms and fresh shoots as they appear, so as to throw the strength of the plant into the fruit. Keep the soil properly moist, and encourage the plants with a moist genial atmosphere, until the fruit approaches maturity, when a rather dry soil and a warm dry atmosphere will tend to improve its flavour. For plants grown during the summer a frame placed upon a bed of slowly fermenting material will answer perfectly well, and some of the hardier varieties, in some localities and seasons, will succeed if treated like ridge cucumbers.

Bijou, red flesh, beautifully netted, small oval shaped	1 0	
Bromham Hall, green flesh, finely laced, very superior	1 0	
Cavour, green flesh, rind pale yellow, laced and quartered	1 0	
Empress Eugenie, "flesh brilliant scarlet, lemon coloured rind, beautifully netted,		
This variety is a hybrid between Veitch's Perfection and Turner's Gem; it possesses		
all the fine qualities and characteristics of Perfection, being rich and melting in flavour. Was awarded a first class certificate" Ly Lat us. Kanely I be to the	×	41
flavour. Was awarded a first class certificate" L. Cart. Mangery. 157011	see of	
Elegantissima, fine red flesh, prettily netted, small oval variety	1 0	
Leopard, red flesh, bright yellow rind, vivid green spots, extremely curious and handsome.		i
Leopard, red flesh, bright yellow rind, vivid green spots, extremely curious and handsome,	1 0	İ
Leopard, red flesh, bright yellow rind, vivid green spots, extremely curious and handsome.  very large  Golden Perfection (Veitch's), green flesh, sulphur rind, moderately netted, oval shaped, very fine	1 0	İ

Beechwood, green flesh, rind dark green heautifully laced very superior ...



they get well established and the weather becomes settled and warm; and if they can be planted out on a slight hot-bed under the shelter of a frame, there will be more certainty of a good crop than by any other method of treatment. The plants when grown in pots are very subject to the attack of red spider, and will require frequent syringings to keep them clear of this pest. They must also be liberally supplied with water at the roots, and weak manure water after the fruit is set will be useful.

				per	
	et Fruited,	very handsome	variety		
White	39	,,,	************************************	0	. 8
Violet	22	11	,	0	. 6
New S	triped.	veighing from 1	lb. to 4 lbs. very handsome	0	4

## MELON.

TEMPERATURE.—These require a somewhat high temperature, and there should be the means of maintaining a steady warmth of about 80° in the soil, and of keeping the atmosphere at from 55° to 75°. allowing an increase of 10° from sun heat. The atmosphere must also be kept moist and genial until the fruit is pretty fully grown, otherwise the plants will be very liable to be attacked by red spider and thrip, which soon greatly injure and sometimes destroy them. The necessary conditions for the successful culture of this delicious fruit are, however, easily secured, with the aid of frames,

and a supply of fermenting materials.

The of Sowing and Treatment metrals.

The of Sowing and Treatment of the middle of the month, and afterwards at intervals of three weeks or a month, until the end of June. The young plants, especially those from the early sowings, will require very careful nursing. As soon as the seed leaves are formed, pot into five-inch pots, placing two plants in each, half filling the pot with soil. On this spread the roots, at first merely eovering them, and filling up the pot in the course of a few days. Water must be sparingly given, for at this season the young plants are apt to damp off if watered too freely, and the water should be a few degrees warmer than the temperature in which the plants are growing; the soil must also be nicely warmed before use. After potting, place the plants near the glass, and in bottom heat, if convenient, and admit a little air on every favourable opportunity. When they have moderately filled their pots with roots, either re-pot into two or three sizes larger, or plant them out but at this stage do not allow the plants to suffer any check from want of space for their roots. Plants raised after the weather is more favourable, will require similar treatment, but comparatively little care or attention will then be necessary.

or attention will then be necessary.

Selection of Soil.—For raising the seeds and for the plants in nursery pots, use soil composed of qual parts of Joann and leaf mould, but a good strong turfy Joann is found to be most suitable for the plants to fruit in, and whether they are grown in pots or otherwise, the soil should be put together

rather firmly, and when in a tolerably dry state.

PLANTING AND AFTER MANAGEMENT.—If the plants are to be grown on beds of fermenting materials, place small hills of soil about twelve inches deep, and the same distance from the glass, under the centre of each light. When these are properly warmed, and when there is no danger of the plants being injured by rank steam, plant them out. Watering must be regulated by the state of the soil, &c., but let it he sparingly done early in the season, and freely when the weather becomes bright; admit air on every favourable opportunity, but avoid cold currents or giving air so as to lower the temperature below 75°. Stop the plants so as to induce each to form three or for shoots, and train these so as to cover the space with regularity. When the roots appear on the surface, cover the sides of the hills with two or three inches of fresh soil, repeating this in the case of the early crops two or three times, but those grown later in the season may be finally earthed as soon as the plants are well established, covering the surface of the bed to the depth of the hills. As soon as the plant are well established, covering the surface of the bed to the depth of the hills. As soon as the principal shoots have reached the sides of the frame, stop these, and stop the lateral shoots upon which the fruit is produced at the second joint beyond the fruit. When there are four or more promising female blossoms open on a plant, impregnate these and keep the atmosphere rather dry, until it is seen that the fruit is fairly set. When three or four fruit are safe on a plant, remove all blossoms and fresh shoots as they appear, so as to throw the strength of the plant into the fruit approaches maturity, when a rather dry soil and a warm dry atmosphere will tend to improve its flavour. For plants grown during the summer a frame placed upon a bed of slowly fermenting material will answer perfectly well, and some of the hardier varieties, in some localities and seasons, will succeed if treated like ridge concumbers.

Bijou, red flesh, beautifully netted, small oval shaped	1 (	0
Bromham Hall, green flesh, finely laced, very superior	1 (	
Cavour, green flesh, rind pale yellow, laced and quartered	1 6	)
Empress Eugenie, "flesh brilliant scarlet, lemon coloured rind, beautifully netted.	- 1	
This variety is a hybrid between Veitch's Perfection and Turner's Gem; it possesses		1
all the fine qualities and characteristics of Perfection being rich and malature		6.
all the fine qualities and characteristics of Perfection, being rich and melting in flavour. Was awarded a first class certificate? Lat Aut Manely, I wanted	sol 1	71
Elegantissima, fine red flesh, prettily netted, small oval variety	1 0	(1
Togrammed and flood handle political incident and variety	1 (	1
Leopard, red flesh, bright yellow rind, vivid green spots, extremely curious and handsome,	2 0	: [
very large	1 (	5
very large . Golden Perfection (Veitch's), green flesh, sulphur rind, moderately netted, oval shaped, very fine	1 (	

Beechwood, green flesh, rind dark green, beautifully laced, very superior ...... 1 0

	_	_
General Havelock, green flesh, good shape, medium size	er p	
		0
Model of Perfection, green flesh, beautifully laced, medium size	1	0
Orion, green flesh, finely netted	1	0
Pastique Water, black, red, and brown seeded, each per pkt	0	6
Prince Imperial, "a magnificent scarlet flesh, very sugary and melting, externally		
could not be distinguished from the Beechwood; a very remarkable variety"	2	6
Princess Alice, "an exquisite variety, characteristics unique; may be distinguished		
among a thousand; form nearly round, rind transparent pale buff, beautifully laced, and		
so thin that the colour of the flesh (a beautiful rosy pink,) is seen through it; the flavour		
is delicious, and the flesh very thick, melting, and somewhat resembling Turner's Gem.		
but not so close in texture; received a first class certificate, twenty other varieties		
being shown against it" . But allong & Bennett	9	6
Queen Victoria, "flesh deep red, melting and delicious, possessing all the excellent	~	O
qualities of a first class Bromham Hall, and externally resembling that variety; was		
	0	
awarded a first class certificate"	2	6
Queen of Beauty, green flesh, magnificently laced, an improved variety of Carter's		
Excelsior	1	0
Prince of Orange, superb searlet flesh, rind green and laced	1	0
Small Persian, green flesh, a fine small transparent variety	1	0
" Queen Ann's Pocket, pretty miniature variety	1	0
" " " striped, as above, but beautifully striped	1	0
Sir Charles Napier, red flesh, rind spotted and deeply quartered	1	0
Sir John Falstaff, green flesh, small oval fruit	1	0
Tomato, red flesh, melting, dark green rind, large fruit	î	0
Turner's Scarlet Gem, scarlet flesh, finely netted, small fruit	i	0
Victor Emmanuel green flesh, exquisitely laced	1	0
Wonder, fine red flesh, beautifully laced	1	0
	1	-
Winter, large yellow, green flesh, pale yellow rind, keep for months after being cut	1	0

#### NASTURTIUM.

The seed, if gathered when quite young and pickled in the usual way, forms an excellent substitute for capers. In shrubbery borders or trained against trellis-work the plant is highly ornamental.

	okt. per oz.	per pk	t. per	OZ,
Dark crimson, clean seed 0	30 6   Mixed, clean seed	0 3	30	6
Spotted ditto 0	30 6 Dwarf ditto	. 0	30	6

## TOMATO, OR LOVE APPLE,

Selection and Preparation of the Ground.—There are few localities in which these can be grown to perfection, unless they are planted against a south wall, or in some very warm and well sheltered corner; yet in the southern counties good crops are obtained from plantations made in an open quarter of the garden. The soil should be deep and rich, and if the plants are planted between fruit trees under shelter of a south wall, a space of about two feet square should be prepared for each plant, by removing a portion of the soil, digging and loosening the ground as deeply as can be done without injuring the roots of the trees, and mixing it with fresh soil and rotten manure.

Sowing the Seed and Preparing the Plants.—Sow the seed in pots filled with rich light soil early in March, and place in a cucumber pit or near the glass, in any house where a gentle heat is kept up. In places where the fruit ripens freely, sowing may be deferred till the middle or end of the month. When the plants are about two inches high, place them in five-inch pots, putting two plants in each, and replace them in heat. The plants must be well attended to with water, and kept near the glass, so as to promote strong stocky growth, and as soon as they have filled the pots with roots, shift them into others two inches larger, using rich soil. Remove the plants in May to a frame where they can be kept close at first, gradually exposing them to the air so as to prepare them for

planting out by the end of the month.

Prantizo and after Management.—When the plants are well prepared for exposure, and the danger of frost is past, plant them out and attend to them with water until the roots get hold of the fresh soil, and unless they have been well hardened, screen them at first from the full force of the sun by evergence branches, or any other convenient method. If to be grown in the open ground, plant in roots two feet six inches apart, leaving about the same distance between the plants, and support each with a strong stake. Plants on the wall should be kept incely trained, not laying in the shoots too thickly, and stopping those that are left as soon as they show a few bunches of flowers, so us to throw the energies of the plant into the fruit. The plants in the open ground will require the same care in keeping them clear of useless wood, and stopping the shoots above the flowers. Keep the surface of the ground free and open, and do not allow the plants to suffer from want of water, yet water only when necessary to prevent their sustaining a check. In wet cold autumns the fruit seldon ripens before frost occurs, but if a portion of the shoot is cut off along with the full grown fruit, and suspended in a dry warm house, it will ripen tolerably well.

The same superior in a dry warm assess, to will report to the report to	per p	le#
Large Red Italian		
Early Rel	0	0
Toniato de Laye, new upright variety	0	6





## VEGETABLE MARROW, GOURD, OR PUMPKIN.

PREPARATION OF THE SOIL.—Pumpkins require a very deep, light, rich soil, and if planted in wide and deep, and fill with well prepared fermenting manure, and cover about a foot deep with soil. The pits should not be less than ten feet apart, and should be prepared about a week before planting, so that the soil may be properly warmed by the heat from the manure. The tops of compost heaps, and hills of decaying leaves, &c., will, however, afford the best possible situation for the growth of Pampkins, and where such exist they should be used, before resorting to planting in the ordinary ground.

SOWING AND PREPARATION OF THE PLANTS.—Sow early in April, in a pot or pan, filled with light soil, covering the seeds about half an inch; place in gentle heat, and as soon as the plants are sufficiently strong to handle, pot them off into seven inch pots, putting two plants in each, and replace them near the glass in the warmth. When well established remove to cold frame, and

gradually prepare for planting out, by a freer exposure to air, &c.

PLANTING AND AFTER MANAGEMENT.—Towards the end of May, or as soon as the weather is warm and appears to be settled, and the plants ready, plant them out, and protect them for a time by hand glasses, or other means, and attend to watering until the roots get hold of the soil. Train and regulate the shoots, so as to prevent them from growing too closely together, and stop them if necessary, to ferward the growth of the fruit. Do not allow the plants to feel the want of water at the roots, but if planted on the top of heaps of compost, or in properly prepared situations, watering will seldom be necessary.

	er pi	
Vegetable Marrow, small, white	0	3
large, cream	0	3
custard, a very superior small marrow, handsome in shape and delicate in		
flavour	0	4
beautifully striped, new		
cluster, habit compact and bush-like, fine for small gardens	0	4
Ohio Squash, very superior in flavour, fine variety for soups in winter	0	6
Mammeth Gourd, or Pumpkin, may be grown to an enormous size	0	6
The Royal Horticultural Society offers #30 in prizes for Vegetable Marrows and Gourds		U

#### NEW FANCY EATABLE MARROWS.

Each 4d. per Packet, or the Collection for 3s. 6d.

		J., 50	
Vegetable Marrow,			, Warted, 12 inches.
791	Oval, 10 inches.		Pear-shaped, very fine, 10 in.
"	Egg-shaped, 1½ ft.	33	Melon-shaped, large, and
99	Pear-shaped, beautifully striped.		extra fine.
	Barrel-shaped, 2 ft.		green and orange, 1½ ft. clear yellow, 10 inches.
99	Cream colour, large, 1½ ft.		vellow, speckled, 9 inches.
77	Warted, oblong, very hand-	27	, miniature, 6 inches,
21	some, 1 ft.	"	very pretty.
77	Warted, large, cream, 14	2)	" striped green, very
	inches.		. handsome.

For the most extensive list of Ornamental Gourds ever offered for sale, see p. 76.

## FRUIT SEEDS.

# Section V.-SALAD PLANTS.

#### CELERY.

PREMEMBION OF THE LAND.—The ground for this crop should be dug into trenches two spades' deep; a width of one foot being allowed for each row of plants the trench may be intended to hold, banking up the soil on each side of the trench. The distance between the trenches must be regulated by the number of rows the trench may be intended to hold—four feet six inches or five feet will be sufficient for single rows. In all cases let the distance between the trenches be such as will furnish sufficient soil for earthing up the plants. The bottom of the trench should be covered six inches deep with thoroughly decayed manure, and this again with two or three inches of soil, with which it should be well mixed and slightly trodden down and levelled, and then covered with one or two inches of soil for planting.

TIME AND MANNER OF SOMING.—For the first crop, sow, in January or early in February, in gentle heat, either in a pit or frame, or in pans or boxes, in a warm house. The soil should be light and rich, and the seed covered lightly with finely sifted mould. Sow again early in March, in gentle heat, and towards the end of the month, or early in April, on a warm sheltered border, and

water carefully. The plants raised in heat, as soon as they appear, must be kept near the glass, admitting air on every favourable opportunity.

TRANSPLANTING, AND APTER MANAGEMENT.—The plants from all the sowings must be transplanted as soon as they will bear handling, and before they are drawn by growing too closely together, those from the first sowing on a slight hot bed under glass, and those from the second sowing, if convenient, under the shelter of glass. For transplanting, prepare a bed of thoroughly rotted manure three inches deep, covering it to the depth of another inch with light sandy soil, or leaf mould mixed with sand. Prick the plants out on this at about three inches apart, water freely, and, until the plants get hold of the soil, shade them from bright sunshine. The plants raised from the sowing made on the open border will only require to be shaded after transplanting, by hooping and covering the bed with tiffiny, or any light material at command, which will protect them from the direct rays of the sun until they become established. The early plants should be strong and sufficiently hardened and fit for planting out by the middle of May. Plant these in the trenches as soon as they are considered to be ready and the weather favourable, and continue planting from the successional sowings as the plants may be ready and ground can be found. Place the plants about eight inches apart in the rows, removing them with a good mass of roots, earefully divesting them of embryo suckers which may have made their appearance, and keeping them well supplied with water. During the summer the soil about the plants should be kept free and open, and in hot dry weather a liberal soaking of manure water should be given once a week. Earth up the plants as they advance in growth, but leave the hearts uncovered until the final soiling, and in the case of the early plants this should be applied about a month before they are wanted for use, and in all cases before there is any danger of frost. This operation of earthing should be performed only when the plants are dry, and at the final occasion neatly slant and smooth the soil so as to throw off the wet. Some growers defer the earthing up until the plants have nearly attained their full growth, and complete the work at once; we prefer doing it at intervals as the plants progress, believing that this renders the crop more tender and crisp. In carthing up, the leaves should be carefully held together, so as to prevent the soil getting between them. And in frosty weather the plants must be protected by covering the tops of the trenches well with dry litter, but this must not be allowed to remain on longer than may be absolutely necessary. A very good method of protecting the plants in winter is to take them up before severe weather sets in, and lay them in as closely as can be done, without crowding the leaves, in a ridge of soil, with their tops sloping downwards, and three or four layers deep on each side of the ridge. In this way a large number may be stored in a small space, so as to be easily covered and uncovered as the changes of the weather may render necessary. And as wet will not get into the hearts of the plants, they will not be so liable to rot as they would be if left in the trenches. If the

crop is grown on the broad trench system, we recommend wintering it in this manner.			
Manage Manage 100 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	per	pkt. pe	roz.
Covent Garden White, dwarf class habit, very solid, crisp, juicy, and fine flavoured, long before running to seed	0	4 0	0
Covent Garden Red, dwarf compact habit, very hardy, crisp, and of a superior	U	40	9
nutty flavour	0	40	0
Cole's Crystal White, very excellent, early dwarf variety		0	
Cole's Defiance Red, very compact, crisp and solid		0	
Goodwin's White, solid, very superior variety		30	
Hood's Imperial Dwarf Red, very superior dwarf variety		41	0
Every's Nonsuch Red, large compact, crisp and fine flavoured		41	0
Laing's Mammoth, grows to a great size, and does not readily run to seed	0	3 0	6
Manchester, Red, soild		0	4
Reid's matchless Red, solid, very superior variety		30	
Turner's Incomparable, an excellent sort		0	()

## CHERVIL.

PREPARATION OF THE SOIL, &c .- The ground for this should be deeply dug, well pulverised, and richly manured; for the summer crep select a cool moist situation, and for the winter sowing a

dry soil and sheltered situation.

TIME AND MANNER OF SOWING .- For a winter supply sow in the beginning of August, and again towards the end of the month; and for summer and autumn use sow early in February, March, April, and May, and twice during June and July. All the sowings should be made in drills from nine to twelve inches apart, covering the seeds to the depth of about half an inch with fine soil. If large leaves are desired, the plants must be thinned early, so that they may stand about six inches apart in the rows. If the ground is dry when a sowing has to be made in summer, well water the drills a few hours before putting in the seed, and an occasional soaking of water during droughty weather will help to prevent the plants running to seed, while it will increase the size and succulency of the leaves. In severe winters the plants will hardly be safe without protection, particularly in unfavourable localities; the last sowing should therefore be made under the shelter of a south wall; and branches of evergreens should be stuck around the bed, so as partially to screen it before severe weather occurs. Where these precautions are found insufficient, a bed should be sown where it can be protected by a frame.

Chervil .....

## CORN SALAD, OR LAMB'S LETTUCE.

PREPARATION OF THE SOIL .- Any moderately rich well pulverised soil will answer for this



crop, but the large leaved variety, when grown in summer, and to be used as Spinach, requires

deep rich soil.

Time and Manner of Sowing.—For winter use, sow in August and September, and again in March and April; for a summer supply, sow thinly, either broadcast in beds, or in lines about one foot apart, and cover lightly with fine soil.

AFTER MANAGEMENT .- Thin out the plants as soon as they are sufficiently strong, and keep the

ground clear of weeds, and the surface open, by frequent noeings.	
	per pkt, per oz.
English	0 40 6
Italian	

#### CRESS.

PREPARATION OF THE SOIL .- The soil for the American, Golden or Australian, and Normandy varieties should be deep, light, and very rich, and a sheltered situation should be selected for the winter crops of the two last named. For summer use, all the varieties should be sown on a border sheltered from the sun.

The AND MANNER OF SOWING.—To obtain a supply from the open ground during the winter and spring, sow the American about the middle of July, and the Golden or Australian, and Normandy Carled, from the beginning of September to the end of the first week in October, in lines, or the two latter varieties in beds under the shelter of a south wall, thinning out the plants so that they may stand about four inches apart; and in severe weather these should be afforded the protection of a straw hurdle, placed before the bed and inclining against the wall. If the ground is dry, water it well a few hours before sowing, and cover the seeds lightly with fine soil. In gathering these varieties for use the plants should not be cut, as is done in the case of the common Cress, but the young leaves of moderate size should be pinched off, leaving the plants to furnish a succession of gatherings. For a moderate size should be phened of, feating the plants to furnish a succession of gatherings. For a summer and autumn supply sow the Golden or Australian, and Normandy Curled, in March, and at intervals of from a fortnight to a month throughout the summer. Keep the ground between the lines open by stirring with the hoe, and in droughty weather water liberally; this will increase the size and succulency of the leaves, and prevent their being disagreeably hot or high flavoured, as they are apt to be during hot dry weather, when grown on dry soils. The Golden or Australian is an excellent variety, not running to seed so quickly as the others, nor so liable to be unpleasantly strong in flavour; it should be grown by all lovers of a wholesome and agreeable salad. The common plain-leaved, and the curled-leaved varieties are more generally grown than the other kinds, and a supply of these is secured by the same treatment as we have recommended for Mustard, which see, page 109.

Australian Garden (new), leaves delicate green, flavour mild and very superior 0 3..3 0 0 2..1 0 0 2..1 6 Common or Plain, very useful ..... Extra fine Curled, may be cut two or three times, superior flavour ..... per 1b. Perennial American, or Land, resembles Water-Cress, and may be gathered throughout 0 3..3 0 the year ..... per pkt. per oz.

Water-Cress, grows freely in moist situations, but is more delicate in flavour when grown in running streams.....

## 0 6 .. 2 0

#### ENDIVE.

PREPARATION OF THE SOIL,-The ground for this crop should be trenched to a depth of two feet, adding and well mixing with the soil a very liberal dressing of rich and thoroughly decayed manure. For crops intended to stand the winter, a light, dry, and rather poor soil is the best, and they should be planted in the most sheltered situation at command.

TIME AND MANNER OF SOWING .- Make the first sowing about the middle of May on a bed of well pulverised rich soil, scattering the seed thinly, and covering it lightly. For the main crop sow in the middle of June, and again about the middle of July; and for plants to stand the winter, sow early in August. When the plants are about two inches high transplant into nursery beds upon rich well prepared soil, taking special care not to injure the roots, as this as well as want of water in hot dry weather very often causes them to run to seed. The plants in the seed bed as well as those planted out should in dry weather be liberally supplied with water.

PLANTING AND AFTER MANAGEMENT .- When the plants are about four inches high transplant them to the spot where it is intended they should come to maturity, lifting them carefully with as much soil as can be kept about their roots. Place them in drills about three inches deep and twelve to fourteen inches apart, and leave about the same distance between the plants. Give a liberal supply of water immediately after planting, and as often as may be requisite to keep the soil moist. Beyond watering and keeping the surface of the soil open and free from weeds, the plants will require no farther attention till they are nearly fully grown, when means should be used to blauch

them. In the case of the earlier crops this may be done by tying them up when dry after the same fashion as Lettuce, and drawing the soil about them so as to fill the drills in which they are planted, then ridging up the soil two or three inches round each plant. But as late crops intended for winter use are liable to be injured by frost, these should be blanched by covering the plants with inverted flower-pots, or pots made for the purpose. When severe weather is feared, a portion of the plants sown in July may be lifted with balls and planted closely together in pits or frames, where they can be protected from frost and wet, yet be fully exposed to the air when the weather permits. Tying or covering should be done at intervals, so as to have a continuous supply well blanched as they may be required for use. The August sowing should be planted out at the bottom of a south wall or in some sheltered situation, and in many localities these plants will require the protection of glass to winter them safely.

The state of the s	per pkt, per oz.
Green Curled, Extra fine French, very superior variety	0 40 9
Batavian Green, smooth broad leaves	
Batavian White, large and very superior	0 40 9
White Curled, very useful	
New Mose Curloid	

## LETTUCE.

PREPARATION OF THE SOIL.—These succeed best in a rather strong and highly enriched loamy soil; but ordinary garden soil, with plenty of old rotten manure well incorporated with it, will

produce as fine Lettuce as need be desired.

The AND Manner or Sowing.—For an early crop sow under glass in February, and transplant on a well-prepared bed under a south wall, or in some sheltered corner, in April. For successional crops sow, in beds of well-pulverized soil, early in March, and at intervals of about a formight until the end of July. The crop intended to stand the winter should be sown in the second week of August and first week of September, using some approved hardy sort. Make the surface of the beds fine, sow thinly, and cover the seeds lightly with fine soil. The plants for the main summer crops may be transplanted with advantage into nursery lines, in beds of light rich soil, and if not transplanted with advantage into nursery lines, in beds of light rich soil, and if not transplanted type must be thinmed out in the seed bed early, so as to afford them ample space to grow strong and stocky; and they must also be lifted carefully in transplanting, injuring their roots as ittle as possible. The August and September sowings should be planted about two or three inches apart, at the bottom of south walls, or in the most sheltered situations in command, transplanting them again early in spring. In many localities it may be necessary to winter them under frames or hand glasses, planting them out in sheltered situations, as early in spring as the weather will safely


admit.


Planting and After-Culivation.—Plant in lines about a foot apart, allowing the same distance between the plants; and in hot, dry weather give a good soaking of water immediately after planting, and as often afterwards as may be necessary to keep the ground moist. A north border is a good situation in which to plant during the summer months, as the plants are less exposed to the sun, and consequently grow stronger, and are more succellent and crisp, and are longer before they run to seed. Keep the surface of the ground loose and open by frequent hoeings. Some varieties require tying up in order to get them properly blanched, and this should be done when the plants are a fair size, and a week or ten days before they are wanted for use, selecting first the strongest plants, and continuing to do this every few days in quantities, according to the demand. Where the continuing to the demand of the demand of the demand of the winter, a portion of the plants from the sowing made the end of July should be planted where they can be covered with a glass, and by protecting them from frost and wet and giving air freley, the plants, if not too large, wilk keep in good condition for a long time.

#### COS LETTUCE.

COS LETTUCE.			
	per p	okt. per	OZ.
Covent Garden Giant White, the best white Cos Lettuce known, both a			
regards its size, crispness, and flavour; it is less affected by hot weather than			
other varieties, and does not readily run to seed; we confidently recommend it.	. 1	03	0
Covent Garden Giant Brown, this variety, like the above, is the best of it	S		
class, being large, crisp, and fine flavoured, and does not soon run to seed		02	6
Butler's Fine Summer White, very fine variety		02	6
Carter's Giant White, very excellent sort		02	
Carter's Giant Brown, very fine		02	
Dunnett's Giant Black Seeded Bath		0	
Paris White, a very superior variety		41	
Paris Green, a good variety for autumn sowing		1	
Imperial Brown Bath		61	
Golding's Black Seeded Bath		61	
Dickson's Champion, very superior kind		61	
Snow's Compact, a very dwarf compact variety		41	
Mixed		41	
Mixed	. 0	4 1	U
CABBAGE LETTUCE.			
			_
Covent Garden Winter, the best winter Cabbage Lettuce.		61	
Drumhead, the best summer Cabbage Lettuce			0
Neapolitan, large and very fine disher since stated as the state of th		41	
Tennis Ball, a compact dwarf variety	. 0	41	0
Victoria, an excellent variety.		1	0
Brown Dutch, much esteemed for autumn sowing	. 0	41	0
Hardy Green, or Hammersmith, the hardiest variety for winter	0	4 .1	0
Grand Admiral, fine winter variety		41	0

Nonsuch, a large and very fine variety .....





#### MUSTARD.

In a supply is required in winter, or when the weather is too cold for the seed to vegetate out of doors, sow in shallow boxes or pans, placing these in a warm house or pit. During the heat of summer a shady border will be the most suitable situation. Make the surface of the soil fine, level, and smooth, then water it and sow the seed very thickly, and press it gently into the soil, but avoid covering it with soil, for if this is done particles of earth and sand will adhere to the leaves and are very difficult to remove by washing. Mats, or anything which will exclude the sun's rays and keep the seeds moist, should be used for covering, but these must be removed as soon as the seeds have fairly germinated. To furnish a regular supply, sow at intervals of a few days, and never allow the plants to get too old before being cut for use.

	per	oz. po	er q	t.
White	0	2	1	6
Brown	0	2]	1	6

#### RADISH.

PREPARATION OF THE SOIL—This should be well pulverised, deep, light, and rich, but not made so by the application of manure for this crop, and the ground should be carefully dug or forked deeply, making the surface soil fine and level before sowing.

Time AND Manner or Sowing.—Sow early in January, on a warm sheltered border, and at intervals of three weeks until May; afterwards every fortnight during the summer, and at linger intervals when the weather becomes cold in autumn. Radishes are often sown much too thickly, and as this causes the roots to be small, hard, stringy, and disagreeably hot in flavour, the seeds should be scattered thinly. Sow broadcast, in beds of convenient size, and cover the seeds evenly and lightly with fine soil. The early sowing will require to be protected from frost by a covering of litter, but this must be removed every mild day, as soon as the plants appear above ground. When the weather is hot and the ground dry, well water before sowing; and some days before drawing, water the beds well, and keep the soil moist until the crop is finished. With the convenience of a frame and a little fermenting material, a supply may be obtained considerably earlier than in the open border, and with much less trouble. If grown in this way, cover the manure with six inches of light rich soil, and sow when there is no risk of the bed overheating. Give air on every favourable occasion, so as to secure stocky growth, and cover up at night when irosty. The Spanish varieties should be sown in drills, about a foot apart, and thinned out when sufficiently strong to draw, so as to stand from four to six inches apart in the rows. For a winter supply of these, sow from the middle of July to the middle of September, regulating this by the locality, and the size at which the roots may be most esteemed. Fair sixed roots, however, will be obtained in most localities from sowings made about the middle of August. These may be taken up before severe weather sets in, and pitted or stored in damp sand, in a cool cellar or shed, for winter use.

pitted of stored in damp said, in a coor centar or sied, for writter use.		
	per	oz. per qt.
Beck's Superb Short Top, large and very long, best for main crop	0	32 6
Wood's Early Frame, very superior variety, very early	0	32 6
Scarlet Short Top, or Salmon	0	32 6
Olive Shaped Scarlet, mild and crisp, superior to the turnip varieties		
Long White Naples	0	33 0
New Chinese Rose Coloured, useful winter variety		
Black Spanish, for winter use	0	4
White and Red Turnip, mixed	0	32 6

# Section VI.—POT, SWEET AND GARNISHING HERBS.

POT AND SWEET HERBS.

BASIL (BUSH)—BASIL (SWEET)—MARJORAM (SWEET)—PURSLANE—SAVORY (SUMMER).

PREPARATION OF THE LAND.—The ground should be deep and rich, but of a light, sandy nature, and a sheltered situation with a southern aspect is preferable. The surface should be well pulsesized and model fine before saying

pulverised and made fine before sowing.

The and Manner of Sowing.—Sow from the middle of April to the middle of May, either in beds or in shallow drills, about a foot apart, scattering the seeds evenly and thinly, and covering them lightly with fine sandy soil. If the ground and weather are dry, water to assist germination, but not while there is any danger of frost. Thin out the plants to from six to twelve inches apart, and keep the surface of the ground open and free from weeds, by frequent slight stirrings with the hoe; a soaking of water may be given with advantage during droughty weather. When the plants are coming generally into bloom, cut them off close to the ground, and dry them quickly by spreading them in a warm airy place, then preserve for winter use, by tying up in small bunches, or hanging in a dry airy room; or rubbing down and bottling. The latter method best preserves the aroma, and

should be adopted. To maintain a constant supply of Purslane, successional sowings must be made. at intervals of about three weeks, till August, and where it is in demand for salad purposes it must

	per	pkt. per	OZ.	1	per 1	pkt. per	oz.
				Purslane			
" Sweet or Large	0	41	0	Savory, Summer	0	41	0
Marjoram, Sweet or Knotted	0	41	0				

#### BALM-BURNET-LAVENDER-HYSSOP-ROSEMARY-RUE-SAGE-SAVORY (WINTER)-THYME-MAJORAM (POT)-HOREHOUND.

PREPARATION OF THE SOIL .- A deep, light, sandy soil, and a sheltered situation, is most suitable for these, and the plants will stand severe winters better if the land is rather poor, The ground should, however, be trenched to a depth of two feet, and means should be used to have the soil well poliverised, before sowing or planting. Balm, Burnet, Hyssep, Marjoram, and Thyme will not require a sheltered situation, and a bed so with the same years be expected to last many years. Time and Manner or Sowing.—As only a small number of plants will be required, prepare

a small bed on a border facing the south, making the surface level and fine. Sow early in April, scattering the seed thinly and evenly, and cover them very lightly with sandy soil, made fine by sift-ing. The plants may be allowed to remain in the seed bed the first season, thinning them out so as to secure strong stocky growth, or they may be transplanted as soon as they are sufficiently strong to to secure strong sockey grown, or they may be transported as soon as they are sumenly strong to bear handling. In transplanting allow from one foot to two feet six inches between the plants, regu-lating this by their known habit. The former distance will be sufficient for the varieties of Thyme, and also for Winter Savory, but the others will require from eighteen inches to two feet six inches from plant to plant. If transplanting is done in the first season the plants must be carefully removed, and well attended to with water until they get established, but if left in the seed-bed until the following spring, and transplanted early in April, neither watering nor any other extra care or attention will be required. The plants may be cut when in full flower, dried, and preserved for use; and the flower spikes of those that are most exteemed in the green state should be cut off as soon as they appear. Keep the ground free from weeds, and open by the frequent use of the hoe.

	per pkt per oz.	per pkt. per oz.
Balm	0 4	Rosemary 0 4
Burnet	0 41 0	Rue 0 4
Horehound	0 4	Sage 0 41 0
Hyssop	0 4	Savory, Winter 0 41 0
Lavender	0 4	Thyme 0 4
Marjoram, Pot	0 41 0	·

#### CORIANDER-MARIGOLD (POT)-BORAGE.

PREPARATION OF THE SOIL.—These require a deep light soil, and for the summer sowings it should be rich. Coriander, when expected to stand the winter, should be sown in sheltered situations, and on rather poor soil. The Marigold will grow in any soil or situation.

Time and Manner of Sowing .- Sow in shallow drills about a foot apart; only one sowing of Marigold will be needed; this may be made in March or April. Of Borage, two will suffice, one in April and the second early in August. The seeds of this plant are large, and, if sown when the ground is hot and dry, the drills should be watered, and the seeds covered to the depth of an inch or more. Coriander, if in constant demand, must be sown at intervals of a fortnight or a month, beginning early in March and making the last sowing the first week in August. Thin out the plants so that they may stand from six inches to one foot apart in the lines, and keep the surface of the ground free from weeds and open by light and frequent hoeings.

Borage	per pkt. 1 0 3.	per oz. 0 6 0 4	Marigold, Pot	per pkt. per 0 31	0%.
--------	--------------------	-----------------------	---------------	-------------------	-----

#### ANGELICA-CARRAWAY-FENNEL.

PREPARATION OF THE SOIL .- Any deep, light soil will answer for Carraway and Fennel, but Angelica requires a deep, rich soil, which can hardly be too moist.

TIME AND MANNER OF SOWING .- Sow the Fennel in March or April, covering the seed lightly, and when the plants are sufficiently strong transplant, allowing about a foot from plant to plant; a bed will last many years, but to secure a supply of young leaves the flower stalks should be cut off as they appear. The Angelica and Carraway should be sown early in August, but will succeed if sown in March; they may be sown in beds and transplanted, but as they do not bear transplanting as well as many other plants, and only a small quantity will be required, it may be advisable to sow them where they are to stand. Sow thinly in drills, and cover the seed to the depth of an inch. Carraway will require a space of about eighteen inches from plant to plant, and Angelica two feet six inches. These are biennials, but if prevented bearing seed the plant will last for several seaso

	per pkt. per	OZ.			kt. per	
Angelica	0 30	6 1	Clary	0	41	0
Carraway	0 30	4	Fennel	0	41	0





#### SORRET.

PREPARATION OF THE SOIL.—Sorrel thrives best in a deep, rich, loamy soil. Ground intended for this crop should be heavily manured, and trenched to a depth of two feet, or more if the soil

will admit, well intermixing the manure, and resolved to 4 department of the will admit, well intermixing the manure as the work proceeds.

THE AND MANNER OF SOWING—Sow early in Marreh, in drills eighteen inches apart, scattering the seed every thinly, and covering it about half an inch with fine soil. Thin out the plants as soon as they are sufficiently strong to draw, leaving them from fifteen to eighteen inches apart in the rows. Keep the surface of the ground open and free from weeds by frequent stirrings with the hoe. The plants may be allowed to stand several years in the same place, but if this is done a liberal dressing of well decayed manure should be given every winter, and lightly dug in. The plants will also require to be cut round, so as to prevent their throwing up too many shoots, and a conwill use feeling the first the first and a subject of the learners. Liberal soakings of manures water, given during the growing season, will see see and quiring the growing season, will see from the first season that the first season is the season of the first season will see that the first season that the first season is the first season for

Sorrel ..... per pkt. per oz. 0 3..0 6

#### BORECOLE.

Melville's Garnishing, beautifully variegated...... 0 6.... CRESS.

#### ICE PLANT.

PREPARATION OF THE SOIL .- As the leaves are ornamental in proportion to their size, the soil should be of the richest possible description; and the few plants that will be necessary to furnish an ample supply of leaves should be placed in a warm sheltered corner. Unless the soil is in itself suitable, dig pits about two feet six inches apart and fill them with very light rich compost, allowing about a barrowful to each couple of pits.

TIME AND MANNER OF SOWING .- Sow the seeds in a pot filled with rich light soil early in April; cover lightly, and place in a gentle heat. As soon as the plants are strong enough pot them in small pots and replace in the warmth. When the plants are well established, gradually harden them

preparatory to planting out.

PLANTING AND AFTER MANAGEMENT.—Plant out about the end of May, or as soon as the plants are strong and properly hardened, and all danger of frost passed. Keep them well supplied with water until the roots get hold of the soil. When the plants are once fairly established, they will only require to have the ground kept free from weeds, and the shoots pinched out so as to prevent their being over-errowded; and in hot dry weather weak manure water may be given frequently with advantage.

Ice Plant ...... 3d. and 6d. per packet.

# MALLOW, CURLED.

PREPARATION OF THE SOIL.—These will grow in almost any soil or situation, but when triched to furnish a supply of leaves for garnishing, they should be afforded a good strong, deep, rich soil, in which the leaves will be much finer than from plants grown on poor, shallow soir, and the soil is the soil of

Time of Sowing and After Management.—Sow in March and again in May, in shallow drills two feet apart, covering the seeds lightly. When the plants are up thin out to about a foot apart. Keep the ground clear of weeds, and the surface free and open by frequent hosings.

Curled Mallow..... ..... 3d. and 6d. per packet.

#### PARSLEY.

PREPARATION OF THE SOIL.—Select a deep, rich piece of ground, dress it liberally with the oldest and richest manure at command, and trench it to a depth of two feet, ridging it up so as to expose the largest surface to the action of the weather, and let this be done as long before sowing as

TIME AND MANNER OF SOWING .- Sow in lines as early in March as the ground is in good working condition, again early in May, and from the middle to the end of June, covering the seeds with about half an inch of soil. If the ground is dry when the May and June sowings are put in,

well water the lines before covering.

TRANSPLANTING AND AFTER MANAGEMENT .- As soon as the plants from the first sowing are sufficiently strong to handle, transplant them into lines, one foot or fifteen inches apart, leaving about three inches between the plants, taking care not to injure the roots. When they are well established thin them out, so that they may stand from six to twelve inches apart, according to the size of leaves desired. Unless the plants from the first sowing are destroyed by the grub, or too small a breadth has been planted, the second sowing will not be of much importance, and may be made in lines where the crop is intended to stand. Until the plants get fairly established do not allow them to suffer for want of water. The June sowing should also be transplanted as soon as the plants are sufficiently strong, and as this will have to furnish the main supply for the winter, choose a sheltered

situation, and plant a portion where it can be protected from severe weather by a frame, thatched hardles, or any other means. Transplanting improves the quality, causing the leaves to be more carled, but if considered too troublesome, sow in lines twelve inches part, and thin out. Keep the surface of the ground open and free from weeds; and an occasional sprinkling of guano, or soot, between the lines, with a liberal soaking of water during droughty, weather will improve the summer crop.

	DOT N	kt. per	0.00	
Dunnett's Garnishing, beautifully curled	per I	o to	C	
Duniett's Garnishing, beauthauty curied	U	00	0	
Myatt's extra fine Curled, very fine	0	30	4	
Hamburgh, or Turnip-rooted; the roots are used for flavouring soups	0	30	4	

## AGRICULTURAL SEEDS.

W 11 1		
Perlb.	3.5	Per lb.
BROOM 1/0	MANGOLD WURZEL,	
Beet, Silesian or Sugar 1/0	" Long Red	0/8
Cabbage, Drumhead 2/6	,, ,, Yellow	0/8
,, Thousand-headed 2/6	Globe Red	0/8
CARROT, Altringham 26	,, Yellow	0/8
,, Belgian White 1/3	Parsnip, Large Swelling	1/0
Owange 10	D. no. nr. Diage Swelling	
,, Orange 1 6	Parsler, Plain	0/10
,, Long Orange 1/6	Rape or Cole Seed	0/4
CHICORY 2/0	Sainfoin, Market price.	
Furze, Gorse or Whin 1/6	TURNIP, Globes, of sorts	0/9
KOHL RABBI 2 6	,, Tankard, of sorts	
LUCERNE 1/3	" Pomeranian	0/9
Mustard	,, Norfolk	0/9
GRASS, for permanent pasture, 24/ to 32/ per acre,	" Stubble-stone	
", finest mixed, for lawns	, GREY-STONE	
" for renovating old grass lands, 16/per bush.	" Orange Jelly	1/0
for chalky uplands and sheep-walks, 25/	" Scotch Yellow	0/10
per acre.	, NEW BRONZE Swede, and other	
CLOVER, for permanent pasture	first-class sorts	
Cherman for permanent passare correction		210

#### SUNFLOWER.

Besides being highly ornamental, for game preserves the Sunflower is invaluable; it yields a vast quantity of seed, of which Pheasants are particularly fond. It is also one of the most profitable things for feeding fowls; grows freely, and produces immense crops on deep rich soil. Sow in 

#### INDIAN CORN, MAIZE, OR ZEA.

PREPARATION OF THE SOIL.-Select a warm sheltered situation, and trench deeply, adding a liberal dressing of well rotted manure.

TIME AND MANNER OF SOWING .- Sow in pots in April, or in the open ground in May, but, except in very favourable localities, the plants succeed best if raised under glass and planted out when the weather becomes warm and settled. If raised in pots be careful to keep the plants strong

and stocky, hardening them by giving air freely on fine days.

After Management.—When planted out, water when necessary, till the roots have got hold of the fresh soil, and also in dry hot weather. Keep the surface of the ground free from weeds, and in an open state by frequent hoeings. The ears, if cut when green and young, will be found delicious if cooked and served up as asparagus.


For varieties, see page 80, numbers 2222 to 2258.


# BARR & SUGDEN'S COLLECTIONS OF VEGETABLE SEEDS FOR 1862,

Embracing the best Varieties in Cultivation, and especially those most approved of in Covent Garden Market. For particulars see Page 86.

No. 6	contains	20 qt.	of Peas,	and o	other seeds	in proportion	 		for			
No. 5	19	10 qt.	ditto		ditto	ditto					2	
No. 4	91	8 qt.	ditto		ditto	ditto	 		22	1	10	0
No. 3		10 pt.	ditto		ditto	ditto	 	'	22	1	1	0
No. 2	91	6 pt.	ditto		ditto	ditto	 		22	0	15	6
No. 1		4 pt.			ditto	ditto	 		22	0	10	6

SEEDS PACKED FOR ALL CLIMATES.





# ROOTS AND PLANTS.

#### POTATOES.

SELECTION AND PREMARATION OF THE SOIL.—A deep, thoroughly drained, light sandy loam, or peaty soil, is the most suitable for the potato. The application of manure for this crop is now generally held to increase its liability to be attacked by disease, to bring it on at an earlier period than would otherwise be the case, and also to produce large crops of imperfectly matured tubers, which if they seeme the disease while in the ground, are more liable to be attacked after they are lifted than those grown on poorer soil. The ground selected, therefore, should be in fair condition, from having been moderately manured for some-exhausting green erop in the previous season. But if the only land to be had is so poor as to render it necessary to apply manure in order to ensure a fair crop, then use charred vegetable refuse, or a very light, dressing of well decayed farm or stable-yard manure. The ground should be trenched two spades' deep, and ridged up early in autumn; and if manure is applied this should be well mixed with the soil. Charred vegetable refuse, however, may be applied about the sets when they are planted. We believe that a slight sprinkling scattered along the trench before planting, and then used in covering the sets, has, to some extent, proved a preventative of disease.

Time and Manner of Planting.—Plant as early in January as the ground can be found in fair working condition. We have no hesitation in saying, that early planting has hitherto proved the best preventative against the attacks of disease; for, as the crops sooner arrive at maturity, they frequently escape altogether, or suffer comparatively little. A small breadth of the ash-leaved kidney should be planted on a south border, or in the warmest and most sheltered situation at command, to furnish an early supply. In planting, let the ground be neatly levelled, then, beginning at one side, dig it over about six inches deep, and put in the sets in the openings at proper distances, which must be regulated by the growth of the variety. The lines for the early kinds, as ash-leaved, &c., which form but small tops, may be about twenty inches apart, leaving about nine inches between the sets, but for the second early varieties two feet should be allowed between the lines, and ten inches between the sets. The late kinds will require two feet six inches between the lines, and ten inches between the sets in the line. The sets should be covered about six inches, leaving the soil over them as open and lose as possible. On strong heavy land the ash-leaved and other weakly growers should not be covered more than four inches. Planting in autumn has been strongly recommended, and on light well drained land, this may safely be practised—the crop will probably

inches between the sets in the line. The sets should be covered about six inches, leaving the soil over them as open and loose as possible. On strong heavy land the ash-leaved and other weakly growers should not be covered more than four inches. Planting in autumn has been strongly recommended, and on light well drained land, this may safely be practised—the crop will probably be both earlier and more abundant than from spring planting; but the plan has not answered the expectations which were entertained respecting it as a means of enabling the crop to escape disease. All things considered, we think that planting early in spring is to be preferred; and this should be done as early as the weather and the state of the ground will allow.

AFTER MANAGEMENT.—When the tops are four to six inches above the ground, ridge the soil up

neatly about them. In the case of the early varieties, which may be in danger of suffering from the frost, the soil should be kept ridged up round the shoots as soon as they appear above the ground, keeping them covered until they are four to six inches high, and all danger of frost is past. Before earthing up, fork the ground lightly between the lines, so as to pulverize the soil, then draw it to the plants with a hoe or spade. Keep the ground clear of weeds. When the crop attains maturity, lift and store; or if the disease is troublesome before the tubers are ripe, lay the shoots down along the top of the ridge and cover them with soil. This seems to be the most successful method known at present of clocking the ravages of the disease. The crop should be taken up, however, as soon as possible after disease makes its appearance, and the tubers stacked and temporarily covered in some place where they can be examined occasionally. When the disease appears to have done its worst work; pit them in the usual manner, covering them sufficiently to protect them against severe frost.

The following varieties we offer as most worthy of cultivation :-

ROUND POTATOES.		
per peck of		bs.
Early Handsworth. Of 74 varieties grown at the Horticultural Society's Gardens, Chiswick, the Handsworth was the earliest by ten days	4	0
" Covent Garden Prolific, a first-class variety, very early, a heavy cropper, fine flavoured, and does not grow much to top		6
" Oxford		0
" Shaw	z	6
Dalmahoy, a first-rate second early	2	6
British Queen	2	6
	~	
Flour Ball	2	6
Regents	2	6
KIDNEY POTATOES,		
Early Ash-leaf, true	3	6
. " Walnut-leaf, true	9	6
	U	U
Webb's Imperial, a new variety, raised by Mr. Webb, of Calcot; it is an immense		
cropper, resists the disease better than most others, is very handsome, and, what is of		
great consequence, may be cooked from July to June	3	6
	4	0
Jackson's Improved, somewhat later than the Ash-leaf, but a more abundant cropper	4	U
Daw's Matchless, very handsome, fine flavoured and very prolific, ready in August,		
and much in demand in Covent Garden	3	0

Lapstone

#### JERUSALEM ARTICHOKES.

PREPARATION OF THE LAND.—That these will grow and yield plenty of tops in almost any soil or situation is well known, but if an abundant crop of large and good flavoured tubers is desired, a deep instrument of the same of the same in autumn, and be treuched to a depth of two feet at least, ridging it up roughly for the winter.

TIME AND MANKER OF PLANTING.—Plant early in March, in lines three feet asunder, and about eighteen inches apart in the lines. The tubers may be dibbled in, as is often done with potatoes, but we recommend the making of a narrow trench about six inches deep, in which the tubers

can be placed at equal depths with greater certainty; the soil placed over them should be left in a

loose open state.

AFTER MANAGEMENT .- Some growers practise topping the stems when they are from three to four feet high, but we believe this only causes the formation of an extra quantity of shoots, and is decidedly injurious to the crop: it would be a much better practice, especially where the soil is of a somewhat strong and damp nature, to thin out the shoots when a few inches high, not leaving more than two or three from a tuber, but this will be unnecessary where the soil is light and of a rather dry nature. Keep the ground free from weed by frequent deep hoeings. The tubers may be left in the ground till wanted for use, or they may be taken up towards the end of November, and stored in sand, or soil; but they must be so covered that the light and air may be effectually excluded, otherwise they will be of a dark colour when cooked.

per peck of 14 lbs. 

## ASPARAGUS.

# CHIVES AND TARRAGON.

Per dozen bunch, 4s., or per bunch, 6d. Garlie, Shallots, and under-ground (Potato) Onions, per pound, 8d.

#### POT AND SWEET HERBS.

Per dozen Plants, 4s,

#### SEA KALE ROOTS.

Per 100, 6s. Extra strong, per 100, 12°.


#### RHUBARB ROOTS.

Per dozen, 6s. Extra strong, per dozen, 9s.

#### STRAWBERRY PLANTS

1) 4 1624 11	D)	LILLI	of Thursto.		
	₽	100			100
	S.	d.			d.
Frogmore late pine-Ingram	30	0	Filbert Pine—Myatt	5	
"This valuable new late Strawberry was			General Havelock—Tiley	5	
submitted to the Fruit Committee of			Hautbois-Myatt	3	
the Horticultural Society of London,			Highland Mary-Cuthill	3	
and obtained a first-class certificate."			Keene's Seedling (early)	3	
Rifleman—Ingram	30	0	Nonsuch—Robertson	3	6
"This fine Strawberry is highly recom-			OSCAR—This valuable variety still main-		
mended for its large size, excellent			tains its high character	5	0
quality, and the beauty of its fruit."			Prince Arthur-Ingram - a very abundant		
Admiral Dundas-Myatt	5	0	bearer, and continues to fruit for a con-		
Adair—Elphinstone	3	6	siderable time	10	6
Black Prince-Cuthill	3	6	Prince of Wales-Ingram	3	6
Bicton Pine-Barnes	3	6	Princess Alice Maud	3	6
British Queen-Myatt	5	0	Princess Royal of England-Cuthill	3	6
Carolina superba—Kitley	5	0	Prince of Wales-Cuthill	3	6
Crimson Queen-Myatt	-7	6	Richard II.—Cuthill	3	6
Comte de Paris	3	6	Surprise-Myatt	3	6
Empress Eugenie-Knivett	10	6	Sir C. Napier-Smith	5	0
Elton Pine-Knight	3		Sir Harry—Underhill	3	6
Eliza—Rivers	3	6	Victoria—Trollope	3	6
Eliza-Myatt	3	6	Wonderful—Jeyes		0
Eleanor-Myatt	3	6	Wizard of the North-Robertson	3	6
MITCHEOOM CD	4 33	LT TAT	Time and the sea bushed 5-		

MUSHROOM SPAWN-First quality, per bushel, 5s.





## SUNDRY ARTICLES.

#### SHAW'S TIFFANY-A LIGHT, CHEAP, AND DURABLE MATERIAL,

For Shading Conservatories and other Hot-houses, effectually securing Plants from the scorching rays of the sun, without obscuring the light. Also the best protector of Fruit and Seeds from Birds and Wasps, and the Bloom of Wall Trees from Spring Frosts.

As a Shading Material, No. 1 Tiffany is unequalled either in regard to price or the use and beauty of the Article; for when drawn over the glass roof of a Conservatory, or stretched permanently on the inside, the effect is, as Professor Lindley remarks, "that of a white cloud reflected on the glass, and does no more than diffuse light, without obstructing it."

on the glass, and does no more than diffuse light, without obstructing it."

In protecting the Bloom of Wall Trees, if the situation be exposed, Nos. 3 and 4 are recommended, but where only a slight protection is required No 1 will be sufficient; No. 5, Thick Twilled, will be found an excellent substitute for Mats.

GARDEN NETTING—(In Pieces 10 yards long, 55 inches wide).

No 1 quality, 4/2. No. 2 quality, 5/. No. 3 quality, 7/

# FRIGI DOMO.

#### MATTING.

Large Archangel Mats (very scarce), 2/6 each at present; Cuba Matting, for budding and tying, per lb., 2/6.

#### SAYNOR'S

# CELEBRATED PRUNING, BUDDING, & GRAFTING KNIVES, WARRANTED.

# PRUNING AND GRAFTING KNIVES, BEAUTIFULLY FINISHED.

Extra Strong, 938, with Curved Blade and Handle .... 4/0 ditto, Strong, 197, ditto, Strong, 192, ditto, ditto .. 4/0 ditto. ditto .. 3/6 Medium, 187 ditto, ditto, ditto .. 3/0 Medium, 193, ditto. ditto, ditto .. 3/6 1861 ditto, ditto, Light, 195½, ditto, ditto, ditto. 4/0 (195½ is the lightest, and best suited for Ladies.) ditto .. 3/0 ditto .. 4/0 Light, suitable for Amateurs, 194 ...... 3/0

#### BUDDING KNIVES, BEAUTIFULLY FINISHED,

B. L., 3/. 204, Straight Handle and Blade, 3/. 823, Point of Blade Rounded, 3/. Flower-Gatherer Scissors, 3/6. Vine Scissors, 3/0.

GEYELIN'S PATENT EYELET WALL NAILS—For lacing or tying up Trees, Vines or Creepers; with single eye, per box, containing 12 dozen, 2s.; with double eye, per box, containing 12 dozen, 3s.

GEYELIN'S PATENT KNIFE AND SCISSOR SHARPENER 1s. Each.

#### STRONG METALLIC GARDEN LABELS.


Suitable for Conservatory, Greenhouse, Fernery, or Flower Garden.

| No. | Inches. per 100 | No. | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100 | Inches. per 100

INDELIBLE INK, for writing on the above labels, 6d. and 1s. per bottle.

ZINC LAY PEGS, used for pegging Verbenas, &c., and for laying Carnations, Picotees, &c.,
1s. 6d. per box of 100.

#### AGENTS WHOLESALE AND RETAIL FOR



Arthur Dunn's Solid Marking Ink Pencil, No. 1.

Being ordinary Marking Ink in a solid instead of liquid form, for writing indelibly on Linen and other Fabrics, with the same facility as with common pencil on paper, 1s, 6d. cach.

Points for reilling the above 1s, each,

#### The Gardener's Pencil. No. 2.

For writing indelibly on all sorts of Garden Tallies and Labels, is the same description of Pencil as the above, but with a stouter point, also admirably suited for marking all coarse wove Fabrics, 1s. 6d. Points for refilling the above 1s. each.

Sent Post-paid on receipt of Postage Stamps,

#### AGENTS FOR GISHURST COMPOUND.

PATENTED,

#### FOR PREVENTING AND DESTROYING

RED SPIDER.

MEALY BUG.

MILDEW, AND

THRIP, SCALE, AMERICAN BLIGHT, ANTS.

GREEN AND BROWN FLY. ETC., ETC., ETC.

In Boxes, 1s., 3s., and 10s. 6d.

#### Agents for the Portable Garden Manures, in Canisters at 2s. 6d. each.

Genuine Peruvian Guano

Sulphate of Ammonia

Rape Dust. Cubic Petre. Genuine Peruvian Guano, 4d. per lb.

#### BOOKS.

#### A Cheap and Useful Series of Manuals for the Many .- Sent Post Paid.

1.	Gardening for the Many		d. 3	9.	Window Gardening		d.
	Allotment Farming for the Many				The Poultry Book for the Many		
				10.	THE TOURS DOOK TOLD THE MAILY	U	()
3.	Bee-keeping for the Many	0	4	11.	Photography for the Many	0	6
4.	Greenhouses for the Many	0	6-	12.	The Garden Manual	1	6
5.	Kitchen Gardening for the Many	0	4	13.	Out-Door Gardening for every day		
6.	Flower Gardening for the Many	0	.4		in the year	1	6
7.	Fruit Gardening for the Many	0	4	14.	Cottager's Calendar. By Sir Joseph		
8.	Florists' Flowers for the Many	0	4		Paxton, M.P	0	3

# THE BRITISH FERNS. By G. W. JOHNSON, Esq. 3s. 6d. THE COTTAGE GARDENER'S DICTIONARY, 8s. 6d.

Edited by George W. Johnson, Esq.

This valuable work of reference should be possessed by every Amateur and Professional Gardener.

N.B .- In September will be published

# THE FLORAL GUIDE

m o

# WINDOW, CONSERVATORY, AND OUT-DOOR SPRING GARDENING,

Showing how a gay display of Floral Beauty may be maintained from December to June.





Barr & Sugden's Visitor's Hand Map of London for the International Exhibition of 1862.



BARR & SUGDEN, SEED MERCHANTS. 12, King Street, Covent Garden, London.

(Opposite the Garrick Clab.)



# In addition to our Novelty Sheet the following are also worthy of special notice.

#### FOR CONSERVATORY AND GREENHOUSE DECORATION

We note the following, amongst which are many new sorts of considerable merit:-

	Page	ł.	Page	1	Page
Abutilon		Habrothamnus	40	Aristolochia	69
Acacia	13	Heliotropium	41	Bignonia	69
Balsam	20	Hibiscus	41	Clitoria	70
Canna	24	Indigofera	43	Dolichos	70
Cassia	25	Ixora	43	Hardenbergia	71
Celosia	26	Lantana	44	Ipomæa	71
Chorozema	27	Metrosideros	50	Kennedya	72
Cockseomb	29	Pelargonium10,	54	Lophospermum	72
Cuphea	31	Pittosporum	56	Maurandya	72
Cyclamen	31	Primula	58	Passiflora	73
Epiphyllum	35	Solanum	62	Phaseolus	73
Eriostemon	35	Statice	64	Tacsonia	74
Fern	37	Swainsonia	65	Thunbergia	74
Geranium	38	Veronica	67	Tropæolum	75


#### FOR THE DECORATION OF THE FLOWER GARDEN

The following are of great value, and embrace many beautiful novelties:-

The following	are or g	reat value, and embrace	шапу	beautiful novelties:—	
A	Page	Toutest 1.	Page	70	Page
Anagallis	16	Leptosiphon	46	Potentilla	58
Antirrhinum	17	Linaria	46	Pyrethrum	59
Aquilegia	17	Linum	46	Ricinus	59
Aster	18	Lobelia	47	Salpiglossis	60
Browallia	21	Lupinus	48	Salvia	60
Calliopsis	22	Malva	48	Schizanthus	61
Campanula	23	Marigold	49	Statice	64
Carnation7,	25	Mesembryanthemum	49	Stock	64
Chrysanthemum	28	Mimulus	50	Viscaria	67
Clarkia	28	Nasturtium	51	Wallflower	68
Clintonia	29	Nemesis	51	Zinnia, double	68
Convolvulus	30	Nemophila	51	Convolvulus, Major	70
Delphinum	32	Œnothera	52	Ipomæa	71
Dianthus	33	Pentstemon	54	Tropæolum	75
Grammanthes	39	Phlox	55	Ornamental Gourds	76
Helianthus	40	Picotee9,	56	,, Grasses	70
Ipomopsis	43	Portulaca	58	Gladioli	80
Larkspur	45				

British State help by a many a free , que à prople que et une sant torn to contract property. is with analy will Allen Andrew Agree on And musica to religional erome develop, one & not in fact their war Immarion far I retain dark that, bright to Cali Sugario Officery led

apple Hassom by pretty estime pair porter tout dese, fine esephile lubyeportion danble and armine, begit comison saulet for and light mordble, coppen and gradeolon for mosture agas forting double Chamise kygood ed say hused Rank ash goldy, my good to of farmitum, but might to Copper, coppy one ongood muchae, but not alone Rank violet splenkik molet- or my double. Wiffee white i my double poppy gray of mylight puffle good almutes but pale blue, putty pupile blac truydouble fines peach, buy pretty estans agreelmaying durbbur, frich puple sog double! Charnois yellow which fellow good in hundre had Carmine and Judy Calome Good alone flish, cold maillen flush the reforety, mythere annument perch blosson your







02-11 STD

www.colibrisystem.com

